

CIRS Actions (SLDS) (Vermont)

Last Modified on 03/11/2024 9:15 am CDT

Report Logic | Report Editor | Report Layout

Classic View: VT State Reporting > SLDS > Extract Type > 18 CIRS Actions

Search Term: SLDS

The CIRS Actions submission enhances Vermont's ability to efficiently and accurately manage, analyze, and use education data.

SLDS ☆ eporting > VT State Report	ing > SLDS			
T SLDS Reports				
This tool will extract data to con	plete the VT SLDS Reports.			
Extract Options				
Submission code for file name	Nightly Collection Unofficial (03) 🗸			
Extract Type	18 CIRS Actions 🗸			
Effective Date	05/05/2020			
Format	State Submission 🗸			
Report Legal Identities	\checkmark			
Generate Rep	ort Submit to Batch			
Refresh Show top 50	tasks submitted between 04/28/2020	and 05/0	5/2020	
Batch Queue List Queued Time	Report Title	Status	Download	
	Example 18 CIRS Actions	Extract Ec	litor	

Report Logic

All Behavior Resolutions that meet the following requirements report.

- The related incident date is on or after the first instructional day of the selected calendar.
- The related incident date is on or before the Effective Date selected on the extract editor.
- Only students with a Role of Offender report.

Report Editor

Field	Description
Submission Code for File Name	The report naming convention based on the submission time frame of the report.
Extract Type	18 CIRS Actions



Field	Description
Effective Date	The date from which data is pulled for the report.
Format	Determines the format for the report. Use State Submission when submitting the final data. Use HTML for data review and testing.
Select Calendars	The calendar(s) from which data is pulled for the report. This option is only available when you select <i>HTML</i> for the File Format and can assist you with verifying data for individual calendars.
Generate Report Submit to Batch	Users have the option of submitting the report request to the batch queue by clicking Submit to Batch instead of Generate Extract . This process allows larger reports to generate in the background without disrupting the use of Campus.

Report Layout

Element	Logic	Format and Length	Campus Database	Campus Location
ADMINID	The VT AOE assigned unique identifier for the Supervisory Union/District that is submitting data.	Alphanumeric, 6 characters	District.number	System Administratic > Resources > District Information : District Detai > State District Number
Action_Num	A unique identifier assigned by the school to each action taken in response to an individual incident.	Numeric, 15 digits	BehaviorResolution. resolutionID	Student Information : General > Behavior Tab > Behavior Resolution > Resolution ID (System Generated)
Incident_Num	A unique identifier assigned by the school to each incident in a school year.	Numeric, 15 digits	BehaviorEvent. eventID	Student Information : General > Behavior Tab > Behavior Event > Ever ID
off_IDNUM	A unique identifier assigned by the school to each offender involved in an individual incident.	Numeric, 15 digits	Person.stateID	Census > People > Demographic > Person Identifiers > Student State ID



Element	Logic			Format and Length	Campus Database	Campus Location
ENRORGID	The VT AOE assign for an organizatio instructional or ec	n provi	ding direct	Alphanumeric, 6 characters	School.number	System Administratic > Resources > School > School Detail > State School Number
Action_Type	A state resolution type of action tak		ndicating the	Numeric, 2 digits	BehaviorResType. stateResCode	Behavior > Behavior Management > New Resolution > Resolution
Action_Start_Date	The date when an action commenced.			Date Field MM/DD/YYYY	BehaviorResolution. timeStamp	Behavior > Behavior Management > New Resolution > Resolution Start Date
Action_End_Date	The date representing the end of the period in which an action was taken. If the Resolution End Date is null, this element reports blank.			Date Field MM/DD/YYYY	BehaviorResolution. endTimeStamp	Behavior > Behavior Management > New Resolution > Resolution End Date
Susp_Red	Indicates whether the school board reduced a weapons-possession suspension to less than one year. If the State Incident_Type is 46: Weapon , then Y reports if Suspension Reduction is selected and N reports if it is not selected.			Alphanumeric, 1 character	BehaviorResolution. durationReason	Behavior > Behavior Management > New Resolution > Suspension Reduction
Susp_Length	The number of school days missed due to an in school or out-of-school suspension.			Numeric, 5 digits NNN,NN	BehaviorResolution. timeStamp BehaviorResolution.	Behavior > Behavior Management
	If the Resolution is	And the End Date is	Then		endTimeStamp	> New Resolution > Resolution Start and Enc Date
	10:Suspension - In School	not null	the number of instructional days between the Resolution Date and End Date report.			



Element	Llóghæ Resolution	And the	Then	Format and Length	Campus Database	Campus Location
	is	End Date is				
	10:Suspension - In School	null	the number of instructional days between the Resolution Date and Effective Date from the extract editor report.			
	11:Suspension - Out-Of- School	not null	the number of instructional days between Resolution Date and End Date report.			
	11:Suspension - Out-Of- School	null	the number of instructional days between Resolution Date and Effective Date from the extract editor report.			
Exp_Svcs	received educatio an expulsion. If the Action_Type <i>Expulsion</i> , Y report Services is selecte Educational Service	Indicates whether the student received educational services during an expulsion. If the Action_Type element is <i>5:</i> <i>Expulsion</i> , Y reports if Education Services is selected or reports N if Educational Services is not selected. Otherwise, this element reports blank.			BehaviorResType. stateResCode BehaviorResolution. expulsionServiceProvided	Behavior > Behavior Managemen > New Resolution > Educational Services
SY	The school year for which data is being submitted.			Numeric, 4 digits YYYY	Calendar. endYear	N/A



Element	Logic	Format and Length	Campus Database	Campus Location
Seclusion	A code indicating whether the student was placed in seclusion.	Alphanumeric, 1 character Y or N	BehaviorResType. name	Behavior > Behavior Management > New Response > Response Type = Seclusion
Restraint	A code indicating whether the student was restrained.	Alphanumeric, 1 character Y or N	BehaviorResType. name	Behavior > Behavior Management > New Response > Response Type = <i>Restraint</i>