


Student Restraint Event Interchange (TSDS) (Texas)

Last Modified on 03/11/2024 8:44 am CD7

Report Logic | Report Editor | XML Elements

The Student Restraint Event captures data for all student restraints administered by school district police officers and school resource officers working with a LEA under a local MOU as well as special education students who are restrained by school employees. The Student Restraint Event is collected in Submission 3 - Summer only.





Report Logic

- The Student Restraint Event Interchange represents data for the restraints of all students that are administered by school district police officers and school resource officers working with an LEA under a local MOU and special education students who are restrained by LEA employees and volunteers.
- Students who meet the following criteria will NOT be included in the report:
 - Students with no State ID.
 - Students marked as State Exclude, are in a grade level marked State Exclude or enrolled in a calendar marked State Exclude.
 - Students with an ADA Eligibility = 0 or blank on all ADA records tied to the reporting enrollment.
 - Student restraint events that are performed by law enforcement personnel who are not employed by a LEA police department or who are not serving as an SRO under a MOU with an LEA.

Report Editor

Field	Description
Submission	3 - Summer
Interchanges	Interchanges are XML Schema Definitions (XSDs) which group related complex types. Select Student Discipline .
Effective Date	Only data as of this date reports. Default value is today's date.
Status	RegularResubmissionWorking Collection
Report Type	XML



Field	Description		
Filter By	This field allows you to narrow the report results to specific Calendars, Calendar Years (District), or Schools.		
	Option	Description	
	Calendar	This option allows you to select the specific calendar(s) to include in the report.	
	District	This option allows you to select the specific Calendar Year to include in the report.	
	School	This option allows you to select the specific school(s) to include in the report.	
Population	This option allows you to limit report results to Unique IDs. The Unique ID option only considers students with a Unique ID. The <i>All</i> option considers all students.		
Ad Hoc Filter	Select an Ad Hoc filter to limit report results to those that meet filter requirements.		
Report Generation	The report can be marked to generate immediately using the Generate Extract button or can be marked to generate at a later time using the Submit to Batch button. See the Batch Queue article for additional guidance.		

XML Elements

RestraintEvent

RestraintEvent



```
<RestraintEvent>
   <RestraintEventIdentifier>027521</RestraintEventIdentifier>
   <EventDate>2012-10-01</EventDate>
 - <StudentReference>
     - <StudentIdentity>
          <StudentUniqueStateId>1234567899</StudentUniqueStateId>
       </StudentIdentity>
   </StudentReference>
 - <SchoolReference>
     - <EducationalOrgIdentity>
           <StateOrganizationId>129906041</StateOrganizationId>
       </EducationalOrgIdentity>
   </SchoolReference>
   <TX-PrimaryRestraintReason>02</TX-PrimaryRestraintReason>
   <TX-ReportingPeriod>1</TX-ReportingPeriod>
   <TX-InstructionalSetting>00</TX-InstructionalSetting>
   <TX-RestraintStaff>02</TX-RestraintStaff>
<TX-SpecialEducation>0</TX-SpecialEducation>
</RestraintEvent>
```

Element	Description	Location		
Restraint Event Identifier Required	Reports the Event ID of the behavior incident. Submission: 3 Numeric, 6 digits	Behavior > Behavior Management/Referral > Add Event/Participant > Even and Participant Details > Event Details > Event ID BehaviorEvent.eventID		
EventDate Required	Date the restraint event occurred. Submission: 3	Behavior > Behavior Management/Referral > Incident Date		
	Coded, 10 characters	BehaviorIncident.date		
StudentReference				
Student Identity > StudentUniqueStateId Required	The reporting student's unique Student ID. Students with no Texas-unique Student ID are not reported.	Census > People > Demographics > Student Unique State ID		
	Submission: 3 Numeric, 10 digits	Student.stateID		
SchoolReference				



Element	Description	Location
EducationalOrgIdentity > StateOrganizationId Required	The District Number (6 digits) + State School Number (3 digits) of the school tied to the behavior incident. Submission: 3	System Administration > Resources > District Information > State District Number System Administration > Resources > School > School Detail > State School Number
	Coded, 9 characters	District.number School.number
TX-Primary Restraint Reason Required	Indicates the Restraint Reason of the restraint event. Submission: 3	Behavior > Behavior Management > Incident Details > (Add Behavior Response) > Add Response > Restraint Reason
	Coded, 2 characters	BehaviorResponse.restraintReason
TX-ReportingPeriod Required	The Reporting Period that contains the restraint event. Submission: 3 <i>Coded, 2 characters</i>	Calculated
TX-RestraintStaff Required	Indicates what type of staff member restrained the student during the Restraint Event. Restraint Events where Restraint Staff Type = 01 do not report unless the Special Ed field below reports 1. Submission: 3	Behavior > Behavior Management > Incident Details > (Add Behavior Response) > Add Response > Restraint Staff Type BehaviorResponse.restraintStaffType
	Coded, 2 characters	



Element	Description	Location
TX-SpecialEducation Required	Students who have an active locked IEP that overlaps the behavior incident date AND contains a Primary Disability that is also active on the behavior incident date report a value of 1 . Otherwise, 0 reports.	Student Information > Special Ed > Documents > Plan Outline txIEP > Education Plan Calculated
	If a student has multiple, qualified overlapping Special Ed records when the restraint event occurred will report all of them as long as their disability codes or instructional codes are different from one another. Submission: 3	