

# WISEid Extract

Last Modified on 04/10/2024 11:30 am CDT

[Report Logic](#) | [Report Editor](#) | [Generate the WISEid Student Extract](#) | [Generate the WISEid Staff Extract](#) | [Extract Layout](#)

Tool Search: WISEid Extracts

The WISEid Extracts tool provides a way to extract state IDs to upload to the state's new state ID system (WISEid). This can be used for both students and staff. Results of the report depend on the selected Extract Type.

The extracted data displays personal identifying information including legal names for both students and staff.

WISEid Extract ☆

## WISEid Extracts

This tool provides data to complete the WI State-defined WISEid reporting extract. Use the State Format to generate a CSV file for state reporting. Use the HTML format for troubleshooting or analysis. Students are reported when there is an enrollment that is not ended prior to the effective date (active) in the calendar selected. Staff are reported when there is a district employment record that is not ended prior to the effective date (active).

Extract Options

Extract Type

Effective Date\*

Student

03/21/2023

People w/o State ID Only

Use Legal Identities Where Provided?

Grade

All Students

E3

E4

K2

K4

KG

PK

01

02

03

Ad Hoc Filter

Format

Comma separated Values(CSV)

Generate Report

Submit to Batch

Select Calendars

active year

list by school

list by year

22-23

22-23 Bull Early Education Cen

22-23 Case High School

22-23 Census School

22-23 Community Partner 4K

22-23 Dr Jones Elementary

22-23 Fratt Elementary

22-23 Gifford

22-23 Gilmore Fine Arts School

22-23 Goodland Montessori

22-23 Horlick High School

22-23 Janes Elementary

22-23 Jefferson Lighthouse Ele

22-23 Jerstad-Agerholm School

22-23 Julian Thomas Elementary

22-23 Knapp Elementary

22-23 Mitchell School

22-23 Olympia Brown Elementary

22-23 Park High School

22-23 Racine Alternative Learn

CTRL-click or SHIFT-click to select multiple

Refresh

Show top 50 tasks submitted between 03/14/2023 and 03/21/2023

Batch Queue List

Queued Time	Report Title	Status	Download

*WISEid Extract*

## Report Logic

Students who have enrollment records marked as state exclude ARE NOT included in the extract.  
Students who are enrolled in calendars marked as state exclude, or enrolled in grade levels marked as state exclude, or enrollments marked as No Show DO report for any selected extract type.

Student population depends on the selected Extract type.

Extract Type	Population
--------------	------------

Extract Type	Population
<b>Student</b>	Reports students who have an active enrollment that is not marked as state exclude (enrollment record does not have an end date) within the dates entered on the editor for the selected calendar. Students marked as No Show do not report.
<b>Staff</b>	Reports staff who have an active district employment record. If a date range is entered, only those staff who have a district employment record within the entered dates are returned.

## Parent Identification Logic

The Extract Types related to student data include parent information. This report uses the following logic:

1. A person is found who has the Guardian checkbox marked and the relationship is NOT ended as of the effective date of the extract. This reports first from the Primary Household relationships, then from Secondary Household Relationships, then from Non-Household Relationships.
2. If multiple guardians exist in the same household as the student, the person with the lowest personID reports as Parent 1; the person with the second lowest personID reports as Parent 2.
3. If only one person is marked as guardian in the same household as the student, that person reports as Parent 1. The secondary and non-household relationships are reviewed for any other person marked as guardian, and if found, that person reports as Parent 2. Otherwise, the Parent 2 fields report blank.
4. The most recent identity information for Parent 1 and Parent 2 reports.

## Report Editor

### Student Extract

Field	Description
<b>Extract Type</b>	Selection indicates the extract for which IDs are being generated. It also determines the report population and date logic. Select <b>Student</b> .
<b>Effective Date</b>	These fields are required in order to generate the report. Dates can be entered in <i>mmddyy</i> format, or use the calendar icon to select a date. This date is used to find active students (no end date on enrollment record, actively enrolled as of the entered date).
<b>People without State ID Only</b>	When marked, only students who do not have an existing ID are included, as long as those students meet other reporting requirements.

Field	Description
<b>Use Legal Identities Where Provided?</b>	When marked, the person's legal name/gender is used when provided.
<b>Student Selection</b>	<p>Select students to include on the report by choosing either a <b>Grade</b> level of enrollment for the students or an <b>Ad hoc Filter</b>.</p> <ul style="list-style-type: none"> <li>To include students in all grade levels, choose <b>All Students</b> in the Grade Level options.</li> <li>Selecting an existing ad hoc filter reports only those students or courses included in those filters, if they meet the reporting requirements of the report.</li> </ul> <p>These options only display when the Extract Type is set to Student.</p>
<b>Format</b>	The extract can be generated in either CSV or HTML. Use the CSV option when uploading the data to the state system.
<b>Calendar Selection</b>	<p>At least one calendar needs to be selected in order to generate the extract. Multiple calendars can be chosen by using the CTRL and SHIFT keys. It is advised that not all calendars be chosen at once due to the amount of data that is returned in the extracts.</p> <p>Calendars can be selected by active year, by school or by year.</p> <p>This option only displays when the Extract Type is set to Student.</p>
<b>Report Generation</b>	Use the <b>Generate Extract</b> button to immediately display the results of the selected extract type/period. For a larger data set, use the <b>Submit to Batch</b> button. This allows the selection of a specific time in which the extract generates (after school hours). See the <a href="#">Batch Queue</a> article for more information.

## Staff Extract

Field	Description
<b>Extract Type</b>	Selection indicates the extract for which IDs are being generated. It also determines the report population and date logic. Select <b>Staff</b> .
<b>Effective Date</b>	<p>These fields are required in order to generate the report. Dates can be entered in <i>mmdyy</i> format, or use the calendar icon to select a date.</p> <p>This date is used to find active staff (no end date on employment record, actively employed as of the entered date).</p>
<b>People without State ID Only</b>	When marked, only staffs who do not have an existing ID are included, as long as those students meet other reporting requirements.

Field	Description
<b>Use Legal Identities Where Provided?</b>	When marked, the person's legal name/gender is used when provided.
<b>Format</b>	The extract can be generated in either CSV or HTML. Use the CSV option when uploading the data to the state system.
<b>Calendar Selection</b>	At least one calendar needs to be selected in order to generate the extract. Multiple calendars can be chosen by using the CTRL and SHIFT keys. It is advised that not all calendars be chosen at once due to the amount of data that is returned in the extracts. Calendars can be selected by active year, by school or by year. This option only displays when the Extract Type is set to Student.
<b>Report Generation</b>	Use the <b>Generate Extract</b> button to immediately display the results of the selected extract type/period. For a larger data set, use the <b>Submit to Batch</b> button. This allows the selection of a specific time in which the extract generates (after school hours). See the <a href="#">Batch Queue</a> article for more information.

## Generate the WISEid Student Extract

1. Select the **Student Extract Type** from the dropdown list.
2. Enter the **Effective Date** from which to report data.
3. If desired, mark the **People w/o State ID Only** checkbox.
4. If desired, mark the **Use Legal Identities Where Provided?** checkbox.
5. Select the students to include in the report by choosing either a **Grade** level or an **Ad hoc Filter**.
6. Determine how **UIDs should display**, selecting the appropriate radio button.
7. Select the **Format** of the extract.
8. Select the **Calendars** to include in the report.
9. Click the **Generate Extract** button to display the report immediately, or use the **Submit to Batch** button to determine when the report should generate. The report displays in the selected format.

WISEid Extract Student locator Records:869									
WISEid	LocalPersonID	LastName	FirstName	MiddleName	Suffix	BirthDate	GenderID	RaceKey	Othe
1234567890	1234567890	Student	Amelia			12/25/1996	M	0005	
2345678901	2345678901	Student	Bennett			04/29/1997	F	0005	
3456789012	3456789012	Student	Christine			05/30/1997	M	0037	
4567890123	4567890123	Student	Dylan			07/20/1997	M	0034	
5678901234	5678901234	Student	Emily			07/16/1997	M	0034	
6789012345	6789012345	Student	Franklin			10/21/1997	M	0046	
7890123456	7890123456	Student	Ginger			09/25/1997	F	0037	
8901234567	8901234567	Student	Henry			09/06/1997	F	0037	

WISEid Extract Student Type - HTML Format

# Generate the WISEid Staff Extract

1. Select the **Staff Extract Type** dropdown list.
2. Enter the **Effective Date** from which to report data.
3. If desired, mark the **People w/o State ID Only** checkbox.
4. If desired, mark the **Use Legal Identities Where Provided?** checkbox.
5. Determine how **UIDs should display**, selecting the appropriate radio button.
6. Select the **Format** of the extract.
7. Click the **Generate Extract** button to display the report immediately, or use the **Submit to Batch** button to determine when the report should generate. The report displays in the selected format.

	A	B	C	D	E	F	G	H	I	J
1	WISEid	LocalPersonID	LastName	FirstName	MiddleName	Suffix	BirthDate	GenderID	RaceKey	Other
2		123456	Staff	Asher			12/20/1971	F		37
3		234567	Staff	Brittany			4/7/1951	F		37
4		345678	Staff	Calvin			2/16/1996	M		37
5		456789	Staff	Diana			2/28/1993	F		35
6		567890	Staff	Emmett			9/16/1954	F		37
7		678901	Staff	Francine			10/18/1972	M		37
8		789012	Staff	Georg			7/17/1961	F		37
9										
10										
11										

WISEid Extract Staff - CSV Format

## Extract Layout

Data Element	Description	Location
<b>WISEid</b>	<p>Permanent identifier for students/staff in the education system.</p> <p>This field reports the state ID for students and staff.</p> <p><i>Numeric, 10 digits</i></p>	<p>Census &gt; People &gt; Identities &gt; Person Identifiers &gt; Student State ID, Staff State ID</p> <p>Person.studentStateID Person.staffStateID</p>
<b>Local Person ID</b>	<p>Reports the unique Local Number for students or staff.</p> <p><i>Numeric, 50 digits</i></p>	<p>Census &gt; People &gt; Identity</p> <p>Person.personID</p>

Data Element	Description	Location
<b>Last Name</b>	<p>Reports the student's or staff person's legal last name from the current identity record.</p> <ul style="list-style-type: none"> <li>If the 'Use Legal Identities Where Provided?' is checked on the extract editor: <ul style="list-style-type: none"> <li>Reports the Legal Last Name from the Protected Identity Information fields..</li> <li>If all legal name fields are blank, then reports from the Last Name field.</li> </ul> </li> <li>If the 'Use Legal Identities Where Provided?' is NOT checked on the extract editor: <ul style="list-style-type: none"> <li>Reports from the Last Name field.</li> </ul> </li> <li>Only allowable characters report (A-Z, hyphens, apostrophes, periods, spaces). If special characters are used, the accented character is removed with the equivalent non-accented character.</li> </ul> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census &gt; People &gt; Identities &gt; Protected Identity Information &gt; Legal Last Name</p> <hr/> <p>Identity.legalLastName</p> <p>Census &gt; People &gt; Identities &gt; Identity Information &gt; Last Name</p> <p>Identity.lastName</p>
<b>First Name</b>	<p>Reports the student's or staff person's legal first name from the current identity record.</p> <ul style="list-style-type: none"> <li>If the 'Use Legal Identities Where Provided?' is checked on the extract editor: <ul style="list-style-type: none"> <li>Reports the Legal First Name from the Protected Identity Information fields.</li> <li>If all legal name fields are blank, then reports from the First Name field.</li> </ul> </li> <li>If the 'Use Legal Identities Where Provided?' is NOT checked on the extract editor: <ul style="list-style-type: none"> <li>Reports from the First Name field.</li> </ul> </li> <li>Only allowable characters report (A-Z, hyphens, apostrophes, periods, spaces). If special characters are used, the accented character is removed with the equivalent non-accented character.</li> </ul> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census &gt; People &gt; Identities &gt; Protected Identity Information &gt; Legal First Name</p> <hr/> <p>Identity.legalFirstName</p> <p>Census &gt; People &gt; Identities &gt; Identity Information &gt; First Name</p> <p>Identity.firstName</p>

Data Element	Description	Location
<b>Middle Name</b>	<p>Reports the student's or staff person's legal middle name from the current identity record.</p> <ul style="list-style-type: none"> <li>If the 'Use Legal Identities Where Provided?' is checked on the extract editor: <ul style="list-style-type: none"> <li>Reports the Legal Middle Name from the Protected Identity Information fields.</li> <li>If all legal name fields are blank, then reports from the Middle Name field. <ul style="list-style-type: none"> <li>If the Middle Name field is blank, then reports blank.</li> </ul> </li> </ul> </li> <li>If the 'Use Legal Identities Where Provided?' is NOT checked on the extract editor: <ul style="list-style-type: none"> <li>Reports from the Middle Name field. <ul style="list-style-type: none"> <li>If the Middle Name field is blank, then reports blank.</li> </ul> </li> </ul> </li> <li>Only allowable characters report (A-Z, hyphens, apostrophes, periods, spaces). If special characters are used, the accented character is removed with the equivalent non-accented character.</li> </ul> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census &gt; People &gt; Identities &gt; Protected Identity Information &gt; Legal Middle Name</p> <p>Identity.legalMiddleName</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Identity Information &gt; Middle Name</p> <p>Identity.MiddleName</p>
<b>Suffix</b>	<p>Reports the student's or staff person's legal suffix from the current identity record.</p> <ul style="list-style-type: none"> <li>If the 'Use Legal Identities Where Provided?' is checked on the extract editor: <ul style="list-style-type: none"> <li>Reports the Legal Suffix from the Protected Identity Information fields.</li> <li>If all legal name fields are blank, then reports from the Suffix field. <ul style="list-style-type: none"> <li>If the Suffix field is blank, then reports blank.</li> </ul> </li> </ul> </li> <li>If the 'Use Legal Identities Where Provided?' is NOT checked on the extract editor: <ul style="list-style-type: none"> <li>Reports from the Suffix field. <ul style="list-style-type: none"> <li>If the Suffix field is blank, then reports blank.</li> </ul> </li> </ul> </li> <li>Only allowable characters report (A-Z, hyphens, apostrophes, periods, spaces).</li> </ul> <p><i>Alphanumeric, 15 characters</i></p>	<p>Census &gt; People &gt; Identities &gt; Protected Identity Information &gt; Legal Suffix</p> <p>Identity.legalSuffix</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Identity Information &gt; Suffix</p> <p>Identity.suffix</p>



Data Element	Description	Location
<b>Birth Date</b>	<p>Reports the student's or staff person's entered birth date from the current identity record.</p> <p><i>Date field, 10 characters (mm/dd/yyyy)</i></p>	<p>Census &gt; People &gt; Identities &gt; Person Information &gt; Birth Date</p> <p>Identity.birthDate</p>
<b>Gender ID</b>	<p>Report from the current identity record:</p> <ul style="list-style-type: none"> <li>If the 'Use Legal Identities Where Provided?' is checked on the extract editor: <ul style="list-style-type: none"> <li>Reports the Legal Gender from the Protected Identity Information fields based on the value selected: <ol style="list-style-type: none"> <li>Female, report 'F'.</li> <li>Male, report 'M'.</li> </ol> </li> <li>If the Legal Gender field is blank, then reports from the Gender field with the following values: <ol style="list-style-type: none"> <li>Female, report 'F'.</li> <li>Male, report 'M'.</li> <li>Non-binary, report 'X'.</li> </ol> </li> </ul> </li> <li>If the 'Use Legal Identities Where Provided?' is NOT checked on the extract editor: <ul style="list-style-type: none"> <li>Reports the from the Gender field with the following values: <ol style="list-style-type: none"> <li>Female, report 'F'.</li> <li>Male, report 'M'.</li> <li>Non-binary, report 'X'.</li> </ol> </li> </ul> </li> </ul> <p><i>Alphabetic, 1 character</i></p>	<p>Census &gt; People &gt; Identities &gt; Identity Information &gt; Gender</p> <p>Identity.gender</p>
<b>Race Key</b>	<p>A code corresponding to the racial/ethnic group or groups with which the person identifies.</p> <p><i>Alphanumeric, 4 characters</i></p>	<p>Census &gt; People &gt; Identities &gt; Person Information &gt; Race/Ethnicity</p> <p>Identity.raceEthnicity</p>

Data Element	Description	Location
<b>Other Name Last Name</b>	<p>A former last name a person may have had from the most recent previous identity record.</p> <ul style="list-style-type: none"> <li>If there is a legal name, information reports from the most recent identity.</li> <li>Only allowable characters report (A-Z, hyphens, apostrophes, periods, spaces). If special characters are used, the accented character is removed with the equivalent non-accented character.</li> </ul> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census &gt; People &gt; Identities &gt; Person Information &gt; Last Name</p> <p>Identity.lastName</p>
<b>Other Name First Name</b>	<p>A former first name a person may have had from the most recent previous identity record.</p> <ul style="list-style-type: none"> <li>If there is a legal name, information reports from the most recent identity.</li> <li>Only allowable characters report (A-Z, hyphens, apostrophes, periods, spaces). If special characters are used, the accented character is removed with the equivalent non-accented character.</li> </ul> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census &gt; People &gt; Identities &gt; Person Information &gt; First Name</p> <p>Identity.firstName</p>
<b>Other Name Middle Name</b>	<p>A former middle name a person may have had from the most recent previous identity record.</p> <ul style="list-style-type: none"> <li>If there is a legal name, information reports from the most recent identity.</li> <li>Only allowable characters report (A-Z, hyphens, apostrophes, periods, spaces). If special characters are used, the accented character is removed with the equivalent non-accented character.</li> </ul> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census &gt; People &gt; Identities &gt; Person Information &gt; Middle Name</p> <p>Identity.middleName</p>
<b>Other Name Suffix</b>	<p>A former suffix name a person may have had from the most recent previous identity record.</p> <ul style="list-style-type: none"> <li>If there is a legal name, information reports from the most recent identity.</li> <li>Only allowable characters report (A-Z, hyphens, apostrophes, periods, spaces)</li> </ul> <p><i>Alphanumeric, 15 characters</i></p>	<p>Census &gt; People &gt; Identities &gt; Person Information &gt; Suffix</p> <p>Identity.suffix</p>

Data Element	Description	Location
<b>WISEsecure Role</b>	<p>Indicates a person's WISEsecure role, which is connected to the Local Person ID and Email. Reports the selected value.</p> <ul style="list-style-type: none"> <li>• 01 - None</li> <li>• 02 - Educational Support</li> <li>• 03 - Teacher</li> <li>• 04 - Principal/Designee</li> <li>• 05 - Special Ed Director/Designee</li> </ul> <p>This field reports a value of <i>Student</i> for students.</p> <p>Access to update this field requires a WISEstaff Agency Staff Admin security role in addition to a WISEid role with create/edit ability.</p> <p>When the Extract Type is Staff and Campus HR is enabled, the name from the WISEstaff Position Code on the Work Assignment Detail editor reports.</p> <p>When the Extract Type is Staff and Campus HR is NOT enabled, the name of the WISEsecure Role on the District Employment editor reports.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census &gt; People &gt; District Employment &gt; WISE Secure Role</p> <p>Human Resources &gt; Personnel &gt; Personnel Master &gt; Work</p> <p>Employment.stateRole</p> <hr/> <p>Assignment &gt; Position Code/Description</p> <p>HRPositionCode.wiseStaff PositionCode</p>
<b>Email Address</b>	<p>Reports the email address of the individual and is used for the upcoming WISEsecure system to authorize access to DPI systems.</p> <p>The email address is connected to each unique combination of a WISEid, Local Person ID and Local Person ID Key Type per agency.</p> <p>Each unique email can only be associated to one WISEid record, although the same WISEid can have the same email applied to multiple Local Person IDs.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Contact Information</p> <p>Contact.email</p>

Data Element	Description	Location
<b>Multiple Birth Indicator</b>	<p>Indicates if a person was part of a set from the same birth (twins, triplets, etc.).</p> <ul style="list-style-type: none"> <li>• Reports a value of Y when the Multiple Birth Order field is marked on the most recent Identity record.</li> <li>• Reports a value of N when the Multiple Birth Order field is not marked on the most recent Identity record.</li> </ul> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Census &gt; People &gt; Identities</p> <p>Identity.multipleBirth</p>
The following fields only report for the Student based extracts. These fields DO NOT report a value when generating the Staff Extract Type.		
<b>Born Outside US</b>	<p>Required if the Local Person ID Key Type is for a student.</p> <p>Reports the value from the most recent identity selected in the Birth Country field on the Identities tab.</p> <ul style="list-style-type: none"> <li>• If the answer to "Was this person born outside of the United States or Puerto Rico?" is Yes, reports a value of Y.</li> <li>• If the answer to "Was this person born outside of the United States or Puerto Rico?" is No, reports a value of N.</li> </ul> <p>If the Birth Country field is US: United States of America or PR: Puerto Rico or is not populated, reports a value of N. For all other selections, reports a value of Y.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Census &gt; People &gt; Identities &gt; Person Information &gt; Birth Country</p> <p>Identity.birthCountry</p>
<b>Birth City</b>	<p>Reports the value from the most recent identity entered into the Birth City field on the Identities tab for students.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census &gt; People &gt; Identities &gt; Person Information &gt; Birth City</p> <p>Identity.birthCity</p>
<b>Birth State</b>	<p>Reports the selected value from the Birth State field from the most recent identity record.</p> <p><i>Alphanumeric, 2 characters</i></p>	<p>Census &gt; People &gt; Identities &gt; Person Information &gt; Birth State</p> <p>Identity.birthState</p>

Data Element	Description	Location
<b>Birth County</b>	Reports the selected value from the Birth County field from the most recent identity record.  <i>Alphanumeric, 30 characters</i>	Census > People > Identities > Person Information > Birth County  Identity.birthCounty
<b>Birth Country</b>	Reports the selected value from the Birth Country field. from the most recent identity record.  <i>Alphanumeric, 60 characters</i>	Census > People > Identities > Person Information > Birth Country  Identity.birthCountry
<b>Entity ID</b>	DPI-assigned educator file identification number. Reports blank.  <i>Numeric, 10 digits</i>	N/A
<b>Local Person ID Key</b>	Reports Student when the report population includes students; reports Staff when the report population includes staff.  <i>Numeric, 10 digits</i>	N/A
<b>Parent 1 Type</b>	Reports a value of G (Guardian) when the report population is for students.  <i>Alphabetic, 1 character</i>	N/A
<b>Parent 1 Last Name</b>	Reports the guardian's last name of the student where the Guardian checkbox is marked and the Relationship is not ended. See the <a href="#">Parent Identification Logic</a> for more information.  Only allowable characters report (A-Z, hyphens, apostrophes, periods, spaces). If special characters are used, the accented character is removed with the equivalent non-accented character.  <i>Alphanumeric, 50 characters</i>	Census > People > Identity > Person Information > Last Name  Identity.lastName  Census > People > Relationships > Guardian  Census > People > Identity > Person ID

Data Element	Description	Location
<b>Parent 1 First Name</b>	<p>Reports the guardian's first name of the student where the Guardian checkbox is marked and the Relationship is not ended. See the <a href="#">Parent Identification Logic</a> for more information.</p> <p>Only allowable characters report (A-Z, hyphens, apostrophes, periods, spaces). If special characters are used, the accented character is removed with the equivalent non-accented character.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census &gt; People &gt; Identity &gt; Person Information &gt; First Name</p> <p>Identity.firstName</p> <hr/> <p>Census &gt; People &gt; Relationships &gt; Guardian</p> <p>Census &gt; People &gt; Identity &gt; Person ID</p>
<b>Parent 1 Middle Name</b>	<p>Reports the guardian's middle name of the student where the Guardian checkbox is marked and the Relationship is not ended. See the <a href="#">Parent Identification Logic</a> for more information.</p> <p>Only allowable characters report (A-Z, hyphens, apostrophes, periods, spaces). If special characters are used, the accented character is removed with the equivalent non-accented character.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census &gt; People &gt; Identity &gt; Person Information &gt; Middle Name</p> <p>Identity.middleName</p> <hr/> <p>Census &gt; People &gt; Relationships &gt; Guardian</p> <p>Census &gt; People &gt; Identity &gt; Person ID</p>
<b>Parent 1 Name Suffix</b>	<p>Reports the guardian's suffix of the student where the Guardian checkbox is marked and the Relationship is not ended. See the <a href="#">Parent Identification Logic</a> for more information.</p> <p><i>Alphanumeric, 15 characters</i></p>	<p>Census &gt; People &gt; Identity &gt; Person Information &gt; Suffix</p> <p>Identity.suffix</p> <hr/> <p>Census &gt; People &gt; Relationships &gt; Guardian</p> <p>Census &gt; People &gt; Identity &gt; Person ID</p>

Data Element	Description	Location
<b>Parent 2 Type</b>	<p>Reports a value of G (Guardian) when the report population is for students.</p> <p>If there is no second person marked as guardian for the student, this field reports blank.</p> <p><i>Alphabetic, 1 character</i></p>	N/A
<b>Parent 2 Last Name</b>	<p>Reports the guardian's last name of the student where the Guardian checkbox is marked and the Relationship is not ended. See the <a href="#">Parent Identification Logic</a> for more information.</p> <p>Only allowable characters report (A-Z, hyphens, apostrophes, periods, spaces). If special characters are used, the accented character is removed with the equivalent non-accented character.</p> <p>If there is no second person marked as guardian for the student, this field reports blank.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census &gt; People &gt; Identity &gt; Person Information &gt; Last Name</p> <p>Identity.lastName</p> <hr/> <p>Census &gt; People &gt; Relationships &gt; Guardian</p> <p>Census &gt; People &gt; Identity &gt; Person ID</p>
<b>Parent 2 First Name</b>	<p>Reports the guardian's first name of the student where the Guardian checkbox is marked and the Relationship is not ended. See the <a href="#">Parent Identification Logic</a> for more information.</p> <p>Only allowable characters report (A-Z, hyphens, apostrophes, periods, spaces). If special characters are used, the accented character is removed with the equivalent non-accented character.</p> <p>If there is no second person marked as guardian for the student, this field reports blank.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census &gt; People &gt; Identity &gt; Person Information &gt; First Name</p> <p>Identity.firstName</p> <hr/> <p>Census &gt; People &gt; Relationships &gt; Guardian</p> <p>Census &gt; People &gt; Identity &gt; Person ID</p>

Data Element	Description	Location
<b>Parent 2 Middle Name</b>	<p>Reports the guardian's middle name of the student where the Guardian checkbox is marked and the Relationship is not ended. See the <a href="#">Parent Identification Logic</a> for more information.</p> <p>Only allowable characters report (A-Z, hyphens, apostrophes, periods, spaces). If special characters are used, the accented character is removed with the equivalent non-accented character.</p> <p>If there is no second person marked as guardian for the student, this field reports blank.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census &gt; People &gt; Identity &gt; Person Information &gt; Middle Name</p> <p>Identity.middleName</p> <hr/> <p>Census &gt; People &gt; Relationships &gt; Guardian</p> <p>Census &gt; People &gt; Identity &gt; Person ID</p>
<b>Parent 2 Name Suffix</b>	<p>Reports the guardian's suffix of the student where the Guardian checkbox is marked and the Relationship is not ended. See the <a href="#">Parent Identification Logic</a> for more information.</p> <p>If there is no second person marked as guardian for the student, this field reports blank.</p> <p><i>Alphanumeric, 15 characters</i></p>	<p>Census &gt; People &gt; Identity &gt; Person Information &gt; Suffix</p> <p>Identity.suffix</p> <hr/> <p>Census &gt; People &gt; Relationships &gt; Guardian</p> <p>Census &gt; People &gt; Identity &gt; Person ID</p>