

ISBE Exit Student Enrollment Extract (Illinois)


Last Modified on 03/11/2024 8:45 am CDT

[Report Logic](#) | [Report Editor](#) | [Generate the Report](#) | [ISBE Exit Student Enrollment Extract Layout](#)

Classic View: IL State Reporting > ISBE Extracts > Exit Student Enrollment

Search Terms: ISBE Extracts

The ISBE Exit Student Enrollment Extract reports all student enrollments that have been ended during the selected calendar(s). This extract allows users to meet state requirements for submitting ISBE exit enrollment information.



The screenshot shows the 'ISBE Extracts' interface. At the top, there's a green header with the Infinite Campus logo. Below it, a blue bar reads 'IL ISBE State Extracts'. A text box explains: 'This tool will extract data to complete several formats of the IL State-defined ISBE reporting extracts. Choose the State Format to get the file in the state defined fixed width file format, otherwise choose one of the testing/debugging formats.'

The main area is divided into two columns. The left column, 'Extract Options', includes:

- Extract Type: Exit Student Enrollment (dropdown)
- File Identifier: 001 (text box)
- Start Date: 09/01/2021 (calendar icon)
- End Date: 11/30/2021 (calendar icon)
- Students w/o stateIDs: ☐
- Strip Apostrophes: ☒
- Use Whole/Half Day: ☐
- Report Protected Identities: ☒
- Include State Excluded Courses: ☐
- Format: State Format(Comma Delimited) (dropdown)
- Ad Hoc: (dropdown)

 At the bottom of this column are 'Generate Extract' and 'Submit to Batch' buttons.

The right column, 'Select Calendars', asks 'Which calendar(s) would you like to include in the report?'. It has three radio buttons: 'active year' (selected), 'list by school', and 'list by year'. Below these is a scrollable list for the '20-21' school year, showing:

- 20-21 Abbott Elementary
- 20-21 Baird Elementary
- 20-21 Chowen Middle
- 20-21 Drew Middle
- 20-21 Ewing High
- 20-21 Fremont High

ISBE Exit Student Enrollment

Report Logic

This extract only reports students who have an enrollment end date that falls on or within the start

and end dates entered in the Extract Editor.

Actual Attendance Calculation

The calculation for Days Present, Excused Absences and Unexcused absences follows these definitions **when the Use Whole/Half Day checkbox is NOT marked on the Extract editor**.

Term	Calculation/Definition
Instructional Period	A Calendar Period where the Non-Instructional checkbox is not marked.
Scheduled Day	A Calendar Day where the Instructional checkbox is marked AND Attendance checkbox is marked, in which the student has at least one <i>Instructional Period</i> scheduled.
Minutes Scheduled	The sum of the minutes the student has scheduled in <i>Instruction Periods</i> minus Lunch Minutes within a <i>Scheduled Day</i> .
Minutes Absent	The difference of <i>Minutes Scheduled</i> minus the sum of all <i>Instructional Periods</i> where attendance Status = Absent less Present Minutes .
Minutes Present	The difference of <i>Minutes Scheduled</i> minus <i>Minutes Absent</i> .
Minutes Absent Excused	The difference of <i>Minutes Scheduled</i> minus the sum of all <i>Instructional Periods</i> where attendance Status = Absent AND Excuse = Excused less Present Minutes .
Minutes Absent Unexcused	The difference of <i>Minutes Scheduled</i> minus the sum of all <i>Instructional Periods</i> where attendance Status = Absent AND Excuse = Unexcused less Present Minutes .
Present Day	The quotient of <i>Minutes Present</i> divided by <i>Minutes Scheduled</i> .
Absent Excused Day	The quotient of <i>Minutes Absent Excused</i> divided by <i>Minutes Scheduled</i> .
Absent Unexcused Day	The quotient of <i>Minutes Absent Unexcused</i> divided by <i>Minutes Scheduled</i> .

Whole Day/Half Day Attendance

The calculation for Days Present, Excused Absences and Unexcused absences follows these definitions **when the Use Whole/Half Day checkbox IS marked on the Extract editor**:

Schedule	Calculation/Description
Regular Schedule	

Schedule	Calculation/Description								
Calendar Setup	<ul style="list-style-type: none"> The Regular Schedule checkbox on the Period Schedule must be marked. Only grades 2-12 use a regular schedule. Only students who have Primary or Special Ed service type enrollments are included. If a student attends any portion of an instructional period, the student receives credit for attending the full period. 								
Minutes Present	<p>Present is defined as any minutes where there is no attendance code with a Status of Absent (in order for minutes to be deducted, the status MUST be Absent).</p> <table> <tr> <th>Minutes Present</th><th>Claimable Days</th></tr> <tr> <td>300 or more</td><td>1</td></tr> <tr> <td>150-299</td><td>.5</td></tr> <tr> <td>0-149</td><td>0</td></tr> </table>	Minutes Present	Claimable Days	300 or more	1	150-299	.5	0-149	0
Minutes Present	Claimable Days								
300 or more	1								
150-299	.5								
0-149	0								
Block Schedule									
Calendar Setup	<ul style="list-style-type: none"> The Regular Schedule checkbox on the Period Schedule is not marked. Only students who have Primary or Special Ed service type enrollments are included. Students only receive credit for the minutes they are actually in class. 								

Schedule	Calculation/Description
Minutes Present	<ul style="list-style-type: none">Present is defined as any minutes where there is no attendance code or where there is an attendance code that is tied to a status of Tardy, Present, or Early Release. In order for minutes to be deducted the status must be Absent.Pre-K and Kindergarten Full Day/Partial Day is determined by the student's schedule.<ul style="list-style-type: none">If the student has more than 239 minutes of instructional/attendance periods scheduled, the student qualifies for Full Day.If the student has less than 240 minutes of instructional/attendance periods scheduled, the student qualifies for Partial Day.

Schedule	Calculation/Description
Regular Schedule	<p>For students who have a Partial Enrollment in a Regular Schedule setting, the following calculation is used:</p> <ul style="list-style-type: none"> Students in a regular period schedule must receive 1/6 of a day of attendance for every 40 minutes of instruction they attend. This number must be rounded to the nearest one-hundredth of a decimal. If a student is scheduled for 160 minutes, the calculation would be $(160/40)/6 = 0.67$ (rounded from .666). If a student is scheduled for 79 minutes, the student would report 0 days present and 0 days absent.
Absences	
<ul style="list-style-type: none"> Excused and Unexcused absences are determined each day. If Claimable Day is less than 1, the total difference in either the Excused or Unexcused data element reports, whichever has the most total minutes. <ul style="list-style-type: none"> Partial Day Pre-K and K can never be absent for more than 0.5 day. If Excused Absence minutes = Unexcused Absence minutes in a day, report the last Excuse of the day. If a student is schedule 300 minutes with 100 minutes of Excused Absences and 50 minutes of Unexcused Absences, the student would report 0.5 Days Present, 0.5 Days Excused Absences, and 0.0 Days Unexcused Absences. 	

Report Editor

The following fields are available for selection.

Field	Description
Extract Type	Selection determines the extract that is generated. For this instance, select the Exit Student Enrollment option.
File Identifier	Indicates the number attached to the end of the file name and is used to differentiate the file from other files generated.
Start Date	Entered date reflects the start date of enrollment records to return. Dates are entered in <i>mmddyy</i> format or choose the calendar icon to choose a date.
End Date	Entered date reflects the end date of the enrollment records to return. Dates are entered in <i>mmddyy</i> format or choose the calendar icon to choose a date.
Students without State IDs	When marked, the report returns students who do not have state IDs assigned.

Field	Description
Strip Apostrophes	<p>When marked, the following marks are removed from student names and other reported data:</p> <ul style="list-style-type: none"> • Apostrophes ('), Commas (,), Periods (.) • Umlaut (Ö) • Tilde (Ñ) • Grave Accents (Ò), Acute Accents (Ó) • Circumflex (Ô) <p>When not marked, these marks are not removed.</p>
Use Whole/Half Day	<p>When marked, the Days Present, Excused Absences and Unexcused Absences fields report uses a whole day/half day calculation. See the Report Logic section for details on the calculation.</p>
Report Protected Identities	<p>When marked, student identity information (last name, first name, etc.) reports from the Protected Identity Information fields.</p>
Format	<p>Determines how the report generates. Use the State Format (Comma Delimited) when submitting the report to the state. Use the HTML or Tab Delimited option when reviewing data prior to state submission.</p>
Ad hoc	<p>Select a saved ad hoc filter to use when generating this report. Only those students included in the filter will be returned on the report if they meet the reporting requirements.</p>
Calendar Selection	<p>At least one calendar needs to be selected for the report to generate. Calendars can be chosen by Active Year, by School or by Year. If a calendar is selected in the Campus toolbar, that calendar is automatically selected.</p>
Report Generation	<p>The report can be generated immediately using the Generate Extract button. When there is a larger amount of data chosen (several calendars, large date range, etc.), use the Submit to Batch button, which allows the user to choose when the report is generated. See the Batch Queue article for more information.</p>

Generate the Report

1. Select the **Exit Student Enrollment** from the **Extract Type** dropdown list.
2. Enter a **File Identifier**.
3. Enter the desired **Start Date** and **End Date** to return students whose enrollment records fall within the entered dates.
4. Check the **Students w/o stateIDs** checkbox, if desired, to include students without assigned state IDs within the report.
5. If desired, mark the **Strip Apostrophes** checkbox.
6. Determine if actual attendance calculations are used, or if whole day/half day calculations are used. If whole day/half day, mark the **Use Whole/Half Day** checkbox.
7. If desired, mark the **Report Protected Identities** checkbox.

8. Select the desired **Format** of the extract.
9. Select an **Ad hoc** filter, if desired, to only return those students included in the filter.
10. Select which **Calendar(s)** to include within the report.
11. Click the **Generate Extract** button or the **Submit to Batch** button. The extract will appear in a separate window in the designated format.

Header Records:1				
FileType	TotalRecords	FileName	FileDate	RCDTS
Exit Student Enrollment	1	WD_31045300026_08242017_001.html	08/24/2017	310453000260000

Exit Student Enrollment Records:1												
Student ID	SAP ID	Legal Last Name	Legal First Name	Birth Date	RCDTS for Home School	RCDTS for Serving School	Days Present	Excused Absences	Unexcused Absences	Enrollment Exit Date	Enrollment Exit Status	Enrollment Exit/Withdrawal Type
6000000000	300000	Anderson	Kristin	11/11/1998	3104530000000000	3104530000000000	94.89	0.00	0.00	01/23/2017	01	03

HTML Example

```
Exit Student Enrollment,67,WD_31045300026_01302014_001.txt,01/30/2014,310453000260000
123456789 ,123456 ,Tester ,Less lie,01/07/1992,310453000260002,310453000260002,08/01/2010,01,09
123456789 ,123456 ,Testingstu,Victoriano,09/11/1992,310453000260002,310453000260002,08/01/2010,01,09
123456789 ,123456 ,Testingstude ,Anthony,12/16/1993,310453000260002,310453000260002,08/01/2010,01,01
123456789 ,123456 ,Testingstude ,Cynthia,07/26/1996,310453000260002,310453000260002,08/01/2010,01,01
123456789 ,123456 ,Testing, Lydia,07/02/1995,310453000260002,310453000260002,08/01/2010,01,04
123456789 ,123456 ,Testerstu,Jonathan,10/28/1991,310453000260002,310453000260002,08/01/2010,01,01
123456789 ,123456 ,Testerstude ,Ryan,09/23/1991,310453000260002,310453000260002,08/01/2010,01,09
123456789 ,123456 ,Testingstu ,Guadalupe,03/27/1991,310453000260002,310453000260002,08/01/2010,01,09
123456789 ,123456 ,Testingstude ,Ian,02/08/1993,310453000260002,310453000260002,08/01/2010,01,09
123456789 ,123456 ,Testingstudent ,Peter,04/09/1992,310453000260002,310453000260002,08/01/2010,01,09
123456789 ,123456 ,Testerstu ,Paige,01/20/1992,310453000260002,310453000260002,08/01/2010,01,09
123456789 ,123456 ,Teststud,Brendon,10/27/1995,310453000260002,310453000260002,08/01/2010,01,01
123456789 ,123456 ,Testingstu,Adam,09/17/1992,310453000260002,310453000260002,08/01/2010,01,01
123456789 ,123456 ,Testerstud ,Jenni,12/29/1992,310453000260002,310453000260002,08/01/2010,01,01
```

State Format (Comma Delimited) Example

```
FileType      TotalRecords      FileName      FileDate      RCDTS
Exit Student Enrollment      1      WD_31045300026_08242017_001.tsv
08/24/2017 310453000260000
Student ID SAP ID      Legal Last Name Legal First NameBirth Date
RCDTS for Home School RCDTS for Serving School Days
Present      Excused AbsencesUnexcused Absences      Enrollment Exit
Date Enrollment Exit Status      Enrollment Exit/Withdrawal Type
6000000000 300000      Anderson Kristin 11/11/1997
3104530000000000 3104530000000000 94.89 0.00 0.00 01/23/2017
01 03
```

Tab Delimited Example

ISBE Exit Student Enrollment Extract Layout

Header layout

Element	Description	Location
File Type	The name of the extract being generated. Will always report a value of Exit Student.	N/A

Element	Description	Location
Total Records	The total amount of records generated.	N/A
File Name	WD + RCDT or District Name + _ + Date (mmddyyy)_File Identifier (i.e., 31045300026_06222005_001.txt)	N/A
File Date	The date the extract was generated.	N/A
RCDTS	<p>The Region-County-District-Type-School code that uniquely identifies the school generating the extract.</p> <p><i>RRCCDDDDDTTSSSS, 15 characters</i></p>	<p>System Administration > Resources > District Information > State District Number, Type, Region Number, County</p> <p>System Administration > Resources > School > State School Number</p> <p>District.districtID District.county District.region School.number</p>

Extract Layout

Element	Description	Location
Student ID	<p>Reports the State ID from Demographics.</p> <p><i>Numeric, 9 digits</i></p>	<p>Census > People > Demographics > Person Identifiers > State ID</p> <p>Person.stateID</p>
SAP ID	<p>Reports the Local Student Number from Demographics.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census > People > Demographics > Person Identifiers > Student Number</p> <p>Person.studentNumber</p>

Element	Description	Location
Legal Last Name	<p>Reports Legal Last Name from Identity if extract editor's Report Protected Identities = true and legalFirstName is not null on the person's active Identity record.</p> <p>Otherwise, reports First Name from Identity.</p> <p>Only alphabetical characters (A-Z) are reported; non-alphabetical characters are removed (apostrophes, etc.).</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census > People > Identities > Identity Information > Last Name</p> <p>Identity.lastName</p> <hr/> <p>Census > People > Identities > Protected Identity Information > Legal Last Name</p> <p>Identity.legalLastName</p>
Legal First Name	<p>Reports Legal First Name from Identity if extract editor's Report Protected Identities = true and legalFirstName is not null on the person's active Identity record.</p> <p>Otherwise reports First Name from Identity.</p> <p>Only alphabetical characters (A-Z) are reported; non-alphabetical characters are removed (apostrophes, etc.).</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census > People > Person Information > First Name</p> <p>Identity.firstName</p> <hr/> <p>Census > People > Identities > Protected Identity Information > Legal First Name</p> <p>Identity.legalFirstName</p>
Birth Date	<p>Reports the Birth Date from Identity.</p> <p><i>Date Field, 10 characters (MM/DD/YYYY)</i></p>	<p>Census > People > Identities > Identity Information > Birth Date</p> <p>Identity.birthDate</p>

Element	Description	Location
RCDTS for Home School	<p>If Home District and Home School are not null on enrollment, combines the two codes to form a 15 digit value (for example if home district is 12345678901 and home school is 1234 the RCDTS is 123456789011234).</p> <p>Pulls from the most recent enrollment within the selected date range on the extract editor.</p> <p><i>Numeric, 15 digits (RRCCDDDDDTSSSS)</i></p>	<p>System Administration > Resources > District Information > District Info</p> <p>System Administration > Resources > School > School Editor > School Detail</p> <p>Student Information > General > Enrollments > State Reporting Fields < Home District, Home School</p> <p>Enrollment.residentDistrict Enrollment.residentSchool District.regionNumber District.county County.number District.number District.type School.number</p>
RCDTS for Serving School	<p>If Serving District and Serving School are not null on enrollment, combines the two codes to form a 15 digit value (for example, if serving district is 12345678901 and serving school is 1234, the RCTDS will be 123456789011234).</p> <p>Pulls from the most recent enrollment within the selected date range on the extract editor.</p> <p><i>Numeric, 15 digits (RRCCDDDDDTSSSS)</i></p>	<p>System Administration > Resources > District Information > District Info</p> <p>System Administration > Resources > School > School Editor > School Detail</p> <p>Student Information > General > Enrollments > State Reporting Fields > Service District, Serving School</p> <p>Enrollment.servingSchool District.regionNumber District.county County.number District.number District.type School.number</p>
Filler Field	N/A	N/A
Filler Field	N/A	N/A
Filler Field	N/A	N/A

Element	Description	Location
Enrollment Exit Date	Reports End Date from Enrollment. <i>Date field, 10 characters (MM/DD/YYYY)</i>	Student Information > General > Enrollments > General Enrollment Information > End Date Enrollment.endDate
Enrollment Exit Status	Reports End Type from Enrollment. <i>Numeric, 2 digits</i>	Student Information > General > Enrollments > General Enrollment Information > End Type Enrollment.endType
Enrollment Exit/Withdrawal Type	Reports End Status from Enrollment. <i>Numeric, 2 digits</i>	Student Information > General > Enrollments > General Enrollment Information > End Status Enrollment.endStatus