

# Michigan Ed-Fi Data v3.1 - Schools

Last Modified on 03/11/2024 8:46 am CDT

**Classic View:** System Administration > Ed-Fi

**Search Terms:** Ed-Fi

This entity represents an educational organization that includes staff and students who participate in classes and educational activity groups. This field only accepts numeric values for the School ID so some states may implement a different State School Number for Ed-Fi. See state specific logic for more information.

## Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	When a new School is created and saved OR the Ed-Fi School Number or State School Number Changes. <ul style="list-style-type: none"> <li>Do not send if the Exclude checkbox is checked.</li> <li>Do not send if the Schools resource is toggled 'OFF' in the Schools Resource Preferences.</li> </ul>
Put	When any of the fields not part of the Natural Key changes: <ul style="list-style-type: none"> <li>Name of Institution</li> <li>Addresses</li> <li>Institution Telephones</li> <li>Grade Levels</li> <li>School Type</li> <li>Grade Type</li> </ul>
Delete	Schools can only be deleted using the Delete Tool only if all dependent data for a school has been removed from the ODS.

## School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

Action	Business Rule
None	No data will send for a school after it is marked as excluded.
None	If the School is marked as exclude after the School or any dependent data is sent, the data will remain in the ODS. The user must use the Delete tool to delete any dependent data that as sent for that school.

Action	Business Rule
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS and no new data will send.
Resync	If an Ed-Fi Code mapping is changed to a new code or made NULL, a resync must be performed for the data to be updated in the ODS.

## Natural Key Changes, Cascading Updates, and Delete Logic

This table describes the Natural Key Changes/Cascading Updates and Delete logic of this object.

Action	Business Rule
Post	Natural Key change: Ed-Fi School ID or State School Number.
	If the School Number/Ed-Fi School Number changes, a delete/post will occur with the cascading deletes from the School ID/Ed-Fi ID Change triggers.
Delete	If the School ID changes all dependent resources will be deleted and reposted:
	Calendars, Class Periods, Courses, Course Offerings, Discipline Incidents, Grading Periods, Locations, Sessions, Staff Education Organization Assignment Associations, Staff Education Organization Employment Associations, Staff School Associations, Student School Associations, Student School Attendance Events
Delete	Resources with SchoolID Reference from a Dependent Resource:
	Calendar Dates, Staff Section Associations, Student Section Associations, Student Section Attendance Events, Grades, Student Discipline Incident Associations, Discipline Actions, Course Transcripts

## Scope Year Logic

Data does not send for any of the resources if they reference a school that is marked as Exclude on the School editor.

Logic
Schools are not aligned to a year so all schools send to each scoped year with a valid configuration.
A resync must be completed on the resource when a new scope year is connected in order for this data to send.

## Identity Mapping Object Key

This table describes the Identity Mapping Object Key of this object.

campusObjectType	Object Key Data Source
School	school.number

## Event Queue Detail

This table describes the Event Queue Detail of this object.

Campus Table	Ed-Fi Action	Fields
school	Post/Put/Delete	The primary table used for sending data for this resource.
grade	Put	Will update the Grade Levels field if a grade level is added/removed to the school and a mapping exists for that grade level.

## Error Log

This table describes the Error logic of this object.

Error	Possible Causes/How to Fix
403 Forbidden: { "message": "Access to the resource could not be authorized for the requested action 'http://ed-fi.org/odsapi/actions/create'." }	This is usually caused by a security set up error in the ODS. Contact the Ed-Fi Alliance for assistance on correct security setup in the ODS.
Ed-Fi. 400: [message:Validation of 'School' failed. EducationOrganizationAddresses requires at least one object in the collection. ]	The physical address fields must be populated on the School editor as address is a mandatory field to send the Schools resource.
Ed-Fi. 400: [message:Validation of 'School' failed. SchoolGradeLevels requires at least one object in the collection. ]	At least 1 grade level must be created under System Administration > Calendar > Calendar > Grade Levels.
The School ID being sent is non-numeric. Enter a numeric Ed-Fi School Number or State School Number on the Schools editor to correct this issue.	Ed-Fi does not accept alpha-values in the School ID field. If the State School Number has any alpha characters, use the Ed-Fi School ID field to create a numeric school number to send.

## Object Data Elements

This table describes data elements sent within the Schools resource.

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
id	The unique identifier of the resource.		M		
addresses	The set of elements that describes the physical location of the education entity, including the street address, city, state, ZIP code, and ZIP code + 4.	<ol style="list-style-type: none"> <li>1. Reports the Physical Address entered for the School.</li> <li>2. See Array section for field logic.</li> </ol>	O		
educationOrganizationCategories	The classification of the education agency within the geographic boundaries of a state according to the level of administrative and operational control granted by the state.	<ol style="list-style-type: none"> <li>1. See Array section for field logic.</li> </ol>	O		
gradeLevels	The grade levels served at the school.	<ol style="list-style-type: none"> <li>1. See Array section for field logic.</li> </ol>	M		

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
<b>schoolId</b>	The identifier assigned to a school.	<ol style="list-style-type: none"> <li>1. Report the Ed-Fi School ID.</li> <li>2. If the Ed-Fi School ID is blank, report the State School Number.</li> </ol>	M	System Administration> Resources> School	school.entityID or school.number
charterApprovalSchoolYearTypeReference	Key for School Year.	<ol style="list-style-type: none"> <li>1. This is optional, does not report.</li> </ol>	O		
localEducationAgencyReference	A reference to the related Local Education Agency resource.	<ol style="list-style-type: none"> <li>1. Reports the fields that are part of the Natural Key for the resource.</li> </ol>	O		
administrativeFundingControlDescriptor	The type of education institution as classified by its funding source, for example public or private.	<ol style="list-style-type: none"> <li>1. This is optional, does not report.</li> </ol>	O		
charterApprovalAgencyTypeDescriptor	The type of agency that approved the establishment or continuation of a charter school.	<ol style="list-style-type: none"> <li>1. This is optional, does not report.</li> </ol>			

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
charterStatusDescriptor	A school or agency providing free public elementary or secondary education to eligible students under a specific charter granted by the state legislature or other appropriate authority and designated by such authority to be a charter school.	1. This is optional, does not report.	O		
identificationCodes	A unique number or alphanumeric code assigned to an education organization by a school, school system, a state, or other agency or entity.	1. See Array section for field logic.	M		
institutionTelephones	The 10-digit telephone number, including the area code, for the education entity.	1. See Array section for field logic.	O		

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
internationalAddresses	The set of elements that describes the international physical location of the education entity.	1. This is optional, does not report.	O		
internetAccessDescriptor	Indicates the type of Internet access that is available.	1. This is optional, does not report.	O		
magnetSpecialProgram EmphasisSchoolDescriptor	A school that has been designed: 1) to attract students of different racial/ethnic backgrounds for the purpose of reducing, preventing, or eliminating racial isolation; and/or 2)to provide an academic or social focus on a particular theme (e.g., science/math, performing arts, gifted/talented, or foreign language).	1. This is optional, does not report.	O		
nameOfInstitution	The full, legally accepted name of the institution.	1. Report the School Name.	M	System Administration> Resources> School	school.name

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
operationalStatus Descriptor	The current operational status of the education organization (e.g., active, inactive).	1. This is optional, does not report.	O		
schoolCategories	The one or more categories of school. For example: High School, Middle School, and/or Elementary School.	1. See Array section below.	O		
schoolType Descriptor	The type of education institution as classified by its primary focus.	1. Report the type of school from the mapped value in school type if populated on the reporting school.	O	System Administration> Resources> School> School Type	school.type
shortNameOfInstitution	A short name for the institution.	1. Report the School Name	O	System Administration> Resources> School	school.name
titleIPartASchool DesignationDescriptor	Denotes the Title I Part A designation for the school.	1. This is optional, does not report.	O		
webSite	The public web site address (URL) for the educational organization.	1. This is optional, does not report.	O		



Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
etag			O		

## Array Data Elements

► [Click here to expand...](#)