

Michigan Ed-Fi Data v3.1 - Student Education Organization Association

Last Modified on 04/29/2024 1:48 pm CDT

Tool Search: Ed-Fi

This association represents student information specific to a student's relationship with an Education Organization.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	 When an enrollment is created and saved for a person and the enrollment overlaps a configured year. Do not send a record if enrollment is in a calendar marked as State Exclude. Do not send a record if enrollment is in a School marked as State Exclude. Do not send a record if enrollment is marked as No Show or State Exclude.
Put	When any student data is edited for the person in the Data Elements fields below: When the person's identity record is changed: Race/Ethnicity Gender Home Primary Language US Entry Type. When one of the person's household locations is updated/changed: Mailing, Private. When one of the person's household memberships is added/deleted/changed: Start Date End Date Private. When any data in the address the student is associated with change: PO Box Number Prefix Street Tag Direction Apt City State Zip When a student's contact information is changed: email phone number Email Other Phone Work Phone Cell Phone Pager Private. When a change is made to Date Entered US School.



Action	Trigger
Delete	This record is deleted if the student no longer has an eligible enrollment in the District. If the enrollment is marked as a No Show or State Exclude.

Resource Toggle and Resync Logic

This table describes the Resource Toggle and Trigger logic of this object.

Action	Business Rule
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
Resync	If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table.
Resync	If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.
Resync	If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.

Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

Action	Business Rule
Post/Delete	Natural Key Change: If the District Number/Ed-Fi District Number changes, a delete/post will occur with the cascading deletes from the LEA ID Change triggers. If an Ed-Fi ID changes, this will happen with the cascading deletes from the Ed-Fi ID Change trigger.
Delete	Cascading Deletes: N/A - no dependent resources

Scope Year Logic

This table describes scope year logic of this object.

Logic

The record will send to the scope year for the school year the enrollment is associated with.

- The enrollment must overlap with the scope year to report.
- Data will only send for the years that have valid configuration.

When using data in Campus that has a single date, the following logic will be applied to determine the scope year(s) to report the data to.

- Current Year: Records will be compared to today's date to determine if the record is eligible to report.
- Previous Years: The record's date must be on or before the schools year's end date defined in the School Years editor. If blank, the default date of 6/30/xxxx is used.
- Future Years: The record's date must be on or after the schools year's start date defined in the School Years editor. If blank, the default date of 7/01/xxxx is used.



Logic

When using data in Campus that have start and end dates, the following logic will be applied to determine the scope year(s) to report the data to.

- Current Year: The records start date must be on or before today's date and the records end date must be on or after today's date.
- Previous Years: The record's start date must be on or before the school year's end date and the record's end date must be after the school year's end date defined in the School Years editor. If blank, the default date of 6/30/xxxx is used.
- Future Years: The record's start date must be on or before the schools year's start date and the record's end date must be on or after the school year's start date defined in the School Years editor. If blank, the default date of 7/01/xxxx is used.

Resource Preferences

This table describes the Resource Preferences of this object.

Data Element Label	Mapping Needed
Race Descriptor	Race/Ethnicity

Identity Mapping Object Key

This table describes the Identity Mapping Object Key of this object.

campusObjectType	Object Key Data Source				
Person	personID				

Object Data Elements

This table describes data elements sent within the Student Education Organization Association resource.

Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
id	The unique identifier of the resource.	М		
education OrganizationId	The assigned identifier to an education organization.	М		
	Report reference to the Local Education Agency			
studentReference	A unique alphanumeric code assigned to a student.	М		
	Reports the natural key of the Student's resource			



Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
addresses	The set of elements that describes an address, including the street address, city, state, and ZIP code.	О	Household Addresses > Mailing Household	HouseholdLocation.mailing HouseholdMember.startDat Householdlocation.StartDat
	1. Reports the most current Primary address marked as "Mailing". 1. If more than 1 Primary Address marked as Mailing, report address with most recent Household Membership Start Date 1. Else, report the address with most recent Address Start Date 2. Do not report if the Address Location Detail or Household Membership is marked as "Private" 2. See Business Rule S3 in Scope Year logic to determine the eligibility of records 3. See Array section below for data logic for each field		Membership > Start Date Household Addresses > Start Date	
cohortYears	The type and year of a cohort (e.g., 9th grade) the student belongs to as determined by the year that student entered a specific grade.	O		
	This is optional, do not report.			



Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
disabilities	The disability condition(s) that best describes an individual's impairment, as determined by evaluation(s) conducted by the education organization.	0		
	This is optional, do not report.			
electronicMails	The numbers, letters, and symbols used to identify an electronic mail (e-mail) user within the network to which the individual or organization belongs.	0	Census > People > Demographics > Email	contact.email
	 Reports the email address entered for that person Do not report if Email is marked "Private". If blank, do not report. See Array section for data logic for each field. 			
hispanicLatino Ethnicity	An indication that the individual traces his/her origin or descent to Mexico, Puerto Rico, Cuba, Central and South America, and other Spanish cultures, regardless of race. The term, "Spanish origin," can be used in addition to "Hispanic or Latino."	0	Census > People > Identities > Is the Individual Hispanic or Latino?	identity.hispanicEthnicity
	 Report "Is the individual Hispanic/Latino?" from the student's current identity: If droplist = Yes, report True. If droplist = No, report False. 			



Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
internationalAddresses	The set of elements that describes an international address.	0		
	This is optional, do not report.			
languages	The language(s) the individual uses to communicate. It is strongly recommended that entries use only ISO 639-3 language codes.	0		
	 Reports Home Primary Language and Native Language See array for field specific logic. 			
limitedEnglish ProficiencyDescriptor	An indication that the student has been identified as limited English proficient by the Language Proficiency Assessment Committee (LPAC), or English proficient.	0		
	Do not report this field.			
loginId	The login ID for the user; used for security access control interface.	0		
	This is optional, do not report.			
oldEthnicity Descriptor	Previous definition of Ethnicity combining Hispanic/latino and race 1 - American Indian or Alaskan Native 2 - Asian or Pacific Islander 3 - Black, not of Hispanic origin 4 - Hispanic 5 - White, not of Hispanic origin	0	N/A	N/A
	This is optional, does not report			



Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
profileThumbnail	File name for the ProfileThumbnail photograph 1. This is optional, does not report	0	N/A	N/A
programParticipations	Key programs the student is participating in or receives services from. See array for field specific logic.	O		
races	The general racial category which most clearly reflects the individual's recognition of his or her community or with which the individual most identifies. The data model allows for multiple entries so that each individual can specify all appropriate races. See Array section below for data logic for each field.	0	Census> People> Identities> Race/ Ethnicity	IdentityRaceEthnicity and racethnicity.raceid
sexDescriptor	1. Report the Gender from the student's current identity record 1. This is NOT legal gender 2. Report the following based on the value selected in the droplist. 1. Female report Female. 2. Male report Male. 3. If blank or Nonbinary, report 'Not Selected.	М	Census > People > Identities > Gender	identity.Gender



Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
characteristics	Reflects important characteristics of the student's home situation: Displaced Homemaker, Immigrant, Migratory, Military Parent, Pregnant Teen, Single Parent, and Unaccompanied Youth.	0		
	See Array below for logic.			
identificationCodes	A coding scheme that is used for identification and record-keeping purposes by schools, social services, or other agencies to refer to a student.	0		
	See Array section for reporting logic.			
indicators	Indicator(s) or metric(s) computed for the student (e.g., at risk) to influence more effective education or direct specific interventions.	0		
	See Array section below for reporting logic.			
telephones	The 10-digit telephone number, including the area code, for the person.	0		
	See Array section for data logic for each field.			
tribalAffiliations	An American Indian tribe with which the student is affiliated.	0		
	This is optional, do not report.			
_etag	A unique system-generated value that identifies the version of the resource.	0		



Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
raceAsOfDate	(MI EXT) The date of the most recent change in Race.	0	Census > People > Identity > Effective Date	
	1. Reports the Effective Date of Identity record if a change in federal race checkboxes or the hispanic/latino droplist is found on or before the active date/today's date.			
school Food Service Eligibility As Of Date	(MI EXT) The date of the most recent change in SchoolFoodServicesEligibility.	0		
	Do not report.			
yearOfEntry	(MI EXT) The four-digit calendar year in which the student first attended school in the United States.	0		
	Report year from Date Entered US School.			
msdsRaceOrders	(MI EXT) Captures the racial group and order choice for MSDS.	0		
	 Reports student race(s). See array for field specific logic. 			

Array Data Elements

▶ Click here to expand...

Previous Versions

Michigan Ed-Fi Data v3.1 - Student Education Organization Association [.2211 - .2307]