

Core SIF - Assessment

Last Modified on 03/19/2024 8:13 am CDT

Tool Search: SIF

The current version of SIF is v2.7.

An assessment measures a student's progress and learning on specific academic standards.

SIF_Events are **NOT** reported for this object.

Batch SIF_Condition elements:

1. @Refld

Object Triggering

SIF Events are NOT reported for this object.

Object Population and Business Rules

Requirement

The SIF Agent and Zone must have access rights assigned to Assessment.

Reports 1 object per <u>parent</u> assessment (does not have a parent test) when:

- The assessment Year (Assessment>Test Setup>Tests>Test Detail>Year) is either:
 - 1. Matching the SIF Zone Year selected
 - OR
 - 2. Is Null
- When the assessment has a parent (Assessment>Test Setup>Tests>Test Detail>Parent Test), this
 assessment (subtest) must NOT report.
- When the assessment has a Year NOT = Null AND NOT matching the SIF Zone Year selected, this assessment must NOT report.

Object Data Elements

Data Element Label	Description	Business Rules	Data Source GUI Path	Database Field	M, C or O
@Refld	The GUID that uniquely identifies this object.				M



Data Element Label	Description	Business Rules	Data Source GUI Path	Database Field	M, C or O
Name	Name of the test.	Report the Name of the Assessment.	Assessment > Test Setup >Tests > Test Detail > Name	Test.name	M



Data Element Label	Description	Business Rules	Data Source GUI Path	Database Field	M, C or
AssessmentId	The state, local or publisher unique Id for the assessment.	Look at parent assessment only: 1. When Code field (Assessment>Test Setup>Tests>Test Detail>Code) = NOT Null, report the value entered in the field. 1. When Code field = Null, AND State Test = Checked, report the code selected in the State Code dropList when State Code = NOT Null. 2. When Code field = Null, AND National Test = Checked, report the code selected in the National Test = Checked, report the code selected in the National Code dropList when National Code aropList when National Code dropList when National Code aropList when National Code aropLi	Assessment > Test Setup> Tests > Test Detail > Code	Test.code Test.stateCode Test.nationalCode	O
AssessmentPackageRefld	The authentication information for one system.	Optional. Does Not Report.			0



Data Element Label	Description	Business Rules	Data Source GUI Path	Database Field	M, C or O
AssessmentDescriptors	Describes what type of assessment this represents.	Optional. Does Not Report.			0