

Parents (New Mexico v3.5)

Last Modified on 03/11/2024 8:47 am CDT

Tool Search: Ed-Fi

This entity represents a parent or guardian of a student, such as mother, father or caretaker.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	 When the Guardian check box is checked AND 1 person is a student and 1 person is not a student. The guardian does not have to be a member of the same household as the student to report. Start date must be on or before today's date. End date must be on or after today's date. Person must have an Ed-Fi ID to send. A record will not send if the student they are associated with has an enrollment marked as a no show, state exclude or enrollment is in a calendar or school marked as Exclude or Summer School or excluded grade level.
Put	 A record will be updated when any of the following are changed and saved: When the person's identity record is changed. When the person's household locations is changed. When the person's household memberships is changed. When the person's relationships that is marked Guardian is changed. When the contact information has changed: Phone or email.
Delete	N/A - a Parent record is a shared resource among all districts in the state and cannot be deleted. When the Student Parent Association is removed, the district will no longer have authorization to see the parent record.

School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

Action	Trigger
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
Resync	If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table.
Resync	If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.
Resync	If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.

Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

Action	Trigger
Delete/Post	Cascading Deletes: The logic for an Ed-FI ID change will update all resources impacted by this change.

Scope Year Logic



This table describes scope year logic of this object.

Business Rules

If student has more than one Guardian, report the lowest personID for the guardians in related Pair .

- If no Primary exist, report lowest personID from the Secondary Household.
- If multiple Guardians are in the student's Secondary Household, pick the lowest personID for the guardians in related Pair.
- Data will only send for the years that have valid configuration.
- Else report lowest personID from guardians flagged in the NonHousehold relationship.

Identity Mapping Object Key

This table describes the Identity Mapping Object Key of this object.

campusObjectType	Object Key Data Source			
Person	personID			

Event Queue Detail

This table describes the Event Queue Detail of this object.

Campus Table	Ed-Fi Action	Fields
relatedPair	Post/Put/Delete	The primary table used for sending data for this resource.
household	Put	Addresses
contact	Put	Email, Telephone
identity	put	First name, Last Name, Middle Name Suffix, gender

Object Data Elements

This table describes data elements sent within the Parents resource.

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
id	The unique identifier of the resource.		M		



Data Element Label	Business Requirement	Business Rules	M, C or	Data Source GUI Path	Database Field
parentUniqueld	A unique alpha-numeric code assigned to a parent.	1. Report the Parent Unique ID 2. Use DistrictID + PersonID • EX: 350017754 1. 35001 = Ed-Fi Reported District ID 2. 7754 = The personID of the parent.	M		
addresses	Report the person's address(s).	1. Reports the Primary address that is marked as "Mailing" o If more than 1 Primary Address is marked as Mailing, report address with most recent Household Membership Start Date. Else, report the address with most recent Address Start Date. See Scope Year logic to determine the eligibility of records. See Array section for data logic for each field.	0	Household Addresses > Mailing Household Membership > Start Date Household Addresses > Start Date	HouseholdLocation. Householdlocation.S
electronicMails	The numbers, letters, and symbols used to identify an electronic mail (e-mail) user within the network to which the individual or organization belongs.	1. Reports the email address entered for that person. Do not report if Email is marked as "Private". 2. If blank, does not report. 3. See Array section for data logic for each field.	0	Census> People> Demographics > Email	contact.email



Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
firstName	A name given to an individual at birth, baptism, or during another naming ceremony, or through legal change. NEDM First Name.	Report the first name from the person's current identity record.	М	Census > People > Identities > First Name	identity.firstName
generationCode Suffix	An appendage, if any, used to denote an individual's generation in his family (e.g., Jr., Sr., III).	Report the Suffix from the person's current identity record.	С	Census > People > Identities> Suffix	identity.suffix
international Addresses	An unordered collection of parentInternationalAddresses. This entity represents a parent or guardian of a student, such as mother, father or caretaker.	This field is optional, does not report.	O		
languages	The language(s) the individual uses to communicate.	This field is optional, does not report.			
lastSurname	The name borne in common by members of a family. NEDM Last Name/Surname.	Report the last name from the person's current identity record.	М	Census > People > Identities > Last Name	identity.lastName
loginId	The login ID for the user; used for security access control interface.	This field is optional, does not report.	0		
maidenName	The person"s maiden name, if applicable.	This field is optional, does not report.	0		
middleName	A secondary name given to an individual at birth, baptism, or during another naming ceremony. NEDM Middle Name.	Report the middle name from the person's current identity record.	0	Census > People > Identities > Middle Name	identity.middleNam
otherNames	An unordered collection of parentOtherNames. This entity represents a parent or guardian of a student, such as mother, father or caretaker.	This field is optional, does not report.	0		
personal identification Documents	An unordered collection of parentldentificationDocuments. This entity represents a parent or guardian of a student, such as mother, father or caretaker.	This field is optional, does not report.	0		
personalTitlePrefix	A prefix used to denote the title, degree, position or seniority of the person.	This field is optional, does not report.	0		



Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
sexDescriptor	A person's gender.	1. Report the Gender from the Person's current identity record. • This is NOT legal gender. 2. Report the following based on the value selected in the droplist. • Female report 'Female'. • Male report 'Male'. • If blank or Non-binary, report 'Not Selected'.	0	Census > People > Identities > Gender	identity.Gender
telephones	An unordered collection of parentTelephones. This entity represents a parent or guardian of a student, such as mother, father or caretaker.,	1. Reports the Phone numbers entered in the Personal Contact Information for that person. • Report as 999-99999 if Phone Number is marked as "Private". 2. If blank, report as 999-9999. 3. See Business Rule in Scope Year logic to determine the eligibility of records. 4. See Array section for data logic for each field.	0	Census > People > Demographics > Personal Contact Information > Other Phone, Work Phone, Cell Phone, Pager	contact.homephone contact. workphone contact.cellphone contact.pager
_etag	A unique system-generated value that identifies the version of the resource.	This field is optional, does not report.	0		

Array Data Elements

▶ Click here to expand...

Type/Descriptor

▶ Click here to expand...