

# Grading Periods (Nebraska v3.6)

Last Modified on 03/11/2024 8:47 am CDT

[Object Triggering Logic](#) | [School Exclude, Calendar Exclude, Resource Toggle and Resync Logic](#) | [Natural Key Changes, Cascading Updates, and Deletes Logic](#) | [Scope Year Logic](#) | [Resource Preferences](#) | [Identity Mapping Object Key](#) | [Event Queue Detail](#) | [Object Data Elements](#)

**Classic View:** System Administration > Ed-Fi

**Search Terms:** Ed-Fi

This educational entity represents an overall score or assessment tied to a course over a period of time (i.e., the grading period). Student grades are usually a compilation of marks and other scores.

## Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	When a new Grading Period is created and saved in Resource Preferences and a resync is completed. <ul style="list-style-type: none"> <li>Do not send if the School is marked as Exclude.</li> <li>Do not send if the Calendar is marked as Exclude.</li> <li>Do not send if there are no days for that school.</li> </ul>
Put	When the Grading Period Start or End Date is updated and saved and a resync is completed.
Put	When the Instructional checkbox is checked or unchecked, the total Instructional Days field updates with the correct number of instructional days.
Put	When the Period Sequence is changed.
Delete	When the Grading Period is removed and saved in Resource Preferences and a resync is completed.
Delete	When the last day record is deleted from the days table.
Delete/Post	When the Grading Period's Grading Period Descriptor or Sequence is edited and saved in the Resource Preferences and a resync is completed.

## School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

Action	Business Rule
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
Delete	If a resource is toggled to 'OFF' after data has sent and an action is performed that would trigger a delete, that data will remain in the ODS until a resync is done.
Resync	If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table.
Resync	If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.
Resync	If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.
Resync	When doing a resync, look to make sure the Grading Task is still mapped in the Grades Resource Preferences prior to sending.

## Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

Action	Trigger
Delete/Post	If the Natural Key changes: If the School Number/Ed-Fi School Number changes, a delete/post will occur with the cascading deletes from the School ID Change triggers.
Delete/Post	If the Grading Period Descriptor or Sequence changes and a resync is completed.
Delete/Post	If the natural key changes or the record is deleted, the Sessions Grading Periods reference will be updated.
Delete/Post	If the natural key of Grading Periods changes, all existing dependent data will be deleted or moved to the correct Grading Period. If a grade has not been posted yet and a Grading Period changes, a resync on the Grades resource will need to be completed.
Dependent Resources	Sessions Reference, Grades

## Scope Year Logic

This table describes scope year logic of this object.

## Logic

Reports the grading periods in the configured year they are aligned to.

- Data will only send for the years that have valid configuration.

# Resource Preferences

This table describes the Resource Preferences of this object.

Data Element Label	Mapping Needed
Schools	Grading Period Detail

# Identity Mapping Object Key

campusObjectType	Object Key Data Source
EdFiGradingPeriod	edFiGradingPeriodID

# Event Queue Detail

This table describes the Event Queue Detail of this object.

Campus Table	Ed-Fi Action	Fields
edfiGradingPeriods	Post/Put/Delete	The primary table used for sending data for this resource.

# Object Data Elements

This table describes data elements sent within the Grading Periods resource.

Data Element Label	Business Requirement	M, C or O	Data Source GUI Path Database Field
id	The unique identifier of the resource.	M	

Data Element Label	Business Requirement	M, C or O	Data Source GUI Path Database Field
<b>gradingPeriodDescriptor</b>	<p>The name of the grading period.</p> <p>Report the code value from the Grading Period Name selected.</p>	M	<p>System Administration&gt;Ed-Fi &gt; Configuration&gt; Resource Preferences&gt; Grading Periods&gt; Grading Period Descriptor</p> <p>edfigradingperiod.name</p>
<b>periodSequence</b>	<p>The sequence of the grading period.</p> <p>Report the period sequence for the Grading Period being reported.</p> <p>The sequence will be auto-generated based on an assigned value. This value can be overwritten if necessary.</p> <ul style="list-style-type: none"> <li>• The sequence can be changed in the individual record as long it is unique to the Grading Period Descriptor and School combination.</li> <li>• Two Grading Periods in the same school can have the same sequence as long as the Grading Period Descriptor is not the same.</li> <li>• Two Grading Periods in the same school can have the same Grading Period Descriptor as long as the Sequence is not the same.</li> <li>• Two Grading Periods with the same Grading Period Descriptor can have the same</li> </ul>	M	<p>System Administration&gt;Ed-Fi &gt; Configuration&gt; Resource Preferences&gt; Grading Periods&gt; Grading Period Sequence</p> <p>edfigradingperiod.sequence</p>

Data Element Label	Business Requirement sequence as long as they are assigned to different schools.  The sequence is determined	M, C or O	Data Source GUI Path Database Field
	based on the name of the 'number' in the Grading Period Descriptor up to 6. Example 'First Semester' will have a sequence of 1, 'First Nine Weeks' will have a sequence of 1. If the Grading Period Descriptor number is over 6 or cannot be determined, a default value of 1 will report.		
<b>schoolReference</b>	Provide user information to lookup and link to an existing school record.  Reports the natural key of the School resource to which the grading period is aligned.	M	
<b>schoolYearTypeReference</b>	A reference to the related SchoolYearType resource.  Reports the end year from the calendar the term is reported.  Reports 'XXXX'.	M	
beginDate	The start date of the grading period.  Report the start date from the Grading Period being reported.	M	System Administration>Ed-Fi > Configuration> Resource Preferences> Grading Periods> Grading Period Start Date  edfigradingperiod.startDate

Data Element Label	Business Requirement	M, C or O	Data Source GUI Path Database Field
endDate	<p>The end date of the grading period.</p> <p>Report the end date from the Grading Period being reported.</p>	M	<p>System Administration&gt;Ed-Fi &gt; Configuration&gt; Resource Preferences&gt; Grading Periods&gt; Grading Period End Date</p> <p>edfigradingperiod.endDate</p>
totalInstructionalDays	<p>The total number of instructional days in the grading period.</p> <p>Count the number of instructional days on the Days tab that occur during the start and end date for the grading period.</p> <ul style="list-style-type: none"> <li>• If there is more than 1 calendar or schedule structure, report the distinct number of instructional days from all calendars/schedule structures.</li> <li>• Instructional days will not send an update if changed after original post unless a resync is completed.</li> </ul>	M	<p>System Administration&gt; Calendar&gt;Calendar&gt;Days</p>
_etag		O	

## Type/Descriptor

► [Click here to expand...](#)