

NM Student Assessments (New Mexico v3.5)

Last Modified on 03/11/2024 8:47 am CD7

Tool Search: Ed-Fi

Student assessments in a legacy STARs-like format.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

| Action | Trigger |
|-------------|--|
| Post | When student's Assessment is saved and the Assessment date falls on or within the config year start and end dates. Only report Assessments that have been assigned either a State Code OR a Federal Code. Specifically for an Assessment code DYS: Only report if student's current grade is '01'. If a parent Assessment exists with child Assessments, use the Parent Assessment date to determine if it should be reported. Then report from the child Assessments which have a score populated. Report only one record per student Assessment regardless of the number of active enrollments. Do not send if student does not have an active enrollment on the Assessment start date. Do not send a record if enrollment is in a calendar marked as State Exclude. Do not send a record if enrollment is in a Grade marked as State Exclude. Do not send a record if enrollment is in a Grade marked as State Exclude. |
| Delete/Post | When a student's Assessment data is changed. |
| Delete | When a student's Assessment data is deleted. |

Scope Year Logic

This table describes scope year logic of this object.

Logic

Student Assessment records will only send to the school year they are aligned

• Data will only send for the years that have valid configuration.

Object Data Elements

Data Element Labels in bold are part of the Natural Key and are required data elements for Data to send to Ed-Fi.



| Data Element Label | Business Requirement | Business Rules | M, C, or | Data Source GUI Path | Database Field |
|------------------------------------|---|---|----------------|--|--|
| id | The unique identifier of the resource. | | М | | |
| testDate | The date the assessment was given. | Reports date of the student's assessment. | М | Student Information > General > Assessment > Date | |
| testDescriptionDescriptor | Code that defines the assessment. | 1. Report the Ed-Fi Code Value mapped to the State or National Code selected. o If Code Value is 'DYS' AND the student's current grade is '01' report. o If Code Value is 'DYS' and the student's current grade is 'DYS' and the student's current grade is NOT '01', do NOT report. 2. If blank, do not report. | M | Assessment >Assessment Center> Test Type > State Test > State Code Assessment >Assessment Center> Test Type > National Test > National Code | Test.stateCode Test.nationalCode Test.code |
| educationOrganization Reference | The identifier assigned to an education organization. | Report reference to the Local Education Agency. | М | | |
| studentReference | A reference to the related Student resource. | Report the reference for the student being reported. | М | | |



| Data Element Label | Business Requirement | Business Rules | M, C, or O | Data Source GUI Path | Database Field |
|------------------------------------|--|--|---------------------|--|------------------|
| itemDescriptionCode Descriptor | Code that further describes the assessment. | Report the Ed-Fi Code Value mapped to the Subject field. If blank, do not report. | М | Assessment >Assessment Center>Test Information> Subject | |
| rawScore | Score of administered test. | Report raw score entered or blank if not specified. | 0 | Student Information> General > General > Assessment > Raw Score Assessment > Test Setup > Tests > Test Detail > Raw Score | |
| scoringModelCode Descriptor | The measurement used to determine the outcomes of the respective assessment. | Report the Ed-Fi Code Value mapped to the Scoring Model Code selected. If blank, do not report. | 0 | Assessment >Assessment Center>Test Information> Scoring Model Code | |
| standardAchievedCode Descriptor | Indication of whether or not the assessment standard was achieved. | Report the Ed-Fi Code Value mapped to the Result Code selected. If blank, do not report. | O | Student Information > General > Assessment > Result Code Assessment > Test Setup > Tests > Test Detail > Result > Result Statuses | TestScore.result |



| Data Element Label | Business Requirement | Business Rules | M, C, or O | Data Source GUI Path | Database Field |
|--------------------|--|-----------------------|---------------------|----------------------------|----------------|
| _etag | A unique system-generated value that identifies the version of the resource. | | | | |

Types/Descriptors

▶ Click here to expand...