

Record 2 - Enrollment and Reenrollment (Kentucky)

Last Modified on 10/21/2024 8:20 am CD7

Report Logic | Generating the Report | Report Layout

Tool Search: SAAR Report

The R2-Enrollment/Reenrollment Report (Annual report, enrollment counts) returns a count of each enrollment in the selected school(s).




Image 1: R2 Enrollment/Reenrollment Report Editor



Report Logic

This report includes over age and under age students. Students meeting any of the following criteria are not reported:

- Students marked "Perkins Only."
- Students marked "State Exclude" on enrollment, calendar or grade.
- Students in grade levels 95, 96, 97, 98 and 99. These grades will not be used in calculations or displayed as line items.

Counts each enrollment code once. If a student is dual-enrolled in two different calendars simultaneously, they will be counted for each enrollment.

· Includes all enrollment codes.

Generating the Report

- 1. Select the desired **Report Type**. Report Selection options vary depending on the Report Type selected.
- 2. Select the **Extract Format** from the dropdown list.
- 3. Enter a Date Range to review data for one or more school months or select which school months should be included in the report. Leaving the Date Range blank reports the entire year.
- 4. Mark the R2 Enrollment and Reenrollment checkbox.
- 5. Select the appropriate **Calendars** to include in the report.
- 6. Select the appropriate **Grade** (or select an **Ad Hoc Filter**)
- 7. Specify **5 Low Attendance Days** by selecting the **Load 5 Low Att. Days** button (optional).
- 8. Select **Validation Report** to see if the report has been set up correctly.
- 9. Select the Generate Report Button. The report will appear in a separate window in the specified Extract Format.

For more information about the SAAR Extract Editor see the SAAR (Kentucky) article.






Image 2: R2 Enrollment/Reenrollment Report

Report Layout

	, , , , , , , , , , , , , , , , , , ,			
Element Name	Description	Type, Format and Length	Campus Database	Campus Interface
District Number	Identifies the district's unique identification number.	Numeric, 3 digits XXX	district.number	School & District Settings > District > District Information
School Number	Identifies the school's unique identification number.	Numeric, 3 digits XXX	school.number	School & District Settings > Schools > School Information > Location Number
Year	Identifies the last two digits of the School year (i.e. 2009-2010 = 10).	Numeric, 2 digits XX	calendar.endYear	Scheduling & Courses > Calendar Setup > Calendar Information > End Date
Calendar ID	Identifies the start date for month 1 of the school's calendar.	Alphanumeric, 8 characters YYYYMMDD	schoolMonth.startDate	Scheduling & Courses > Calendar Setup > Calendar Information > Start Date
Record Code	Identifies the record's code number. Reports as 2.	Numeric, 1 digit	Calculated, not dynamically stored	Calculated, not dynamically stored



Element Name	Description	Type, Format and Length	Campus Database	Campus Interface
Grade	Identifies the student's grade level.	Alphanumeric, 2 characters XX	gradeLevel.stateGrade	Scheduling & Courses > Calendar Setup > Grade Level Setup > State Grade Level Code
E1	Count of unduplicated enrollments with start status of E01.	Numeric, 3 digits	Enrollment.startStatus = E01	Student Information > General > Enrollment > Start Status
E2	Count of unduplicated enrollments with start status of E02.	Numeric, 3 digits XXX	Enrollment.startStatus = E02	Student Information > General > Enrollment > Start Status
E3	Count of unduplicated enrollments with start status of E03.	Numeric, 3 digits	Enrollment.startStatus = E03	Student Information > General > Enrollment > Start Status
R1	Count of unduplicated enrollments with start status of R01.	Numeric, 3 digits XXX	Enrollment.startStatus = R01	Student Information > General > Enrollment > Start Status
R2	Count of unduplicated enrollments with start status of R02.	Numeric, 3 digits XXX	Enrollment.startStatus = R02	Student Information > General > Enrollment > Start Status
R6	Count of unduplicated enrollments with start status of R06.	Numeric, 3 digits XXX	Enrollment.startStatus = R06	Student Information > General > Enrollment > Start Status



Element Name	Description	Type, Format and Length	Campus Database	Campus Interface
R20	Count of unduplicated enrollments with start status of R20.	Numeric, 3 digits XXX	Enrollment.startStatus = R20	Student Information > General > Enrollment > Start Status
R21	Count of unduplicated enrollments with start status of R21.	Numeric, 3 digits XXX	Enrollment.startStatus = R21	Student Information > General > Enrollment > Start Status
E98	Count of unduplicated enrollments with start status of E98.	Numeric, 3 digits XXX	Enrollment.startStatus = E98	Student Information > General > Enrollment > Start Status