

CRDC - DISC - Student Discipline Ad Hoc Filters

Last Modified on 12/14/2025 8:45 pm CST

Tool Search: Civil Rights Data Collection (CRDC) > Maintain Survey Results

This article covers basic ways to use the Campus [Ad hoc Reporting tools](#) to design Ad hoc filters that can produce the school mappings needed to identify data sets for the Civil Rights Data Collection (CRDC). If the required information is not entered into Campus, a filter will not be able to produce the data. The filters used within this document utilize the Filter Designer's [Query Wizard](#). Ad hoc fields vary by state; therefore, examples within this article may need to use different data elements from what appears in the examples.

Also note, the Query Wizard returns data based on AND. For most of the examples, logical expressions should be entered to indicate an AND or OR is required. This is not represented in all of the captured images, but should be incorporated into your queries.

Ad Hoc filters will not report any student or course that is not enrolled or assigned to the school the filter is being run. Any students or courses that need to be added to a school's mapping will need to be manually added using the Quick Search feature in the school's mapping tool.

The CRDC is run for previous years' data, not current years' data.

Images may display reference to a particular year. Users should update the year as appropriate for reporting. Information noted in each of the queries is current with CRDC requirements, regardless of the year displayed.

Use these links to navigate to filter examples:

- [DISC-1-4: Preschool Corporal Punishment](#)
- [DISC-5-9: Preschool Suspensions and Expulsions](#)
- [DISC-10-13: Corporal Punishment](#)
- [DISC-14a-21: Discipline of Students With and Without Disabilities](#)
- [DISC-22-27: Out-of-School Suspensions](#)

DISC-1-4: Preschool Corporal Punishment

► [Click here to expand...](#)

Preschool Corporal Punishment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-4 PreSc Corporal Punishment

Short Description:

Long Description:

Select categories & fields

Filter By Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.gender
- student.raceEthnicityFed
- student.grade
- behaviorDetail.resolutionCode
- function.Resolution Code

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Resolution Code

***Function:** Record Count

Constant value: Add

Filter By Search Clear

All Fields

- Behavior
 - Behavior Incident
 - Behavior Event
 - Behavior Role
 - Behavior Response
 - Behavior Resolution
 - allPlacementSpd
 - attendanceCode
 - auxiliaryCode
 - CampusDtdAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - notAutoPlay
 - outDetermination
 - removalReason
 - resolutionCode
 - resolutionID
 - resolutionName

Parameters: behaviorDetail.resolutionCode

Save Cancel

Sample Ad Hoc Filter

***Query Name:** DISC-4 PreSc Corporal Punishment

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|-------------------------------|----------|-------|
| 1 | student.personID | | |
| 2 | student.gender | | |
| 3 | student.raceEthnicityFed | | |
| 4 | student.grade | = | PK |
| 5 | behaviorDetail.resolutionCode | = | CORP |
| 6 | function.Resolution Code | >= | 1 |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Sample Ad Hoc Filter

***Query Name:** DISC-4 PreSc Corporal Punishment

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| | |
| | |

Filter For Preschool Students with Corporal Punishment

Preschool Corporal Punishment - with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-4 PreSc Corporal Punishment IDEA

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.gender
- student.raceEthnicityFed
- student.grade
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollment.disability1
- function Behavior Resolution**

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution**
 - allPlacementSped
 - attendanceCode
 - auxiliaryCode
 - CampusDoAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - outDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters: behaviorDetail.resolutionCode

Save Cancel

Sample Ad Hoc Filter

*Query Name: DISC-4 PreSc Corporal Punishment IDEA

Short Description:

Long Description:

Filter the data

| | ID *Field | Operator | Value |
|---|----------------------------------|-------------|-------|
| X | 1 student.personID | | |
| X | 2 student.gender | | |
| X | 3 student.raceEthnicityFed | | |
| X | 4 student.grade | = | PK |
| X | 5 behaviorDetail.resolutionCode | = | CORP |
| X | 6 histEnrollment.specialEdStatus | = | Y |
| X | 7 histEnrollment.disability1 | IS NOT NULL | |
| X | 8 histcal.endYear | = | 2018 |
| X | 9 function.Behavior Resolution | >= | 1 |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.

Allowed symbols: AND OR NOT () IDs

Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Sample Ad Hoc Filter

***Query Name:** DISC-4 PreSc Corporal Punishment IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------------|-------------|
| Tier 1 | histEnrollment.specialEdStatus | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|------------------------|----------------|
| student.personID | Distinct Count |
| | |
| | |
| | |

Filter Identifying the Number of IDEA Preschool Students who Received Corporal Punishment

Preschool Instances of Corporal Punishment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-5 PreSch Instances of Corporal Punish-All

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|-------------------------------|----------|-------|
| 1 | student.personID | | |
| 2 | student.grade | = | PK |
| 3 | behaviorDetail.resolutionCode | = | CORP |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Sample Ad Hoc Filter

***Query Name:** DISC-5 PreSch Instances of Corporal Punish-All

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|---------------------------------|-------------|
| Tier 1 | behaviorDetail.resolutionCode ▾ | Ascending ▾ |
| Tier 2 | ▾ | Ascending ▾ |
| Tier 3 | ▾ | Ascending ▾ |
| Tier 4 | ▾ | Ascending ▾ |
| Tier 5 | ▾ | Ascending ▾ |

| Aggregate/Sub Total by | Aggregate Type |
|---------------------------------|----------------|
| behaviorDetail.resolutionCode ▾ | Record Count ▾ |
| ▾ | ▾ |
| ▾ | ▾ |
| ▾ | ▾ |

Filter Identifying the Number of Instances of Corporal Punishment for Preschool Children

Preschool Instances of Corporal Punishment with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-5 PreSch Instances of Corporal Punish-IDEA

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|--------------------------------|-------------|-------|
| 1 | student.personID | | |
| 2 | student.grade | = | PK |
| 3 | behaviorDetail.resolutionCode | = | CORP |
| 4 | histEnrollment.specialEdStatus | = | Y |
| 5 | histEnrollment.disability1 | IS NOT NULL | |
| 6 | histcal.endYear | = | 2018 |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-5 PreSch Instances of Corporal Punish-IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|-------------------------------|-------------|
| Tier 1 | behaviorDetail.resolutionCode | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|-------------------------------|----------------|
| behaviorDetail.resolutionCode | Record Count |
| | |
| | |
| | |

*Filter Identifying the Number of Instances of Corporal Punishment
for IDEA Preschool Children*

DISC-5-9: Preschool Suspensions and Expulsions

► [Click here to expand...](#)

Preschool Instances of Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:**

Short Description:

Long Description:

Filter the data

| | ID *Field | Operator | Value |
|-----|--|-------------------------------------|----------------------------------|
| ✕ 1 | <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
| ✕ 2 | <input type="text" value="student.grade"/> | <input "="" type="text" value="="/> | <input type="text" value="PK"/> |
| ✕ 3 | <input type="text" value="behaviorDetail.resolutionCode"/> | <input "="" type="text" value="="/> | <input type="text" value="OSS"/> |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-2 PreSch Instances of Suspension - All

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|-------------------------------|-------------|
| Tier 1 | behaviorDetail.resolutionCode | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|-------------------------------|----------------|
| behaviorDetail.resolutionCode | Record Count |
| | |
| | |
| | |

*Filter Identifying the Number Instances of Suspension for
Preschool Students*

Preschool Instances of Suspension with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-2 PreSch Instances of Suspension - IDEA

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|--------------------------------|-------------|-------|
| 1 | student.personID | | |
| 2 | student.grade | = | PK |
| 3 | behaviorDetail.resolutionCode | = | OSS |
| 4 | histEnrollment.specialEdStatus | = | Y |
| 5 | histEnrollment.disability1 | IS NOT NULL | |
| 6 | histcal.endYear | = | 2018 |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-2 PreSch Instances of Suspension - IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|-------------------------------|-------------|
| Tier 1 | behaviorDetail.resolutionCode | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|-------------------------------|----------------|
| behaviorDetail.resolutionCode | Record Count |
| | |
| | |
| | |

*Filter Identifying the Number Instances of Suspension for IDEA
Preschool Students*

Preschool Suspensions and Expulsions - One or More Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name: DISC-1a - PreSch Sus and Exp - One or More OSS

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields:

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Transportation
 - Activities
 - Activity Registration

Selected Fields:

- student.personID
- student.gender
- student.raceEthnicityFed
- student.grade
- behaviorDetail.resolutionCode
- function.Resolution Count

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant value for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name: Resolution Count

*Function: Record Count

Constant value: Add

Filter By: Search Clear

All Fields:

- Behavior
 - Behavior Incident
 - Behavior Event
 - Behavior Role
 - Behavior Response
 - Behavior Resolution
 - placementCode
 - attendanceCode
 - auxiliaryCode
 - CampusIDAssignment
 - dismissalCode
 - hearingCode
 - lawEnforcement
 - lawContactName
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassingPay
 - oaDetermination
 - removalReason
 - resolutionCode
 - resolutionID

Parameters: behaviorDetail.resolutionCode

Save Cancel

*Query Name: DISC-1a - PreSch Sus and Exp - One or More OSS

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|-------------------------------|----------|-------|
| 1 | student.personID | | |
| 2 | student.gender | | |
| 3 | student.raceEthnicityFed | | |
| 4 | student.grade | = | PK |
| 5 | behaviorDetail.resolutionCode | = | OSS |
| 6 | function.Resolution Count | >= | 1 |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-1a - PreSch Sus and Exp - One or More OSS

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| | |
| | |

Filter Identifying Preschool Students with One or More Out of School Suspension

Preschool Suspensions and Expulsions - One or More Out-of-School Suspension - with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-1a PreSch Sus and Exp - 1 or More OSS IDEA

Short Description:

Long Description:

Select categories & fields

Filter By: Search

All Fields

- State Localized Elements
- All Enrollments
- Core elements
 - enrollmentID
 - personID
 - calendarID
 - structureID
 - grade
 - serviceType
 - active
 - classRankExclude
 - startDate
 - startStatus
 - startComments
 - endDate
 - endStatus
 - endComments
 - endAction
 - nextCalendar
 - nextGrade
 - servingDistrict
 - enrollmentGUID
 - withdrawDate

Selected Fields

- student.personID
- student.gender
- student.raceEthnicityFed
- student.grade
- behaviorDetail.resolutionCode
- Function Resolution Count**
- hisEnrollment.suspenseCode
- hisEnrollment.disable1
- hisEnrollment.endDate

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Resolution Count

***Function:** Distinct Count

Constant value:

Filter By: Search

All Fields

- Behavior Role
- Behavior Response
- Behavior Resolution
 - allPlacementSpeed
 - attendanceCode
 - auxiliaryCode
 - CampusDotAssignment
 - disassignDate
 - hearingCode
 - lawEnforcement
 - lawContactName
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - calDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate

Parameters: behaviorDetail.resolutionCode

***Query Name:** Disc-1a PreSch Sus and Exp - 1 or More OSS IDEA

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|--------------------------------|-------------|-------|
| 1 | student.personID | | |
| 2 | student.gender | | |
| 3 | student.raceEthnicityFed | | |
| 4 | student.grade | | PK |
| 5 | behaviorDetail.resolutionCode | = | OSS |
| 6 | function.Resolution Count | >= | 1 |
| 7 | histEnrollment.specialEdStatus | = | Y |
| 8 | histEnrollment.disability1 | IS NOT NULL | |
| 9 | histEnrollment.endDate | = | 2020 |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-1a PreSch Sus and Exp - 1 or More OSS IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------------|-------------|
| Tier 1 | histEnrollment.specialEdStatus | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|------------------------|----------------|
| student.personID | Distinct Count |
| | |
| | |
| | |

Filter Identifying IDEA Preschool Students with One or More Out of School Suspension

Preschool Suspensions and Expulsions - Expulsions

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name: Disc-1b PreSch Sus and Exp - Expulsions

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- EL
- currentProgramStatus
- lepID
- district
- personID
- lepGUID
- programStatus
- identifiedDate
- expectedExitDate
- exitDate
- exitReason
- firstYearMonitoring
- secondYearMonitoring
- thirdYearMonitoring
- fourthYearMonitoring
- fifthYearMonitoring
- parentNotifiedDate
- parentDeclined
- parentDeclinedDate
- nep
- comments
- modifiedByID

Selected Fields

- student.personID
- student.gender
- student.raceEthnicityFed
- student.grade
- behaviorDetail.resolutionCode
- functionResolutionCount

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name: Resolution Count

*Function: Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior
- Behavior Incident
- Behavior Event
- Behavior Role
- Behavior Response
- Behavior Resolution
- allPlacementSpd
- attendanceCode
- auxiliaryCode
- CampusIDofAssignment
- disAssignDate
- hearingCode
- lawEnforcement
- lawContactName
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oaiDetermination
- removalReason
- resolutionCode
- resolutionID

Parameters: behaviorDetail.resolutionCode

Save Cancel

*Query Name: Disc-1b PreSch Sus and Exp - Expulsions

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|-------------------------------|----------|-------|
| 1 | student.personID | | |
| 2 | student.gender | | |
| 3 | student.raceEthnicityFed | | |
| 4 | student.grade | | PK |
| 5 | behaviorDetail.resolutionCode | = | EXP |
| 6 | functionResolutionCount | >= | 1 |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-1b PreSch Sus and Exp - Expulsions

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| | |
| | |

Filter Identifying Preschool Students with Expulsions

Preschool Suspensions and Expulsions - Expulsions - with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-1c PreSch Sus and Exp - Expulsions IDEA

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.gender
- student.raceEthnicityFed
- student.grade
- function(resolution)
- histEnrollment.specialEdStatus
- histEnrollment.disability1
- histical.endYear

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** resolution

***Function:** Distinct Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior
 - Behavior Incident
 - Behavior Event
 - Behavior Role
 - Behavior Response
 - Behavior Resolution
 - allPlacementSped
 - attendanceCode
 - auxiliaryCode
 - CampusDotAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - oaDetermination
 - removalReason
 - resolutionCode
 - resolutionName

Parameters: behaviorDetail.resolutionCode

Save Cancel

***Query Name:** DISC-1c PreSch Sus and Exp - Expulsions IDEA

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|--------------------------------|-------------|-------|
| 1 | student.personID | | |
| 2 | student.gender | | |
| 3 | student.raceEthnicityFed | | |
| 4 | student.grade | = | PK |
| 5 | behaviorDetail.resolutionCode | = | EXP |
| 6 | function.resolution | >= | 1 |
| 7 | histEnrollment.specialEdStatus | = | Y |
| 8 | histEnrollment.disability1 | IS NOT NULL | |
| 9 | histcal.endYear | = | 2018 |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-1c PreSch Sus and Exp - Expulsions IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------------|-------------|
| Tier 1 | histEnrollment.specialEdStatus | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|------------------------|----------------|
| student.personID | Distinct Count |
| | |
| | |
| | |

Filter Identifying IDEA Preschool Students with Expulsions

DISC-10-13: Corporal Punishment

► [Click here to expand...](#)

Corporal Punishment Indicator

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:**

Short Description:

Long Description:

Filter the data

| | ID *Field | Operator | Value |
|---|--|-------------------------------------|-----------------------------------|
| ✕ | 1 <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
| ✕ | 2 <input type="text" value="student.grade"/> | <input type="text"/> | <input type="text"/> |
| ✕ | 3 <input type="text" value="behaviorDetail.resolutionCode"/> | <input "="" type="text" value="="/> | <input type="text" value="CORP"/> |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying Students with a Corporal Punishment Indicator

Corporal Punishment Indicator with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-3 Instances of Corporal Punishment IDEA

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|--------------------------------|-------------|-------|
| 1 | student.personID | | |
| 2 | student.gender | | |
| 3 | student.raceEthnicityFed | | |
| 4 | student.grade | | |
| 5 | behaviorDetail.resolutionCode | = | CORP |
| 6 | histEnrollment.specialEdStatus | = | Y |
| 7 | histEnrollment.disability1 | IS NOT NULL | |
| 8 | histcal.endYear | = | 2018 |
| 9 | function.Behavior Resolution | >= | 1 |

***Query Name:** DISC-3 Instances of Corporal Punishment IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------------|-------------|
| Tier 1 | histEnrollment.specialEdStatus | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|------------------------|----------------|
| student.personID | |
| | |
| | |
| | |

Filter Identifying IDEA Students with a Corporal Punishment Indicator

Instances of Corporal Punishment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-6 Instances of Corporal Punish

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|-------------------------------|----------|-------|
| 1 | student.personID | | |
| 2 | student.grade | | |
| 3 | behaviorDetail.resolutionCode | = | CORP |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-6 Instances of Corporal Punish

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|-------------------------------|-------------|
| Tier 1 | behaviorDetail.resolutionCode | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|-------------------------------|----------------|
| behaviorDetail.resolutionCode | Record Count |
| | |
| | |
| | |

*Filter Identifying Number of Instances of Corporal Punishment
for Students in Grades K-12*

Instances of Corporal Punishment with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:**

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|--------------------------------|-------------|-------|
| 1 | student.personID | | |
| 2 | student.grade | | |
| 3 | behaviorDetail.resolutionCode | = | CORP |
| 4 | histEnrollment.specialEdStatus | = | Y |
| 5 | histEnrollment.disability1 | IS NOT NULL | |
| 6 | histcal.endYear | = | 2018 |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:**

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------------|-------------|
| Tier 1 | histEnrollment.specialEdStatus | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|-------------------------------|----------------|
| behaviorDetail.resolutionCode | Record Count |
| | |
| | |
| | |


Filter Identifying Instances of Corporal Punishment - IDEA

DISC-14a-21: Discipline of Students With and Without Disabilities

► [Click here to expand...](#)

Discipline of Students with Disabilities - Expulsions with Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.



The image displays two screenshots from the Infinite Campus software interface, illustrating the process of creating a filter for discipline of students with disabilities.

Left Screenshot (Query Wizard):

- Query Name:** Disc-9e IDEA Expulsions with Ed Services
- Short Description:** (Empty field)
- Long Description:** (Empty field)
- Select categories & fields:**
 - Filter By:** (Empty field)
 - Search:** (Empty field)
 - Clear:** (Button)
 - All Fields:** (List of categories and fields)
 - Student:** (Expanded)
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings
 - Selected Fields:**
 - student.personID
 - student.stateID
 - student.gender
 - student.raceEthnicityFed
 - behaviorDetail.resolutionCode
 - histEnrollment.specialEdStatus
 - histCal.endYear
 - histEnrollment.grade
 - Behavior Resolution** (Highlighted with a red box)
 - histEnrollment.startDate
 - histEnrollment.endDate
- Add Function:** (Button)
- Edit Function:** (Button)

Right Screenshot (Function Editor):

- Name:** Behavior Resolution
- Function:** Record Count
- Constant value:** (Empty field)
- Add:** (Button)
- Filter By:** (Empty field)
- Search:** (Empty field)
- Clear:** (Button)
- All Fields:** (List of fields)
 - Behavior Resolution:** (Expanded)
 - allPlacementSpd
 - attendanceCode
 - auxiliaryCode
 - campusIDofAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - calDetermination
 - removalReason
 - resolutionCode** (Highlighted with a red box)
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays
- Parameters:**
 - behaviorDetail.resolutionCode
- Save:** (Button)
- Cancel:** (Button)

***Query Name:**

Short Description:

Long Description: +

Filter the data

| | ID *Field | Operator | Value |
|-------------------------------------|--|-------------------------------------|-----------------------------------|
| <input checked="" type="checkbox"/> | 1 <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
| <input checked="" type="checkbox"/> | 2 <input type="text" value="student.stateID"/> | <input type="text"/> | <input type="text"/> |
| <input checked="" type="checkbox"/> | 3 <input type="text" value="student.gender"/> | <input type="text"/> | <input type="text"/> |
| <input checked="" type="checkbox"/> | 4 <input type="text" value="student.raceEthnicityFed"/> | <input type="text"/> | <input type="text"/> |
| <input checked="" type="checkbox"/> | 5 <input type="text" value="behaviorDetail.resolutionCode"/> | <input type="text" value="="/> | <input type="text" value="EXP"/> |
| <input checked="" type="checkbox"/> | 6 <input type="text" value="histEnrollment.specialEdStatus"/> | <input type="text" value="="/> | <input type="text" value="Y"/> |
| <input checked="" type="checkbox"/> | 7 <input type="text" value="histcal.endYear"/> | <input type="text" value="="/> | <input type="text" value="2018"/> |
| <input checked="" type="checkbox"/> | 8 <input type="text" value="histEnrollment.grade"/> | <input type="text" value="NOT IN"/> | <input type="text" value="PK"/> |
| <input checked="" type="checkbox"/> | 9 <input type="text" value="function.behavior.resolution"/> | <input type="text" value=">="/> | <input type="text" value="1"/> |
| <input checked="" type="checkbox"/> | 10 <input type="text" value="behaviorDetail.serviceProvided"/> | <input type="text" value="="/> | <input type="text" value="1"/> |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-9e IDEA Expulsions with Ed Services

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student_gender | Ascending |
| Tier 2 | student_raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student_gender | Record Count |
| student_raceEthnicityFed | Record Count |
| | |
| | |

*Filter Identifying Discipline of Students with Disabilities -
Expulsions with Educational Services*

Discipline of Section 504 Students with Disabilities - Expulsions with Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-9e IDEA Expulsions with Ed Services 504

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student_personID
- student_stateID
- student_gender
- student_raceEthnicityFed
- behaviorDetail_resolutionCode
- histEnrollment_specialEdStatus
- histEnrollment_year
- Function Behavior Resolution**
- histEnrollment_section504
- behaviorDetail_serviceProvided
- histEnrollment_section504
- histEnrollment_disability1

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - allPlacementSpd
 - attendanceCode
 - auxiliaryCode
 - CampusUseAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - noDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters

- behaviorDetail_resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|---|--|-----------------------------------|
| 1 | <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
| 2 | <input type="text" value="student.stateID"/> | <input type="text"/> | <input type="text"/> |
| 3 | <input type="text" value="student.gender"/> | <input type="text"/> | <input type="text"/> |
| 4 | <input type="text" value="student.raceEthnicityFed"/> | <input type="text"/> | <input type="text"/> |
| 5 | <input type="text" value="behaviorDetail.resolutionCode"/> | <input type="text" value="="/> | <input type="text" value="EXP"/> |
| 6 | <input type="text" value="histEnrollment.specialEdStatus"/> | <input type="text"/> | <input type="text" value="Y"/> |
| 7 | <input type="text" value="histcal.endYear"/> | <input type="text" value="="/> | <input type="text" value="2018"/> |
| 8 | <input type="text" value="function.Behavior Resolution"/> | <input type="text" value=">"/> | <input type="text" value="1"/> |
| 9 | <input type="text" value="histEnrollment.grade"/> | <input type="text" value="NOT IN"/> | <input type="text" value="PK"/> |
| 10 | <input type="text" value="behaviorDetail.serviceProvided"/> | <input type="text" value="="/> | <input type="text" value="1"/> |
| 11 | <input type="text" value="histEnrollment.section504"/> | <input type="text" value="="/> | <input type="text" value="1"/> |
| 12 | <input type="text" value="histEnrollment.disability1"/> | <input type="text" value="IS NOT NULL"/> | <input type="text"/> |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-9e IDEA Expulsions with Ed Services 504

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|---------------------------|-------------|
| Tier 1 | histEnrollment.section504 | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|------------------------|----------------|
| student.personID | Distinct Count |
| | |
| | |
| | |

Filter Identifying Discipline of Section 504 Students with Disabilities - Expulsions with Educational Services

Discipline of Students with Disabilities - Expulsions without Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-9f IDEA Expulsions without Ed Services

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields:

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields:

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- NotEnrollment.code
- Behavior Resolution**
- behaviorDetail.serviceProvider

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name: Behavior Resolution

*Function: Record Count

Constant value: Add

Filter By: Search Clear

All Fields:

- Behavior Resolution
 - altPlacementSped
 - attendanceCode
 - auxiliaryCode
 - CampusDddAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - caDetermination
 - resolutionReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters:

- behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|--------------------------------|----------|-------|
| 1 | student.personID | | |
| 2 | student.stateID | | |
| 3 | student.gender | | |
| 4 | student.raceEthnicityFed | | |
| 5 | behaviorDetail.resolutionCode | = | EXP |
| 6 | histEnrollment.specialEdStatus | = | Y |
| 7 | histcal.endYear | = | 2018 |
| 8 | histEnrollment.grade | NOT IN | PK |
| 9 | function.behavior resolution | >= | 1 |
| 10 | behaviorDetail.serviceProvided | = | 0 |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:**

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| | |
| | |

Filter Identifying Discipline of Students with Disabilities - Expulsions without Educational Services

Discipline of Section 504 Students with Disabilities - Expulsions without Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

Query Name: Disc-9f IDEA Expulsions without Ed Services 504

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields:

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields:

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollmentYear
- function Behavior Resolution**
- histEnrollment.grade
- behaviorDetail.serviceProvided
- histEnrollment.section504
- histEnrollment.disability1

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

Name: Behavior Resolution

Function: Record Count

Constant value: Add

Filter By: Search Clear

All Fields:

- Behavior Resolution
 - allPlacementOpen
 - attendanceCode
 - auxiliaryCode
 - campusDotAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - oaDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters:

- behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description: +

Filter the data

| | ID | *Field | Operator | Value |
|---|----|---|--|-----------------------------------|
| X | 1 | <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
| X | 2 | <input type="text" value="student.stateID"/> | <input type="text"/> | <input type="text"/> |
| X | 3 | <input type="text" value="student.gender"/> | <input type="text"/> | <input type="text"/> |
| X | 4 | <input type="text" value="student.raceEthnicityFed"/> | <input type="text"/> | <input type="text"/> |
| X | 5 | <input type="text" value="behaviorDetail.resolutionCode"/> | <input type="text" value="="/> | <input type="text" value="EXP"/> |
| X | 6 | <input type="text" value="histEnrollment.specialEdStatus"/> | <input type="text"/> | <input type="text"/> |
| X | 7 | <input type="text" value="histcal.endYear"/> | <input type="text" value="="/> | <input type="text" value="2018"/> |
| X | 8 | <input type="text" value="function.Behavior Resolution"/> | <input type="text" value=">"/> | <input type="text" value="1"/> |
| X | 9 | <input type="text" value="histEnrollment.grade"/> | <input type="text" value="NOT IN"/> | <input type="text" value="PK"/> |
| X | 10 | <input type="text" value="behaviorDetail.serviceProvided"/> | <input type="text" value="="/> | <input type="text" value="0"/> |
| X | 11 | <input type="text" value="histEnrollment.section504"/> | <input type="text" value="="/> | <input type="text" value="1"/> |
| X | 12 | <input type="text" value="histEnrollment.disability1"/> | <input type="text" value="IS NOT NULL"/> | <input type="text"/> |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-9f IDEA Expulsions without Ed Services 504

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|---------------------------|-------------|
| Tier 1 | histEnrollment.section504 | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|------------------------|----------------|
| student.personID | Distinct Count |
| | |
| | |
| | |

Filter Identifying Discipline of Section 504 Students with Disabilities - Expulsions without Educational Services

Discipline of Students with Disabilities - Expulsions Under Zero-Tolerance

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-9g IDEA Expulsions Zero Tolerance

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Leamer
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function.behavior.resolution**
- behaviorDetail.zeroTolerance**

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - altPlacementSpd
 - attendanceCode
 - auxiliaryCode
 - CampusIdOfAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassToPlay
 - calDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters: behaviorDetail.resolutionCode

Save Cancel

*Query Name:

Short Description:

Long Description: +

Filter the data

| | ID *Field | Operator | Value |
|--------------------------|---|-------------------------------------|-----------------------------------|
| <input type="checkbox"/> | 1 <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> | 2 <input type="text" value="student.stateID"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> | 3 <input type="text" value="student.gender"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> | 4 <input type="text" value="student.raceEthnicityFed"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> | 5 <input type="text" value="behaviorDetail.resolutionCode"/> | <input type="text" value="="/> | <input type="text" value="EXP"/> |
| <input type="checkbox"/> | 6 <input type="text" value="histEnrollment.specialEdStatus"/> | <input type="text" value="="/> | <input type="text" value="Y"/> |
| <input type="checkbox"/> | 7 <input type="text" value="histcal.endYear"/> | <input type="text" value="="/> | <input type="text" value="2018"/> |
| <input type="checkbox"/> | 8 <input type="text" value="histEnrollment.grade"/> | <input type="text" value="NOT IN"/> | <input type="text" value="PK"/> |
| <input type="checkbox"/> | 9 <input type="text" value="function.behavior resolution"/> | <input type="text" value=">="/> | <input type="text" value="1"/> |
| <input type="checkbox"/> | 10 <input type="text" value="behaviorDetail.zeroTolerance"/> | <input type="text" value="= TRUE"/> | <input type="text"/> |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.

Allowed symbols: AND OR NOT () IDs

Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name: Disc-9g IDEA Expulsions Zero Tolerance

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| | |
| | |

Filter Identifying Discipline of Students with Disabilities - Expulsions Under Zero-Tolerance

Discipline of Section 504 Students with Disabilities - Expulsions Under Zero-Tolerance

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name: Disc-9g IDEA Expulsions Zero Tolerance 504

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollmentYear
- Behavior Resolution**
- histEnrollmentGrade
- behaviorDetail.zeroTolerance
- histEnrollment.section504
- histEnrollment.disability1

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name: Behavior Resolution

*Function: Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - allPlacementSpd
 - attendanceCode
 - auxiliaryCode
 - CampusDidAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassToPlay
 - oaDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters

behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|--------------------------------|-------------|-------|
| 1 | student.personID | | |
| 2 | student.stateID | | |
| 3 | student.gender | | |
| 4 | student.raceEthnicityFed | | |
| 5 | behaviorDetail.resolutionCode | = | EXP |
| 6 | histEnrollment.specialEdStatus | = | Y |
| 7 | histcal.endYear | = | 2018 |
| 8 | function.Behavior Resolution | > | 1 |
| 9 | histEnrollment.grade | NOT IN | PK |
| 10 | behaviorDetail.zeroTolerance | = TRUE | |
| 11 | histEnrollment.section504 | = | 1 |
| 12 | histEnrollment.disability1 | IS NOT NULL | |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|---------------------------|-------------|
| Tier 1 | histEnrollment.section504 | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|------------------------|----------------|
| student.personID | Distinct Count |
| | |
| | |
| | |

Filter Identifying Discipline of Section 504 Students with Disabilities - Expulsions Under Zero-Tolerance

Transfer to Alternative School for Students with Disabilities

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function behavior resolution
- behaviorDetail.serviceProvided

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- altPlacementSpd
- attendanceCode
- auxiliaryCode
- CampusOrAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oidDetermination
- removeReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters:

Save Cancel

***Query Name:**

Short Description:

Long Description: +

Filter the data

| | ID *Field | Operator | Value |
|--------------------------|-----------------------------------|----------|-------|
| <input type="checkbox"/> | 1 student.personID | | |
| <input type="checkbox"/> | 2 student.stateID | | |
| <input type="checkbox"/> | 3 student.gender | | |
| <input type="checkbox"/> | 4 student.raceEthnicityFed | | |
| <input type="checkbox"/> | 5 behaviorDetail.resolutionCode | = | EXP |
| <input type="checkbox"/> | 6 histEnrollment.specialEdStatus | = | Y |
| <input type="checkbox"/> | 7 histcal.endYear | = | 2018 |
| <input type="checkbox"/> | 8 histEnrollment.grade | NOT IN | PK |
| <input type="checkbox"/> | 9 function.behavior.resolution | >= | 1 |
| <input type="checkbox"/> | 10 behaviorDetail.serviceProvided | = | ALT |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-10 IDEA Expulsions Transfer Alt

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| | |
| | |

Filter Identifying Transfer to Alternative School for Students with Disabilities

Discipline of Students without Disabilities - Expulsions with Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-7e non-IDEA Expulsions with Ed Services

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function behavior resolution
- behaviorDetail.serviceProvided

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name: Behavior Resolution

*Function: Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - altPlacementSpd
 - attendanceCode
 - auxiliaryCode
 - CampusOutAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassToPlay
 - calDetermination
 - removalReason
 - resolutionCode
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters: behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|---|-------------------------------------|-----------------------------------|
| 1 | <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
| 2 | <input type="text" value="student.stateID"/> | <input type="text"/> | <input type="text"/> |
| 3 | <input type="text" value="student.gender"/> | <input type="text"/> | <input type="text"/> |
| 4 | <input type="text" value="student.raceEthnicityFed"/> | <input type="text"/> | <input type="text"/> |
| 5 | <input type="text" value="behaviorDetail.resolutionCode"/> | <input type="text" value="="/> | <input type="text" value="EXP"/> |
| 6 | <input type="text" value="histEnrollment.specialEdStatus"/> | <input type="text" value="="/> | <input type="text" value="N"/> |
| 7 | <input type="text" value="histcal.endYear"/> | <input type="text" value="="/> | <input type="text" value="2018"/> |
| 8 | <input type="text" value="histEnrollment.grade"/> | <input type="text" value="NOT IN"/> | <input type="text" value="PK"/> |
| 9 | <input type="text" value="function.behavior resolution"/> | <input type="text" value=">="/> | <input type="text" value="1"/> |
| 10 | <input type="text" value="behaviorDetail.serviceProvided"/> | <input type="text" value="="/> | <input type="text" value="1"/> |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-7e non-IDEA Expulsions with Ed Services

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| | |
| | |

*Filter Identifying Discipline of Students without Disabilities -
Expulsions with Educational Services*

Discipline of Students without Disabilities - Expulsions without Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-7f non-IDEA Expulsions without Ed Service EL

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.andYear
- lep.programStatus
- Discipline Behavior Resolution**
- histEnrollment.grade
- behaviorDetail.serviceProvided

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - altPlacementSpd
 - attendanceCode
 - auxiliaryCode
 - CampusUseAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - outDetermination
 - reasonReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters: behaviorDetail resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|---|-------------------------------------|-----------------------------------|
| 1 | <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
| 2 | <input type="text" value="student.stateID"/> | <input type="text"/> | <input type="text"/> |
| 3 | <input type="text" value="student.gender"/> | <input type="text"/> | <input type="text"/> |
| 4 | <input type="text" value="student.raceEthnicityFed"/> | <input type="text"/> | <input type="text"/> |
| 5 | <input type="text" value="behaviorDetail.resolutionCode"/> | <input type="text" value="="/> | <input type="text" value="EXP"/> |
| 6 | <input type="text" value="histEnrollment.specialEdStatus"/> | <input type="text" value="="/> | <input type="text" value="N"/> |
| 7 | <input type="text" value="histcal.endYear"/> | <input type="text" value="="/> | <input type="text" value="2018"/> |
| 8 | <input type="text" value="histEnrollment.grade"/> | <input type="text" value="NOT IN"/> | <input type="text" value="PK"/> |
| 9 | <input type="text" value="function.behavior resolution"/> | <input type="text" value=">="/> | <input type="text" value="1"/> |
| 10 | <input type="text" value="behaviorDetail.serviceProvided"/> | <input type="text" value="="/> | <input type="text" value="0"/> |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| | |
| | |

*Filter Identifying Discipline of Students without Disabilities -
Expulsions without Educational Services*

Discipline of Students without Disabilities - Expulsions Under Zero-Tolerance

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function behavior resolution**
- behaviorDetail.zeroTolerance

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields


- Behavior Resolution
 - allPlacementSpd
 - attendanceCode
 - auxiliaryCode
 - CampusDetAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassToPlay
 - oalDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters:











Save Cancel

*Query Name: Disc-7g non-IDEA Expulsions Zero Tolerance

Short Description:

Long Description: 

Filter the data

| | ID *Field | Operator | Value |
|---|----------------------------------|----------|-------|
|  | 1 student.personID | | |
|  | 2 student.stateID | | |
|  | 3 student.gender | | |
|  | 4 student.raceEthnicityFed | | |
|  | 5 behaviorDetail.resolutionCode | = | EXP |
|  | 6 histEnrollment.specialEdStatus | = | N |
|  | 7 histcal.endYear | = | 2018 |
|  | 8 histEnrollment.grade | NOT IN | PK |
|  | 9 function.behavior resolution | >= | 1 |
|  | 10 behaviorDetail.zeroTolerance | = TRUE | |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.

Allowed symbols: AND OR NOT () IDs

Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-7g non-IDEA Expulsions Zero Tolerance

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| | |
| | |

*Filter Identifying Discipline of Students without Disabilities -
Expulsions Under Zero-Tolerance*

Transfer to Alternative School for Students without Disabilities

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-8a non-IDEA Expulsions Trans Alt School

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Consus
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.statID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function.behavior.resolution**
- behaviorDetail.serviceInvolved

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - altPlacementSped
 - attendanceCode
 - auxiliaryCode
 - CampusCodeAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassToPlay
 - calDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters

- behaviorDetail.resolutionCode

Save Cancel

*Query Name:

Short Description:

Long Description: +

Filter the data

| | ID | *Field | Operator | Value |
|---|----|---|-------------------------------------|-----------------------------------|
| X | 1 | <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
| X | 2 | <input type="text" value="student.stateID"/> | <input type="text"/> | <input type="text"/> |
| X | 3 | <input type="text" value="student.gender"/> | <input type="text"/> | <input type="text"/> |
| X | 4 | <input type="text" value="student.raceEthnicityFed"/> | <input type="text"/> | <input type="text"/> |
| X | 5 | <input type="text" value="behaviorDetail.resolutionCode"/> | <input type="text" value="="/> | <input type="text" value="EXP"/> |
| X | 6 | <input type="text" value="histEnrollment.specialEdStatus"/> | <input type="text" value="="/> | <input type="text" value="N"/> |
| X | 7 | <input type="text" value="histcal.endYear"/> | <input type="text" value="="/> | <input type="text" value="2018"/> |
| X | 8 | <input type="text" value="histEnrollment.grade"/> | <input type="text" value="NOT IN"/> | <input type="text" value="PK"/> |
| X | 9 | <input type="text" value="function.behavior resolution"/> | <input type="text" value=">="/> | <input type="text" value="1"/> |
| X | 10 | <input type="text" value="behaviorDetail.serviceProvided"/> | <input type="text" value="="/> | <input type="text" value="ALT"/> |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.

Allowed symbols: AND OR NOT () IDs

Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| | |
| | |

Filter Identifying Transfer to Alternative School for Students without Disabilities

Discipline of Students with Disabilities - Corporal Punishment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medical
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollmentGrade
- Function Behavior Resolution**

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - altPlacementSpd
 - attendanceCode
 - auxiliaryCode
 - CampusDutAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - caDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters

behaviorDetail.resolutionCode

Save Cancel

*Query Name:

Short Description:

Long Description: +

Filter the data

| | ID *Field | Operator | Value |
|---|---|----------------------|-----------------------------------|
| X | 1 <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
| X | 2 <input type="text" value="student.stateID"/> | <input type="text"/> | <input type="text"/> |
| X | 3 <input type="text" value="student.gender"/> | <input type="text"/> | <input type="text"/> |
| X | 4 <input type="text" value="student.raceEthnicityFed"/> | <input type="text"/> | <input type="text"/> |
| X | 5 <input type="text" value="behaviorDetail.resolutionCode"/> | = | <input type="text" value="CORP"/> |
| X | 6 <input type="text" value="histEnrollment.specialEdStatus"/> | = | <input type="text" value="Y"/> |
| X | 7 <input type="text" value="histcal.endYear"/> | = | <input type="text" value="2018"/> |
| X | 8 <input type="text" value="histEnrollment.grade"/> | NOT IN | <input type="text" value="PK"/> |
| X | 9 <input type="text" value="function.Behavior Resolution"/> | >= | <input type="text" value="1"/> |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.

Allowed symbols: AND OR NOT () IDs

Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-9a IDEA received corp pun

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| | |
| | |

Filter Identifying Discipline of Students with Disabilities - Corporal Punishment

Discipline of Section 504 Students with Disabilities - Corporal Punishment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-9a IDEA received corp pun 504

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollmentDate
- functionResolutionCode
- histEnrollment.grade
- histEnrollment.section504
- histEnrollment.disability1

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- allPlacementSped
- attendanceCode
- auxiliaryCode
- CampusIdAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- calDetermination
- removalReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters: behaviorDetail.resolutionCode

Save Cancel

*Query Name:

Short Description:

Long Description: +

Filter the data

| | ID *Field | Operator | Value |
|---|---|----------------------|-----------------------------------|
| X | 1 <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
| X | 2 <input type="text" value="student.stateID"/> | <input type="text"/> | <input type="text"/> |
| X | 3 <input type="text" value="student.gender"/> | <input type="text"/> | <input type="text"/> |
| X | 4 <input type="text" value="student.raceEthnicityFed"/> | <input type="text"/> | <input type="text"/> |
| X | 5 <input type="text" value="behaviorDetail.resolutionCode"/> | = | <input type="text" value="CORP"/> |
| X | 6 <input type="text" value="histEnrollment.specialEdStatus"/> | <input type="text"/> | <input type="text"/> |
| X | 7 <input type="text" value="histcal.endYear"/> | = | <input type="text" value="2018"/> |
| X | 8 <input type="text" value="function.Resolution Code"/> | >= | <input type="text" value="1"/> |
| X | 9 <input type="text" value="histEnrollment.grade"/> | NOT IN | <input type="text" value="PK"/> |
| X | 10 <input type="text" value="histEnrollment.section504"/> | = | <input type="text" value="1"/> |
| X | 11 <input type="text" value="histEnrollment.disability1"/> | IS NOT NULL | <input type="text"/> |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.

Allowed symbols: AND OR NOT () IDs

Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|---------------------------|-------------|
| Tier 1 | histEnrollment.section504 | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|------------------------|----------------|
| student.personID | Distinct Count |
| | |
| | |
| | |

*Filter Identifying Discipline of Section 504 Students with Disabilities
- Corporal Punishment*

Discipline of Section 504 Students with Disabilities - One or More In-School Suspensions

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFid
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollmentYear
- Function Behavior Resolution**
- histEnrollment.grade
- histEnrollment.section504
- histEnrollment.disability1

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - allPlacementSpots
 - attendanceCode
 - auxiliaryCode
 - CampusDisAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - outDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters:

Save Cancel

*Query Name:

Short Description:

Long Description:

Filter the data

| | ID *Field | Operator | Value |
|---|----------------------------------|-------------|-------|
| X | 1 student.personID | | |
| X | 2 student.stateID | | |
| X | 3 student.gender | | |
| X | 4 student.raceEthnicityFed | | |
| X | 5 behaviorDetail.resolutionCode | = | ISS |
| X | 6 histEnrollment.specialEdStatus | | |
| X | 7 histcal.endYear | = | 2018 |
| X | 8 function.Behavior Resolution | >= | 1 |
| X | 9 histEnrollment.grade | NOT IN | PK |
| X | 10 histEnrollment.section504 | = | 1 |
| X | 11 histEnrollment.disability1 | IS NOT NULL | |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|---------------------------|-------------|
| Tier 1 | histEnrollment.section504 | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|------------------------|----------------|
| student.personID | Distinct Count |
| | |
| | |
| | |

Filter Identifying Discipline of Section 504 Students with Disabilities - One or More In-School Suspensions

DISC-22-27: Out-of-School Suspensions

► [Click here to expand...](#)

Discipline of Students without Disabilities - Only One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollment.year
- histEnrollment.grade
- function behavior resolution**

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - altPlacementSpd
 - attendanceCode
 - auxiliaryCode
 - campusCdAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassHoldPlay
 - onDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters

BehaviorDetail resolutionCode

Save Cancel

*Query Name: Disc-7c non-IDEA received 1 OSS

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|--------------------------------|----------|-------|
| 1 | student.personID | | |
| 2 | student.stateID | | |
| 3 | student.gender | | |
| 4 | student.raceEthnicityFed | | |
| 5 | behaviorDetail.resolutionCode | = | OSS |
| 6 | histEnrollment.specialEdStatus | = | N |
| 7 | histcal.endYear | = | 2018 |
| 8 | histEnrollment.grade | NOT IN | PK |
| 9 | function.behavior resolution | = | 1 |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.

Allowed symbols: AND OR NOT () IDs

Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name: Disc-7c non-IDEA received 1 OSS

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| | |
| | |

Filter Identifying Non-IDEA Students who Received One Out of School Suspension

Discipline of Students without Disabilities - More than One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

Query Name: Disc-7d non-IDEA received more than 1 OSS

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histical.endYear
- histEnrollment.grade
- function.behavior.resolution**

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

Name: Behavior Resolution

Function: Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - altPlacementSped
 - attendanceCode
 - auxiliaryCode
 - CampusDofAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - calDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters:

- behaviorDetail.resolutionCode

Save Cancel

*Query Name:

Short Description:

Long Description: +

Filter the data

| | ID *Field | Operator | Value |
|---|---|----------------------|-----------------------------------|
| ✕ | 1 <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
| ✕ | 2 <input type="text" value="student.stateID"/> | <input type="text"/> | <input type="text"/> |
| ✕ | 3 <input type="text" value="student.gender"/> | <input type="text"/> | <input type="text"/> |
| ✕ | 4 <input type="text" value="student.raceEthnicityFed"/> | <input type="text"/> | <input type="text"/> |
| ✕ | 5 <input type="text" value="behaviorDetail.resolutionCode"/> | = | <input type="text" value="OSS"/> |
| ✕ | 6 <input type="text" value="histEnrollment.specialEdStatus"/> | = | <input type="text" value="N"/> |
| ✕ | 7 <input type="text" value="histcal.endYear"/> | = | <input type="text" value="2018"/> |
| ✕ | 8 <input type="text" value="histEnrollment.grade"/> | NOT IN | <input type="text" value="PK"/> |
| ✕ | 9 <input type="text" value="function.behavior resolution"/> | > | <input type="text" value="1"/> |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.

Allowed symbols: AND OR NOT () IDs

Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-7d non-IDEA received more than 1 OSS

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| | |
| | |

Filter Identifying Non-IDEA Students who Received More than One Out of School Suspension

Discipline of Students with Disabilities - Only One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-9c IDEA received 1 OSS

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function.behavior.resolution**

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields


- Behavior Resolution
 - altPlacementSpd
 - attendanceCode
 - auxiliaryCode
 - CampusDotAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - notPassNoPlay
 - oaiDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters: behaviorDetail.resolutionCode










Save Cancel

***Query Name:**

Short Description:

Long Description: 

Filter the data

| | ID *Field | Operator | Value |
|---|---|----------------------|-----------------------------------|
|  | 1 <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
|  | 2 <input type="text" value="student.stateID"/> | <input type="text"/> | <input type="text"/> |
|  | 3 <input type="text" value="student.gender"/> | <input type="text"/> | <input type="text"/> |
|  | 4 <input type="text" value="student.raceEthnicityFed"/> | <input type="text"/> | <input type="text"/> |
|  | 5 <input type="text" value="behaviorDetail.resolutionCode"/> | = | <input type="text" value="OSS"/> |
|  | 6 <input type="text" value="histEnrollment.specialEdStatus"/> | = | <input type="text" value="Y"/> |
|  | 7 <input type="text" value="histcal.endYear"/> | = | <input type="text" value="2018"/> |
|  | 8 <input type="text" value="histEnrollment.grade"/> | NOT IN | <input type="text" value="PK"/> |
|  | 9 <input type="text" value="function.behavior resolution"/> | = | <input type="text" value="1"/> |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| | |
| | |

Filter Identifying Discipline of Students with Disabilities - Only One Out-of-School Suspension

Discipline of Section 504 Students with Disabilities - Only One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Free
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollmentYear
- Function Behavior Resolution**
- histEnrollment.grade
- histEnrollment.section504
- histEnrollment.disability1

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function: Add

Constant value:

Filter By: Search Clear

All Fields

- Behavior Resolution
 - altPlacementSpd
 - attendanceCode
 - auxiliaryCode
 - CampusOutAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - outDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters

- behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|--------------------------------|-------------|-------|
| 1 | student.personID | | |
| 2 | student.stateID | | |
| 3 | student.gender | | |
| 4 | student.raceEthnicityFed | | |
| 5 | behaviorDetail.resolutionCode | = | OSS |
| 6 | histEnrollment.specialEdStatus | | |
| 7 | histcal.endYear | = | 2018 |
| 8 | function.Behavior Resolution | = | 1 |
| 9 | histEnrollment_grade | NOT IN | PK |
| 10 | histEnrollment.section504 | = | 1 |
| 11 | histEnrollment.disability1 | IS NOT NULL | |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-9c IDEA received 1 OSS 504

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|---------------------------|-------------|
| Tier 1 | histEnrollment.section504 | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|------------------------|----------------|
| student.personID | Distinct Count |
| | |
| | |
| | |

Filter Identifying Discipline of Section 504 Students with Disabilities - Only One Out-of-School Suspension

Discipline of Students with Disabilities - More than One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-9d IDEA received more than 1 OSS

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields:

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields:

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function behavior resolution

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value:

Filter By: Search Clear

All Fields:

- Behavior Resolution
- altPlacementSpd
- attendanceCode
- auxiliaryCode
- CampusIDAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oaDetermination
- removeReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters:

- behaviorDetail.resolutionCode

Save Cancel

*Query Name:

Short Description:

Long Description: +

Filter the data

| | ID *Field | Operator | Value |
|---|---|----------------------|-----------------------------------|
| ✕ | 1 <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
| ✕ | 2 <input type="text" value="student.stateID"/> | <input type="text"/> | <input type="text"/> |
| ✕ | 3 <input type="text" value="student.gender"/> | <input type="text"/> | <input type="text"/> |
| ✕ | 4 <input type="text" value="student.raceEthnicityFed"/> | <input type="text"/> | <input type="text"/> |
| ✕ | 5 <input type="text" value="behaviorDetail.resolutionCode"/> | = | <input type="text" value="OSS"/> |
| ✕ | 6 <input type="text" value="histEnrollment.specialEdStatus"/> | = | <input type="text" value="Y"/> |
| ✕ | 7 <input type="text" value="histcal.endYear"/> | = | <input type="text" value="2018"/> |
| ✕ | 8 <input type="text" value="histEnrollment.grade"/> | NOT IN | <input type="text" value="PK"/> |
| ✕ | 9 <input type="text" value="function.behavior resolution"/> | > | <input type="text" value="1"/> |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-9d IDEA received more than 1 OSS

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|--------------------------|-------------|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|--------------------------|----------------|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| | |
| | |

Filter Identifying Discipline of Students with Disabilities - More than One Out-of-School Suspension

Discipline of Section 504 Students with Disabilities - More than One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-9d IDEA received more than 1 OSS 504

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields:

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields:

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollment.section504
- histEnrollment.disability1

Function Behavior Resolution

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields:

- Behavior Resolution
- allPlacementSpd
- attendanceCode
- enrollmentCode
- campusDofAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassToPlay
- outDetermination
- removalReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters:

- behaviorDetail.resolutionCode

Save Cancel

*Query Name:

Short Description:

Long Description: +

Filter the data

| | ID *Field | Operator | Value |
|---|---|----------------------|-----------------------------------|
| X | 1 <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
| X | 2 <input type="text" value="student.stateID"/> | <input type="text"/> | <input type="text"/> |
| X | 3 <input type="text" value="student.gender"/> | <input type="text"/> | <input type="text"/> |
| X | 4 <input type="text" value="student.raceEthnicityFed"/> | <input type="text"/> | <input type="text"/> |
| X | 5 <input type="text" value="behaviorDetail.resolutionCode"/> | = | <input type="text" value="OSS"/> |
| X | 6 <input type="text" value="histEnrollment.specialEdStatus"/> | <input type="text"/> | <input type="text"/> |
| X | 7 <input type="text" value="histcal.endYear"/> | = | <input type="text" value="2018"/> |
| X | 8 <input type="text" value="function.Behavior Resolution"/> | > | <input type="text" value="1"/> |
| X | 9 <input type="text" value="histEnrollment.grade"/> | NOT IN | <input type="text" value="PK"/> |
| X | 10 <input type="text" value="histEnrollment.section504"/> | = | <input type="text" value="1"/> |
| X | 11 <input type="text" value="histEnrollment.disability1"/> | IS NOT NULL | <input type="text"/> |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.

Allowed symbols: AND OR NOT () IDs

Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-9d IDEA received more than 1 OSS 504

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|---------------------------|-------------|
| Tier 1 | histEnrollment.section504 | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|------------------------|----------------|
| student.personID | Distinct Count |
| | |
| | |
| | |

Filter Identifying Discipline of Section 504 Students with Disabilities - More than One Out-of-School Suspension

Instances of Suspension with Section 504

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:**

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|---------------------------------|----------|-------|
| 1 | student.personID | | |
| 2 | student.grade | NOT IN | PK |
| 3 | behaviorDetail.resolutionCode | = | OSS |
| 4 | histEnrollment.specialEdSetting | = | N |
| 5 | histEnrollment.section504 | = | 1 |
| 6 | histcal.endYear | = | 2018 |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:**

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|-------------------------------|-------------|
| Tier 1 | behaviorDetail.resolutionCode | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|-------------------------------|----------------|
| behaviorDetail.resolutionCode | Record Count |
| | |
| | |
| | |

Filter Identifying Instances of Suspension

Instances of Suspension with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-11 Instances of Suspensions IDEA

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|---------------------------------|----------|-------|
| 1 | student.personID | | |
| 2 | student.grade | NOT IN | PK |
| 3 | behaviorDetail.resolutionCode | = | OSS |
| 4 | histEnrollment.specialEdSetting | = | Y |
| 5 | histEnrollment.section504 | = | 0 |
| 6 | histcal.endYear | = | 2018 |

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-11 Instances of Suspensions IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|-------------------------------|-------------|
| Tier 1 | behaviorDetail.resolutionCode | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|-------------------------------|----------------|
| behaviorDetail.resolutionCode | Record Count |
| | |
| | |
| | |

Filter Identifying Instances of Suspension with IDEA

Instances of Suspension without IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:**

Short Description:

Long Description:

Filter the data

| | ID *Field | Operator | Value |
|---|-----------------------------------|----------|-------|
| X | 1 student.personID | | |
| X | 2 student.grade | NOT IN | PK |
| X | 3 behaviorDetail.resolutionCode | = | OSS |
| X | 4 histEnrollment.specialEdSetting | = | N |
| X | 5 histEnrollment.section504 | = | 0 |
| X | 6 histcal.endYear | = | 2018 |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-11 Instances of Suspensions non-IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|-------------------------------|-------------|
| Tier 1 | behaviorDetail.resolutionCode | Ascending |
| Tier 2 | | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|-------------------------------|----------------|
| behaviorDetail.resolutionCode | Record Count |
| | |
| | |
| | |

Filter Identifying Instances of Suspension without IDEA

School Days Missed Due to Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-12 School Days Missed Due to Suspension

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.grade
- student.gender
- student.raceEthnicityEnd
- function Days Missed

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name: Days Missed

*Function: SUM

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- allPlacementSpd
- attendanceCode
- auxiliaryCode
- CampusDoAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassforPlay
- calDetermination
- removalReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters: behaviorDetail.resolutionLength

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

| ID | *Field | Operator | Value |
|----|---|-------------------------------------|---------------------------------|
| 1 | <input type="text" value="student.personID"/> | <input type="text"/> | <input type="text"/> |
| 2 | <input type="text" value="student_grade"/> | <input type="text" value="NOT IN"/> | <input type="text" value="PK"/> |
| 3 | <input type="text" value="student_gender"/> | <input type="text"/> | <input type="text"/> |
| 4 | <input type="text" value="student.raceEthnicityFed"/> | <input type="text"/> | <input type="text"/> |
| 5 | <input type="text" value="function.Days Missed"/> | <input type="text"/> | <input type="text"/> |

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:**

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

| Grouping | Group by | Group Order |
|----------|---|--|
| Tier 1 | <input type="text" value="student_gender"/> | <input type="text" value="Ascending"/> |
| Tier 2 | <input type="text" value="student.raceEthnicityFed"/> | <input type="text" value="Ascending"/> |
| Tier 3 | <input type="text"/> | <input type="text" value="Ascending"/> |
| Tier 4 | <input type="text"/> | <input type="text" value="Ascending"/> |
| Tier 5 | <input type="text"/> | <input type="text" value="Ascending"/> |

| Aggregate/Sub Total by | Aggregate Type |
|---|----------------------------------|
| <input type="text" value="function.Days Missed"/> | <input type="text" value="SUM"/> |
| <input type="text"/> | <input type="text"/> |
| <input type="text"/> | <input type="text"/> |
| <input type="text"/> | <input type="text"/> |

Filter Identifying School Days Missed Due to Out-of-School Suspension

