

CRDC - DISC - Student Discipline Ad Hoc Filters

Last Modified on 10/21/2024 8:21 am CDT

Tool Search: Civil Rights Data Collection (CRDC) > Maintain Survey Results

This article covers basic ways to use the Campus [Ad hoc Reporting tools](#) to design Ad hoc filters that can produce the school mappings needed to identify data sets for the Civil Rights Data Collection (CRDC). If the required information is not entered into Campus, a filter will not be able to produce the data. The filters used within this document utilize the Filter Designer's [Query Wizard](#). Ad hoc fields vary by state; therefore, examples within this article may need to use different data elements from what appears in the examples.

Also note, the Query Wizard returns data based on AND. For most of the examples, logical expressions should be entered to indicate an AND or OR is required. This is not represented in all of the captured images, but should be incorporated into your queries.

Ad Hoc filters will not report any student or course that is not enrolled or assigned to the school the filter is being run. Any students or courses that need to be added to a school's mapping will need to be manually added using the Quick Search feature in the school's mapping tool.

The CRDC is run for previous years' data, not current years' data.

Images may display reference to a particular year. Users should update the year as appropriate for reporting. Information noted in each of the queries is current with CRDC requirements, regardless of the year displayed.

Use these links to navigate to filter examples:

- [DISC-1-4: Preschool Corporal Punishment](#)
- [DISC-5-9: Preschool Suspensions and Expulsions](#)
- [DISC-10-13: Corporal Punishment](#)
- [DISC-14a-21: Discipline of Students With and Without Disabilities](#)
- [DISC-22-27: Out-of-School Suspensions](#)

DISC-1-4: Preschool Corporal Punishment

▶ [Click here to expand...](#)

Preschool Corporal Punishment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-4 PreSc Corporal Punishment

Short Description:

Long Description:

Select categories & fields

Filter By Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Leamer
- Counselor
- Leamer Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Leamer Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.gender
- student.raceEthnicityFed
- student.grade
- behaviorDetail.resolutionCode
- function.Resolution Code

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name: Resolution Code

*Function: Record Count

Constant value: Add

Filter By Search Clear

All Fields

- Behavior
- Behavior Incident
- Behavior Event
- Behavior Role
- Behavior Response
- Behavior Resolution
 - allPlacementSped
 - attendanceCode
 - auxiliaryCode
 - campusDisAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - notPassToPlay
 - outDetermination
 - removalReason
 - resolutionCode
 - resolutionID
 - resolutionName

Parameters

behaviorDetail.resolutionCode

Save Cancel

Sample Ad Hoc Filter

***Query Name:** DISC-4 PreSc Corporal Punishment

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.gender		
3	student.raceEthnicityFed		
4	student.grade	=	PK
5	behaviorDetail.resolutionCode	=	CORP
6	function.Resolution Code	>=	1

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Sample Ad Hoc Filter

*Query Name: DISC-4 PreSc Corporal Punishment

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student_gender	Ascending
Tier 2	student_raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student_gender	Record Count
student_raceEthnicityFed	Record Count

Filter For Preschool Students with Corporal Punishment

Preschool Corporal Punishment - with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name: DISC-4 PreSc Corporal Punishment IDEA

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

<--

Selected Fields

- student_personID
- student_gender
- student_raceEthnicityFed
- student_grade
- behaviorDetail_resolutionCode
- histEnrollment_specialEDStatus
- histEnrollment_disabilityY
- function Behavior Resolution**

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

Name: Behavior Resolution

Function: Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- allPlacementSped
- attendanceCode
- auxiliaryCode
- CampusOfAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassivePlay
- colDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

<--

Parameters:

behaviorDetail_resolutionCode

Save Cancel

Sample Ad Hoc Filter

*Query Name:

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
<input type="checkbox"/>	1 student.personID		
<input type="checkbox"/>	2 student.gender		
<input type="checkbox"/>	3 student.raceEthnicityFed		
<input type="checkbox"/>	4 student.grade	=	PK
<input type="checkbox"/>	5 behaviorDetail.resolutionCode	=	CORP
<input type="checkbox"/>	6 histEnrollment.specialEdStatus	=	Y
<input type="checkbox"/>	7 histEnrollment.disability1	IS NOT NULL	
<input type="checkbox"/>	8 histcal.endYear	=	2018
<input type="checkbox"/>	9 function.Behavior Resolution	>=	1

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Sample Ad Hoc Filter

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.specialEdStatus	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying the Number of IDEA Preschool Students who Received Corporal Punishment

Preschool Instances of Corporal Punishment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.grade	=	PK
3	behaviorDetail.resolutionCode	=	CORP

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Sample Ad Hoc Filter

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	behaviorDetail.resolutionCode ▾	Ascending ▾
Tier 2	▾	Ascending ▾
Tier 3	▾	Ascending ▾
Tier 4	▾	Ascending ▾
Tier 5	▾	Ascending ▾

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode ▾	Record Count ▾
▾	▾
▾	▾
▾	▾

Filter Identifying the Number of Instances of Corporal Punishment for Preschool Children

Preschool Instances of Corporal Punishment with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-5 PreSch Instances of Corporal Punish-IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.grade	=	PK
X 3	behaviorDetail.resolutionCode	=	CORP
X 4	histEnrollment.specialEdStatus	=	Y
X 5	histEnrollment.disability1	IS NOT NULL	
X 6	histcal.endYear	=	2018

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-5 PreSch Instances of Corporal Punish-IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	behaviorDetail.resolutionCode	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

Filter Identifying the Number of Instances of Corporal Punishment for IDEA Preschool Children

DISC-5-9: Preschool Suspensions and Expulsions

▶ [Click here to expand...](#)

Preschool Instances of Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:**

Short Description:

Long Description: +

Filter the data

	ID *Field	Operator	Value
✕	1 <input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
✕	2 <input type="text" value="student.grade"/>	=	<input type="text" value="PK"/>
✕	3 <input type="text" value="behaviorDetail.resolutionCode"/>	=	<input type="text" value="OSS"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	behaviorDetail.resolutionCode	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

*Filter Identifying the Number Instances of Suspension for
Preschool Students*

Preschool Instances of Suspension with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-2 PreSch Instances of Suspension - IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.grade	=	PK
3	behaviorDetail.resolutionCode	=	OSS
4	histEnrollment.specialEdStatus	=	Y
5	histEnrollment.disability1	IS NOT NULL	
6	histcal.endYear	=	2018

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-2 PreSch Instances of Suspension - IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	behaviorDetail.resolutionCode	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

*Filter Identifying the Number Instances of Suspension for IDEA
 Preschool Students*

Preschool Suspensions and Expulsions - One or More Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name: DISC-1a - PreSch Sus and Exp - One or More OSS

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields:

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Activity Registration

Selected Fields:

- student.personID
- student.gender
- student.raceEthnicityFed
- student.grade
- behaviorDetail.resolutionCode
- function.Resolution Count

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name: Resolution Count

*Function: Record Count

Constant value: Add

Filter By: Search Clear

All Fields:

- Behavior
- Behavior Incident
- Behavior Event
- Behavior Role
- Behavior Response
- Behavior Resolution
 - assignmentCode
 - attendanceCode
 - auxiliaryCode
 - CampusIDAssignment
 - disciplineDate
 - hearingCode
 - lawEnforcement
 - lawContactName
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - notificationPlay
 - oaDetermination
 - removalReason
 - resolutionCode
 - resolutionID

Parameters: behaviorDetail.resolutionCode

Save Cancel

*Query Name: DISC-1a - PreSch Sus and Exp - One or More OSS

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.gender		
3	student.raceEthnicityFed		
4	student.grade	=	PK
5	behaviorDetail.resolutionCode	=	OSS
6	function.Resolution Count	>=	1

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-1a - PreSch Sus and Exp - One or More OSS

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Preschool Students with One or More Out of School Suspension

Preschool Suspensions and Expulsions - One or More Out-of-School Suspension - with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student Data Type**.

***Query Name:** Disc-1a PreSch Sus and Exp - 1 or More OSS IDEA

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- State Localized Elements
- All Enrollments
- Core elements
 - enrollmentID
 - personID
 - calendarID
 - structureID
 - grade
 - serviceType
 - active
 - classRankExclude
 - startDate
 - startStatus
 - startComments
 - endDate
 - endStatus
 - endComments
 - enclation
 - nextCalendar
 - nextGrade
 - seringDistrict
 - enrollmentGUID
 - withdrawDate

Selected Fields

- student.personID
- student.gender
- student.raceEthnicityFed
- student.grade
- behaviorDetail.resolutionCode
- Function Resolution Count
- hisEnrollment.speAsSpecSus
- hisEnrollment.disability1
- hisEnrollment.endDate

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Resolution Count

***Function:** Distinct Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Role
- Behavior Response
- Behavior Resolution
 - allPlacementSpeed
 - attendanceCode
 - swimlanCode
 - CampusDotAssignment
 - disksignDate
 - hearingCode
 - lawEnforcement
 - lawContactName
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - oidTermination
 - parentReason
 - resolutionCode
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate

Parameters: behaviorDetail.resolutionCode

Save Cancel

***Query Name:** Disc-1a PreSch Sus and Exp - 1 or More OSS IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		<input type="text"/>
X 2	student.gender		<input type="text"/>
X 3	student.raceEthnicityFed		<input type="text"/>
X 4	student.grade		PK
X 5	behaviorDetail.resolutionCode	=	OSS
X 6	function.Resolution Count	>=	1
X 7	histEnrollment.specialEdStatus	=	Y
X 8	histEnrollment.disability1	IS NOT NULL	
X 9	histEnrollment.endDate	=	2020

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3)) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-1a PreSch Sus and Exp - 1 or More OSS IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.specialEdStatus	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying IDEA Preschool Students with One or More Out of School Suspension

Preschool Suspensions and Expulsions - Expulsions

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name: Disc-1b PreSch Sus and Exp - Expulsions

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- currentProgramStatus
- lepID
- district
- personID
- lepGUID
- programStatus
- identifiedDate
- expectedExitDate
- exitDate
- exitReason
- firstYearMonitoring
- secondYearMonitoring
- thirdYearMonitoring
- fourthYearMonitoring
- fifthYearMonitoring
- parentNotifiedDate
- parentDeclined
- parentDeclinedDate
- nsp
- comments
- modifiedByID

Selected Fields

- student.personID
- student.gender
- student.raceEthnicityFed
- student.grade
- behaviorDetail.resolutionCode
- function.Resolution Count

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name: Resolution Count

*Function: Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior
- Behavior Incident
- Behavior Event
- Behavior Role
- Behavior Response
- Behavior Resolution
- atPlacementSpeed
- attendanceCode
- auxiliaryCode
- CampusIDofAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- lawContactName
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNotPlay
- oidDetermination
- removalReason
- resolutionCode
- resolutionID

Parameters: behaviorDetail.resolutionCode

Save Cancel

*Query Name: Disc-1b PreSch Sus and Exp - Expulsions

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.gender		
3	student.raceEthnicityFed		
4	student.grade		PK
5	behaviorDetail.resolutionCode	=	EXP
6	function.Resolution Count	>=	1

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-1b PreSch Sus and Exp - Expulsions

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Preschool Students with Expulsions

Preschool Suspensions and Expulsions - Expulsions - with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-1c PreSch Sus and Exp - Expulsions IDEA

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.gender
- student.raceEthnicityFed
- student.grade
- behaviorDetail.resolutionCode
- histEnrollment.specialEStatus
- histEnrollment.disability1
- histical.endYear

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** resolution

***Function:** Distinct Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior
- Behavior Incident
- Behavior Event
- Behavior Role
- Behavior Response
- Behavior Resolution
- atfPlacementSped
- attendanceCode
- auxiliaryCode
- CampusDotAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oaDetermination
- removalReason
- resolutionCode
- resolutionName

Parameters:

behaviorDetail.resolutionCode

Save Cancel

***Query Name:** DISC-1c PreSch Sus and Exp - Expulsions IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.gender		
X 3	student.raceEthnicityFed		
X 4	student.grade	=	PK
X 5	behaviorDetail.resolutionCode	=	EXP
X 6	function.resolution	>=	1
X 7	histEnrollment.specialEdStatus	=	Y
X 8	histEnrollment.disability1	IS NOT NULL	
X 9	histcal.endYear	=	2018

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-1c PreSch Sus and Exp - Expulsions IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.specialEdStatus	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying IDEA Preschool Students with Expulsions

DISC-10-13: Corporal Punishment

▶ [Click here to expand...](#)

Corporal Punishment Indicator

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:**

Short Description:

Long Description:

Filter the data

	ID *Field	Operator	Value
X	1 student.personID		
X	2 student.grade		
X	3 behaviorDetail.resolutionCode	=	CORP

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying Students with a Corporal Punishment Indicator

Corporal Punishment Indicator with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-3 Instances of Corporal Punishment IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		<input type="text"/>
2	student.gender		<input type="text"/>
3	student.raceEthnicityFed		<input type="text"/>
4	student.grade		<input type="text"/>
5	behaviorDetail.resolutionCode	=	CORP
6	histEnrollment.specialEdStatus	=	Y
7	histEnrollment.disability1	IS NOT NULL	
8	histcal.endYear	=	2018
9	function.Behavior Resolution	>=	1

***Query Name:** DISC-3 Instances of Corporal Punishment IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.specialEdStatus	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	

Filter Identifying IDEA Students with a Corporal Punishment Indicator

Instances of Corporal Punishment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.grade"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="behaviorDetail.resolutionCode"/>	<input "="" type="text" value="="/>	<input type="text" value="CORP"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="Ascending"/>
Tier 2	<input type="text"/>	<input type="text" value="Ascending"/>
Tier 3	<input type="text"/>	<input type="text" value="Ascending"/>
Tier 4	<input type="text"/>	<input type="text" value="Ascending"/>
Tier 5	<input type="text"/>	<input type="text" value="Ascending"/>

Aggregate/Sub Total by	Aggregate Type
<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="Record Count"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>

Filter Identifying Number of Instances of Corporal Punishment for Students in Grades K-12

Instances of Corporal Punishment with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-6 Instances of Corporal Punish IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.grade		
X 3	behaviorDetail.resolutionCode	=	CORP
X 4	histEnrollment.specialEdStatus	=	Y
X 5	histEnrollment.disability1	IS NOT NULL	
X 6	histcal.endYear	=	2018

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-6 Instances of Corporal Punish IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.specialEdStatus	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

Filter Identifying Instances of Corporal Punishment - IDEA

DISC-14a-21: Discipline of Students With and Without Disabilities

▶ [Click here to expand...](#)

Discipline of Students with Disabilities - Expulsions with Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student Data Type**.

Query Name: Disc-9e IDEA Expulsions with Ed Services

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histical.endYear
- histEnrollment.grade
- Function behavior resolution**
- behaviorDetail.serviceProvided

Add Function Edit Function

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

Name: Behavior Resolution

Function: Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - allPlacementSpeed
 - attendanceCode
 - auxiliaryCode
 - CampusOutAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - oidDetermination
 - removeReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters

- BehaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="EXP"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text" value="="/>	<input type="text" value="Y"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 9	<input type="text" value="function.behavior.resolution"/>	<input type="text" value=">="/>	<input type="text" value="1"/>
X 10	<input type="text" value="behaviorDetail.serviceProvided"/>	<input type="text" value="="/>	<input type="text" value="1"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student_gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student_gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Discipline of Students with Disabilities - Expulsions with Educational Services

Discipline of Section 504 Students with Disabilities - Expulsions with Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollmentYear
- Function Behavior Resolution**
- histEnrollment.grade
- behaviorDetail.serviceProvided
- histEnrollment.section504
- histEnrollment.disability1

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- allPlacementSped
- attendanceCode
- auxiliaryCode
- CampusIDAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oalDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

- behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.stateID		
X 3	student.gender		
X 4	student.raceEthnicityFed		
X 5	behaviorDetail.resolutionCode	=	EXP
X 6	histEnrollment.specialEdStatus		Y
X 7	histcal.endYear	=	2018
X 8	function.Behavior Resolution	>	1
X 9	histEnrollment.grade	NOT IN	PK
X 10	behaviorDetail.serviceProvided	=	1
X 11	histEnrollment.section504	=	1
X 12	histEnrollment.disability1	IS NOT NULL	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.section504	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Discipline of Section 504 Students with Disabilities - Expulsions with Educational Services

Discipline of Students with Disabilities - Expulsions without Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFcd
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- behaviorDetail.serviceProvider

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- altPlacementSped
- attendanceCode
- auxiliaryCode
- CampusDutAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oaDetermination
- removalReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

- behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.stateID		
X 3	student.gender		
X 4	student.raceEthnicityFed		
X 5	behaviorDetail.resolutionCode	=	EXP
X 6	histEnrollment.specialEdStatus	=	Y
X 7	histcal.endYear	=	2018
X 8	histEnrollment.grade	NOT IN	PK
X 9	function.behavior.resolution	>=	1
X 10	behaviorDetail.serviceProvided	=	0

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:**

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals



Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Discipline of Students with Disabilities - Expulsions without Educational Services

Discipline of Section 504 Students with Disabilities - Expulsions without Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.



***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="EXP"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text"/>	<input type="text"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="function.Behavior Resolution"/>	<input type="text" value=">"/>	<input type="text" value="1"/>
X 9	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 10	<input type="text" value="behaviorDetail.serviceProvided"/>	<input type="text" value="="/>	<input type="text" value="0"/>
X 11	<input type="text" value="histEnrollment.section504"/>	<input type="text" value="="/>	<input type="text" value="1"/>
X 12	<input type="text" value="histEnrollment.disability1"/>	<input type="text" value="IS NOT NULL"/>	<input type="text"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3)) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.section504	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Discipline of Section 504 Students with Disabilities - Expulsions without Educational Services

Discipline of Students with Disabilities - Expulsions Under Zero-Tolerance

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Leamer
 - Counselor
 - Leamer Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Leamer Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function.behavior.resolution**
- behaviorDetail.zeroTolerance**

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By Search Clear

All Fields

- Behavior Resolution
- altPlacementSped
- attendanceCode
- auxiliaryCode
- CampusIdOfAssignment
- discussDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- calDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

behaviorDetail.resolutionCode

Save Cancel

*Query Name:

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="EXP"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text" value="="/>	<input type="text" value="Y"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 9	<input type="text" value="function.behavior resolution"/>	<input type="text" value=">="/>	<input type="text" value="1"/>
X 10	<input type="text" value="behaviorDetail.zeroTolerance"/>	<input type="text" value="= TRUE"/>	<input type="text"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.

Allowed symbols: AND OR NOT () IDs

Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Discipline of Students with Disabilities - Expulsions Under Zero-Tolerance

Discipline of Section 504 Students with Disabilities - Expulsions Under Zero-Tolerance

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollmentYear
- histEnrollmentGrade
- behaviorDetail.zeroTolerance
- histEnrollment.section504
- histEnrollment.disability1

Behavior Resolution

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - allPlacementSped
 - attendanceCode
 - auxiliaryCode
 - CampusDidAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassToPlay
 - oaDetermination
 - removalReason
 - resolutionCode
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters

- behaviorDetail.resolutionCode

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.stateID		
X 3	student.gender		
X 4	student.raceEthnicityFed		
X 5	behaviorDetail.resolutionCode	=	EXP
X 6	histEnrollment.specialEdStatus	=	Y
X 7	histcal.endYear	=	2018
X 8	function.Behavior Resolution	>	1
X 9	histEnrollment.grade	NOT IN	PK
X 10	behaviorDetail.zeroTolerance	= TRUE	
X 11	histEnrollment.section504	=	1
X 12	histEnrollment.disability1	IS NOT NULL	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.section504	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Discipline of Section 504 Students with Disabilities - Expulsions Under Zero-Tolerance

Transfer to Alternative School for Students with Disabilities

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function.behavior.resolution**
- behaviorDetail.serviceProvided

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- altPlacementSped
- attendanceCode
- auxiliaryCode
- CampusOfAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- calDetermination
- termsOfHession
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="EXP"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text" value="="/>	<input type="text" value="Y"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 9	<input type="text" value="function.behavior.resolution"/>	<input type="text" value=">="/>	<input type="text" value="1"/>
X 10	<input type="text" value="behaviorDetail.serviceProvided"/>	<input type="text" value="="/>	<input type="text" value="ALT"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Transfer to Alternative School for Students with Disabilities

Discipline of Students without Disabilities - Expulsions with Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- historical.endYear
- histEnrollment.grade
- function.behavior.resolution
- behaviorDetail.serviceProvided

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - altPlacementSped
 - attendanceCode
 - auxiliaryCode
 - CampusOutAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - calDetermination
 - removalReason
 - resolutionCode
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters:

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
<input type="checkbox"/>	1 student.personID		
<input type="checkbox"/>	2 student.stateID		
<input type="checkbox"/>	3 student.gender		
<input type="checkbox"/>	4 student.raceEthnicityFed		
<input type="checkbox"/>	5 behaviorDetail.resolutionCode	=	EXP
<input type="checkbox"/>	6 histEnrollment.specialEdStatus	=	N
<input type="checkbox"/>	7 histcal.endYear	=	2018
<input type="checkbox"/>	8 histEnrollment.grade	NOT IN	PK
<input type="checkbox"/>	9 function.behavior resolution	>=	1
<input type="checkbox"/>	10 behaviorDetail.serviceProvided	=	1

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Discipline of Students without Disabilities - Expulsions with Educational Services

Discipline of Students without Disabilities - Expulsions without Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student Data Type**.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- lep_programStatus
- function: Behavior Resolution**
- histEnrollment.grade
- behaviorDetail.serviceProvided

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By Search Clear

All Fields

- Behavior Resolution
- altPlacementSped
- attendanceCode
- auxiliaryCode
- CampusDoAssignment
- discAssigDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oalDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters:

behaviorDetail resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="EXP"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text" value="="/>	<input type="text" value="N"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 9	<input type="text" value="function.behavior.resolution"/>	<input type="text" value=">="/>	<input type="text" value="1"/>
X 10	<input type="text" value="behaviorDetail.serviceProvided"/>	<input type="text" value="="/>	<input type="text" value="0"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Discipline of Students without Disabilities - Expulsions without Educational Services

Discipline of Students without Disabilities - Expulsions Under Zero-Tolerance

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function behavior resolution**
- behaviorDetail.zeroTolerance

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- allPlacementSpd
- attendanceCode
- auxiliaryCode
- CampusDotAssignment
- disc.AssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oalDetermination
- removalReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters:

behaviorDetail resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
<input type="checkbox"/>	1 student.personID		
<input type="checkbox"/>	2 student.stateID		
<input type="checkbox"/>	3 student.gender		
<input type="checkbox"/>	4 student.raceEthnicityFed		
<input type="checkbox"/>	5 behaviorDetail.resolutionCode	=	EXP
<input type="checkbox"/>	6 histEnrollment.specialEdStatus	=	N
<input type="checkbox"/>	7 histcal.endYear	=	2018
<input type="checkbox"/>	8 histEnrollment.grade	NOT IN	PK
<input type="checkbox"/>	9 function.behavior resolution	>=	1
<input type="checkbox"/>	10 behaviorDetail.zeroTolerance	=	TRUE

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-7g non-IDEA Expulsions Zero Tolerance

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Discipline of Students without Disabilities - Expulsions Under Zero-Tolerance

Transfer to Alternative School for Students without Disabilities

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-8a non-IDEA Expulsions Trans Alt School

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEDStatus
- histical_endYear
- histEnrollment_grade
- function.behavior.resolution**
- behaviorDetail.serviceReviewed

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- altPlacementSped
- attendanceCode
- auxiliaryCode
- CampusSiteAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- calDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters:

behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="EXP"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text" value="="/>	<input type="text" value="N"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 9	<input type="text" value="function.behavior.resolution"/>	<input type="text" value=">="/>	<input type="text" value="1"/>
X 10	<input type="text" value="behaviorDetail.serviceProvided"/>	<input type="text" value="="/>	<input type="text" value="ALT"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-8a non-IDEA Expulsions Trans Alt School

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student_gender	Ascending
Tier 2	student_raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student_gender	Record Count
student_raceEthnicityFed	Record Count

Filter Identifying Transfer to Alternative School for Students without Disabilities

Discipline of Students with Disabilities - Corporal Punishment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-9a IDEA received corp pun

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student_personID
- student_stateID
- student_gender
- student_raceEthnicityFed
- behaviorDetail_resolutionCode
- histEnrollment_specialEdStatus
- histcal_endYear
- histEnrollment_grade
- Function Behavior Resolution**

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- altPlacementSped
- attendanceCode
- auxiliaryCode
- Campus/DistAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oaDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

behaviorDetail_resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="CORP"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text" value="="/>	<input type="text" value="Y"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 9	<input type="text" value="function.Behavior Resolution"/>	<input type="text" value=">="/>	<input type="text" value="1"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Discipline of Students with Disabilities - Corporal Punishment

Discipline of Section 504 Students with Disabilities - Corporal Punishment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollment
- functionResolutionCode
- histEnrollment.grade
- histEnrollment.section504
- histEnrollment.disability1

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- allPlacementSped
- attendanceCode
- auxiliaryCode
- CampusDtdAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassToPlay
- colDetermination
- removalReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters:

Save Cancel

*Query Name:

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="CORP"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text"/>	<input type="text"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="function.Resolution Code"/>	<input type="text" value=">="/>	<input type="text" value="1"/>
X 9	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 10	<input type="text" value="histEnrollment.section504"/>	<input type="text" value="="/>	<input type="text" value="1"/>
X 11	<input type="text" value="histEnrollment.disability1"/>	<input type="text" value="IS NOT NULL"/>	<input type="text"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3)) AND 4 AND (NOT 5 OR 6)

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.section504	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Discipline of Section 504 Students with Disabilities - Corporal Punishment

Discipline of Section 504 Students with Disabilities - One or More In-School Suspensions

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollmentYear
- Function Behavior Resolution**
- histEnrollment.grade
- histEnrollment.section504
- histEnrollment.disability1

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- allPlacementSped
- attendanceCode
- auxiliaryCode
- CampusDisAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- expPassNoPlay
- qualDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters:

- behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.stateID		
X 3	student.gender		
X 4	student.raceEthnicityFed		
X 5	behaviorDetail.resolutionCode	=	ISS
X 6	histEnrollment.specialEdStatus		
X 7	histcal.endYear	=	2018
X 8	function.Behavior Resolution	>=	1
X 9	histEnrollment.grade	NOT IN	PK
X 10	histEnrollment.section504	=	1
X 11	histEnrollment.disability1	IS NOT NULL	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.section504	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Discipline of Section 504 Students with Disabilities - One or More In-School Suspensions

DISC-22-27: Out-of-School Suspensions

▶ [Click here to expand...](#)

Discipline of Students without Disabilities - Only One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histCal.endYear
- histEnrollment.grade
- Function Behavior resolution

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- allPlacementSped
- attendanceCode
- auxiliaryCode
- CampusIDAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- calDetermination
- removalReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

- behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.stateID		
X 3	student.gender		
X 4	student.raceEthnicityFed		
X 5	behaviorDetail.resolutionCode	=	OSS
X 6	histEnrollment.specialEdStatus	=	N
X 7	histcal.endYear	=	2018
X 8	histEnrollment.grade	NOT IN	PK
X 9	function.behavior.resolution	=	1

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:**

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals


Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Non-IDEA Students who Received One Out of School Suspension

Discipline of Students without Disabilities - More than One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.



*Query Name:

Short Description:

Long Description: +

Filter the data

	ID *Field	Operator	Value
X	1 <input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X	2 <input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X	3 <input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X	4 <input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X	5 <input type="text" value="behaviorDetail.resolutionCode"/>	=	<input type="text" value="OSS"/>
X	6 <input type="text" value="histEnrollment.specialEdStatus"/>	=	<input type="text" value="N"/>
X	7 <input type="text" value="histcal.endYear"/>	=	<input type="text" value="2018"/>
X	8 <input type="text" value="histEnrollment.grade"/>	NOT IN	<input type="text" value="PK"/>
X	9 <input type="text" value="function.behavior.resolution"/>	>	<input type="text" value="1"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Non-IDEA Students who Received More than One Out of School Suspension

Discipline of Students with Disabilities - Only One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function.behavior.resolution

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- altPlacementSped
- attendanceCode
- auxiliaryCode
- CampusIDofAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- notPassNoPlay
- oidDetermination
- removalReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

- behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	<input type="text" value="student.personID"/>	<input type="text" value=""/>	<input type="text" value=""/>
2	<input type="text" value="student.stateID"/>	<input type="text" value=""/>	<input type="text" value=""/>
3	<input type="text" value="student.gender"/>	<input type="text" value=""/>	<input type="text" value=""/>
4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text" value=""/>	<input type="text" value=""/>
5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input "="" type="text" value="="/>	<input type="text" value="OSS"/>
6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input "="" type="text" value="="/>	<input type="text" value="Y"/>
7	<input type="text" value="histcal.endYear"/>	<input "="" type="text" value="="/>	<input type="text" value="2018"/>
8	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
9	<input type="text" value="function.behavior.resolution"/>	<input "="" type="text" value="="/>	<input type="text" value="1"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Discipline of Students with Disabilities - Only One Out-of-School Suspension

Discipline of Section 504 Students with Disabilities - Only One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollmentYear
- Function Behavior Resolution**
- histEnrollment.grade
- histEnrollment.section504
- histEnrollment.disabilityY

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function: Add

Constant value:

Filter By: Search Clear

All Fields

- Behavior Resolution
- attPlacementSped
- attendanceCode
- auditoryCode
- CampusOutAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oidDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="OSS"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text"/>	<input type="text"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="function.Behavior Resolution"/>	<input type="text" value="="/>	<input type="text" value="1"/>
X 9	<input type="text" value="histEnrollment_grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 10	<input type="text" value="histEnrollment.section504"/>	<input type="text" value="="/>	<input type="text" value="1"/>
X 11	<input type="text" value="histEnrollment.disability1"/>	<input type="text" value="IS NOT NULL"/>	<input type="text"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.section504	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Discipline of Section 504 Students with Disabilities - Only One Out-of-School Suspension

Discipline of Students with Disabilities - More than One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function.behavior.resolution

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value:

Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- altPlacementSped
- attendanceCode
- auxiliaryCode
- CampusIDAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oadDetermination
- removeReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters:

behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
<input type="checkbox"/>	1 student.personID		
<input type="checkbox"/>	2 student.stateID		
<input type="checkbox"/>	3 student.gender		
<input type="checkbox"/>	4 student.raceEthnicityFed		
<input type="checkbox"/>	5 behaviorDetail.resolutionCode	=	OSS
<input type="checkbox"/>	6 histEnrollment.specialEdStatus	=	Y
<input type="checkbox"/>	7 histcal.endYear	=	2018
<input type="checkbox"/>	8 histEnrollment.grade	NOT IN	PK
<input type="checkbox"/>	9 function.behavior.resolution	>	1

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-9d IDEA received more than 1 OSS

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Discipline of Students with Disabilities - More than One Out-of-School Suspension

Discipline of Section 504 Students with Disabilities - More than One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-9d IDEA received more than 1 OSS 504

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Consent
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollment
- Function Behavior Resolution
- histEnrollment.grade
- histEnrollment.section504
- histEnrollment.disability1

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- allPlacementSped
- attendanceCode
- enrollmentCode
- campusDofAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- outDetermination
- removalReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="OSS"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text"/>	<input type="text"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="function.Behavior Resolution"/>	<input type="text" value=">"/>	<input type="text" value="1"/>
X 9	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 10	<input type="text" value="histEnrollment.section504"/>	<input type="text" value="="/>	<input type="text" value="1"/>
X 11	<input type="text" value="histEnrollment.disability1"/>	<input type="text" value="IS NOT NULL"/>	<input type="text"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3)) AND 4 AND (NOT 5 OR 6)

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.section504	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Discipline of Section 504 Students with Disabilities - More than One Out-of-School Suspension

Instances of Suspension with Section 504

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-11 Instances of Suspensions 504

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.grade	NOT IN	PK
X 3	behaviorDetail.resolutionCode	=	OSS
X 4	histEnrollment.specialEdSetting	=	N
X 5	histEnrollment.section504	=	1
X 6	histcal.endYear	=	2018

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-11 Instances of Suspensions 504

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	behaviorDetail.resolutionCode	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

Filter Identifying Instances of Suspension

Instances of Suspension with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-11 Instances of Suspensions IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.grade	NOT IN	PK
3	behaviorDetail.resolutionCode	=	OSS
4	histEnrollment.specialEdSetting	=	Y
5	histEnrollment.section504	=	0
6	histcal.endYear	=	2018

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-11 Instances of Suspensions IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	behaviorDetail.resolutionCode	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

Filter Identifying Instances of Suspension with IDEA

Instances of Suspension without IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.grade	NOT IN	PK
3	behaviorDetail.resolutionCode	=	OSS
4	histEnrollment.specialEdSetting	=	N
5	histEnrollment.section504	=	0
6	histcal.endYear	=	2018

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	behaviorDetail.resolutionCode	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

Filter Identifying Instances of Suspension without IDEA

School Days Missed Due to Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.grade
- student.gender
- student.raceEthnicityFnd
- functionDaysMissed

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- allPlacementSped
- attendanceCode
- auxiliaryCode
- CampusDoAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassforPlay
- calDetermination
- removalReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resonanceLengthSchoolDays

Parameters:

Save Cancel

***Query Name:** DISC-12 School Days Missed Due to Suspension

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student_grade	NOT IN	PK
X 3	student_gender		
X 4	student.raceEthnicityFed		
X 5	function.Days Missed		

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-12 School Days Missed Due to Suspension

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student_gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
function.Days Missed	SUM

Filter Identifying School Days Missed Due to Out-of-School Suspension

