

# Special Ed Disciplinary Removal Report (Nevada)

Last Modified on 03/11/2024 8:44 am CDT

[Report Logic](#) | [Report Examples](#) | [Report Layout](#) | [State Event Codes](#) | [State Resolution Codes](#)

## **Tool Search Term:** SPED Disciplinary Removal Report

The Special Ed Disciplinary Removal Report is a list of all disciplinary incidents involving Special Ed students that have been placed on in-school suspension, out-of-school suspension or have been expelled. This report and its associated elements are reported as designated by business requirements pertaining to the Individuals with Disabilities Education Act (IDEA). Specifically, the data elements in this report are used in relation to a District's Educating Students with Disabilities: Local Plan. Extracted information allows for data-driven decision-making related to alternative placement.

## SPED Disciplinary Removal Report ☆

### SPED Disciplinary Removal Report

The Special Ed Disciplinary Removal Report reports outputs as a CSV or HTML file. The report contains behavior incident information of special education students that have been suspended, expelled or placed on require parent conference.

Enter dates to find incidents which occurred during the date range. The report can be run on a single calendar or district-wide.

#### Report Options

Date Range

Format

District-Wide

Ad Hoc Filter

#### Select Calendars

- active year
- list by school
- list by year

23-24

- 23-24 Adams Elementary
- 23-24 Clark Elementary
- 23-24 Douglas Middle
- 23-24 East Ridge High

CTRL-click or SHIFT-click to select multiple

*SPED Disciplinary Removal Report Editor*

## Report Logic

- Reports student/offender-centric data entered in the [Behavior Management](#) tool.
- Produces a list of students from a single calendar or from multiple calendars if data is required in a district-wide format.
- If a Behavior Incident has more than one state resolution, the most severe resolution that corresponds to the incident reports.
- If behavior incident data exists without a current student offender, the incident is not included on the report.
- All disciplinary incidents that have a State Resolution Code = E, EWO, IS, OS, HO, or SP report.
- An expulsion and suspension tied to a single event are only reported once.
- Student must have an active and locked IEP on the Incident Date of the behavior incident for

State Resolution Codes = IS, OS, HO, or SP.

- Multiple student offenders can be reported from the same incident.
- The report will sort by School Number, then Last Name, First Name and Middle Name.
- The report data can be filtered using an Ad Hoc filter.

## Report Examples

SPED Disciplinary Removal Report Records:1							
DistrictNumber	DistrictName	StateSchoolNumber	StateSchoolName	SSID	StudentIDNumber	StudentLastName	St
16	Campus County	221	CAMPUS ELEMENTARY	1234567	1234567	SMITH	JO

*Special Ed Disciplinary Removal Report -HTML Format*

## Report Layout

Element Name	Description	Location
<b>District Number</b>	The District Number on the student's primary enrollment.  <i>Numeric, 9 digits</i>	School & District Settings > District > District Information > State District Number  District.number
<b>District Name</b>	The District Name on the student's primary enrollment.  <i>Alphanumeric, 40 characters</i>	School & District Settings > District > District Information > Ne  District.name
<b>State School Number</b>	The school number on the student's primary enrollment.  <i>Numeric, 7 digits</i>	School & District Settings > Schools > School Information > State School Number  School.number
<b>State School Name</b>	The name of the school reporting the incident.  <i>Alphanumeric, 40 characters</i>	School & District Settings > Schools > School Information > Name  School.name
<b>SSID</b>	State Assigned student ID.  <i>Numeric, 10 digits</i>	Census > People > Demographics > Student State ID  Person.stateID

Element Name	Description	Location
<b>Student ID Number</b>	District-assigned student identification number.  <i>Numeric</i>	Census > People > Demographics > Student Number  Person.studentNumber
<b>Student Last Name</b>	The student's last name.  <i>Alphanumeric</i>	Census > People > Demographics > Last Name  Identity.lastName
<b>Student First Name</b>	The student's first name.  <i>Alphanumeric</i>	Census > People > Demographics > First Name  Identity.firstName
<b>Student Middle Name</b>	The student's middle name.  <i>Alphanumeric</i>	Census > People > Demographics > Middle Name  Identity.middleName
<b>Student Date of Birth</b>	The student's date of birth.  <i>Date, 10 characters MM/DD/YYYY</i>	Census > People > Demographics > Birth Date  Identity.birthdate
<b>Disability</b>	The primary disability of the student. The Standard Code of the Primary Disability reports.  <i>Alphanumeric</i>	Student Information > General > Enrollments > State Reporting > Primary Disability  Enrollment.disability1
<b>Ethnicity Code</b>	The student's ethnicity.  <i>Alphanumeric</i>	Census > People > Demographics > Race Ethnicity  Identity.raceEthnicity
<b>Gender</b>	The student's gender.  <i>Alphanumeric</i>	Census > People > Demographics > Gender  Identity.gender

Element Name	Description	Location														
<b>LEP Indicator</b>	<p>Indicates whether the student was assigned EL status at the time of the incident.</p> <p>If the student's Program Participation Standard Code is EL with an Identified Date prior to the Incident Date, this field reports EL.</p> <p>If the student's Program Participation Standard Code is Exited EL with a Program Exit Date after or on the Incident Date, this field reports EL.</p> <p>All other scenarios report <b>NLEP</b>.</p> <p><i>Alphanumeric, 1 character</i></p>	<p>Student Information &gt; Program Participation &gt; English Learners (EL) &gt; EL &gt; Program Status</p> <p>LEP.programStatus LEP.identifiedDate</p>														
<b>Incident ID</b>	<p>Reports data from the 'Incident ID' indicated on the Incident Detail Information section of a behavior record.</p> <p><i>Numeric</i></p>	<p>Behavior &gt; Behavior Management &gt; New &gt; Incident Detail Information &gt; Incident ID</p> <p>behaviorDetail.incidentID</p>														
<b>Type of Removal</b>	<p>The type of removal. Reports according to <a href="#">State Resolution Codes</a>.</p> <table border="1" data-bbox="491 1346 879 1780"> <thead> <tr> <th data-bbox="496 1352 608 1408">Code</th> <th data-bbox="608 1352 874 1408">Reports</th> </tr> </thead> <tbody> <tr> <td data-bbox="496 1413 608 1469"><b>SP</b></td> <td data-bbox="608 1413 874 1469">REMDW</td> </tr> <tr> <td data-bbox="496 1473 608 1529"><b>HO</b></td> <td data-bbox="608 1473 874 1529">REMHO</td> </tr> <tr> <td data-bbox="496 1534 608 1590"><b>OS</b></td> <td data-bbox="608 1534 874 1590">OUTOFSCHOOL</td> </tr> <tr> <td data-bbox="496 1594 608 1650"><b>IS</b></td> <td data-bbox="608 1594 874 1650">INSCHOOL</td> </tr> <tr> <td data-bbox="496 1655 608 1711"><b>E</b></td> <td data-bbox="608 1655 874 1711">SERVPROV</td> </tr> <tr> <td data-bbox="496 1715 608 1771"><b>EWO</b></td> <td data-bbox="608 1715 874 1771">SERVNOTPROV</td> </tr> </tbody> </table> <p><i>Alphanumeric</i></p>	Code	Reports	<b>SP</b>	REMDW	<b>HO</b>	REMHO	<b>OS</b>	OUTOFSCHOOL	<b>IS</b>	INSCHOOL	<b>E</b>	SERVPROV	<b>EWO</b>	SERVNOTPROV	<p>Behavior Management &gt; Behavior Event &gt; State Event Code</p> <p>Behavior Management &gt; Behavior Resolution &gt; Resolution Type</p> <p>BehaviorType.stateEventCode BehaviorResType.stateResCode CustomBehaviorEvent.value</p>
Code	Reports															
<b>SP</b>	REMDW															
<b>HO</b>	REMHO															
<b>OS</b>	OUTOFSCHOOL															
<b>IS</b>	INSCHOOL															
<b>E</b>	SERVPROV															
<b>EWO</b>	SERVNOTPROV															

Element Name	Description	Location
<b>Removal Start Date</b>	<p>The resolution start date.</p> <p><i>Date, 10 characters MM/DD/YYYY</i></p>	<p>Behavior Management &gt; Behavior Resolution &gt; Start Date</p> <p>BehaviorResolution.discAssignDate</p>
<b>Removal End Date</b>	<p>The resolution end date.</p> <p><i>Date, 10 characters MM/DD/YYYY</i></p>	<p>Behavior Management &gt; Behavior Resolution &gt; End Date</p> <p>BehaviorResolution.endDate</p>
<b>Duration</b>	<p>The number of days the student was removed.</p> <p>If the Duration in School Days is NULL, the length of time in days from the Resolution Start Date/Time through the Resolution End Date/Time reports. This number is rounded to the nearest hundredth.</p> <p>If the Start Date/Time and End Date/Time are null, the calculation will use the first instructional start time and last instructional end time instead.</p> <p>Days must be marked as Instructional to be included in the count.</p> <p><i>Numeric</i></p>	<p>Behavior Management &gt; Behavior Resolution &gt; Duration in School Days</p> <p>BehaviorResolution.schoolDaysDuration</p>
<b>Removal Start Time</b>	<p>The resolution start time.</p> <p><i>Numeric</i></p>	<p>Behavior Management &gt; Behavior Resolution &gt; Start Time</p> <p>BehaviorResponse.timestamp</p>
<b>Removal End Time</b>	<p>The resolution end time.</p> <p><i>Numeric</i></p>	<p>Behavior Management &gt; Behavior Resolution &gt; End Time</p> <p>BehaviorResponse.endTimeStamp</p>

Element Name	Description	Location
<b>IAES-SP Removal Drugs</b>	<p>Indicates whether the student was removed due to drugs. If the State Event Code is <b>4</b>, <b>5</b>, or <b>6</b> and State Resolution Code is <b>SP, D</b> reports. All other scenarios report blank.</p> <p><i>Alphanumeric, 1 character</i></p>	<p>Behavior Management &gt; Behavior Event &gt; Removal By, Drug Code</p> <p>BehaviorEvent.drugCode</p>
<b>IAES-SP Removal Weapons</b>	<p>Indicates whether a weapon was present during the incident or involved in the incident leading to the removal. If the State Event Code is <b>3</b> and State Resolution Code is <b>SP, W</b> reports. All other scenarios report blank.</p> <p><i>Alphanumeric, 3 characters</i></p>	<p>Behavior Management &gt; Behavior Event &gt; Removal By, Weapon</p> <p>Behavior.weapon</p>
<b>IAES-SP Removal SeriousBodilyInjury</b>	<p>Indicates whether a serious physical injury occurred to participants involved in the incident.</p> <p>If the <a href="#">State Event Code 12</a> and the State Resolution Code = SP, <b>SBI</b> reports. All other scenarios report <b>blank</b>.</p> <p><i>Alphanumeric, 3 characters</i></p>	<p>Behavior Management &gt; Behavior Event &gt; State Event Code            Behavior Management &gt; Behavior Event &gt; State Resolution Code</p> <p>BehaviorType.stateEventCode            BehaviorResType.stateResCode</p>
<b>Expulsion</b>	<p>Indicates whether the resolution was an expulsion.</p> <ul style="list-style-type: none"> <li>• If the State Resolution Code = E, <b>SERVPROV</b> reports.</li> <li>• If State Resolution Code = EWO, <b>SERVNOTPROV</b> reports.</li> </ul> <p><i>Alphanumeric, 1 character</i></p>	<p>Behavior Management &gt; Behavior Resolution &gt; AIA Services</p> <p>BehaviorResType.stateResCode</p>

Element Name	Description	Location
<b>Restraint Conclusion</b>	The response type tied to the incident.	Behavior Management > Behavior Response > Type

## State Event Codes

Code	Description
<b>1</b>	Violence to Other Students
<b>2</b>	Violence to School Staff
<b>3</b>	Possession of Weapons
<b>4</b>	Sales/Distribution of Controlled Substances
<b>5</b>	Possession or Use of Controlled Substances
<b>6</b>	Possession or Use of Alcoholic Beverage
<b>8</b>	Habitual Truancy Referral to Law Enforcement
<b>9</b>	Habitual Truancy Referral to Attendance Board
<b>10</b>	Removal from/Reassignment to Different Classroom
<b>12</b>	Serious Bodily Injury
<b>14</b>	Habitual Disciplinary Problem
<b>15</b>	Bullying
<b>16</b>	Cyber-Bullying
<b>19</b>	Likely to Injure

## State Resolution Codes

Code	Description
<b>E</b>	Expulsion W/ Services
<b>EWO</b>	Expulsion W/Out Services
<b>HO</b>	Removal to IAES by Hearing Officer
<b>IS</b>	In-School Suspension
<b>OS</b>	Out-of-School Suspension
<b>SP</b>	Removal to IAES by School Personnel



