

Civil Rights Data Collection (CRDC) - Ad Hoc Filters For Populating Category Mappings

Last Modified on 12/14/2025 8:45 pm CST

Tool Search: Civil Rights Data Collection (CRDC) > Maintain Survey Results

This article covers basic ways to use the Campus [Ad hoc Reporting tools](#) to design Ad hoc filters that can produce the school mappings needed to identify data sets for the Civil Rights Data Collection (CRDC). If the required information is not entered into Campus, a filter will not be able to produce the data. The filters used within this document utilize the Filter Designer's [Query Wizard](#).

Ad hoc fields vary by state; therefore, examples within this article may need to use different data elements from what appears in the examples.

Also note, the Query Wizard returns data based on AND. For most of the examples, logical expressions should be entered to indicate an AND or OR is required. This is not represented in all of the captured images, but should be incorporated into your queries.

Ad Hoc filters will not report any student or course that is not enrolled or assigned to the school the filter is being run. Any students or courses that need to be added to a school's mapping will need to be manually added using the Quick Search feature in the school's mapping tool.

The CRDC is run for previous years' data, not current years' data.

Images may display reference to a particular year. Users should update the year as needed for reporting. Information noted in each of the queries is current with CRDC requirements, regardless of the year displayed.

Please Note:

The following Ad Hoc filters are provided as a generic baseline and only provide results for students with End Dates on enrollments. Users can update the filters as necessary to create the desired results.

For example, to modify an Ad Hoc filter to include students without enrollment end dates, users should add histEnrollment.endDate as a field and IS NULL as the operator. The logical expression should then be updated to include AND and OR statements. Image 2 below shows an example of an Ad Hoc filter that has been modified to include students without an enrollment end date.

Category Mappings

Students with Disabilities (IDEA)

Students with a Primary Disability on Enrollment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

Filter the data

ID	Field	Operator	Value
1	student.firstName		
2	student.lastName		
3	student.gender		
4	student.raceEthnicityFed		
5	histEnrollment.grade		
6	histEnrollment.startDate	<=	10/01/2017
7	histEnrollment.endDate	>=	10/01/2017
8	learningPlan.disability1	IS NOT NULL	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Image 1: Filter Identifying Students with a Primary Disability on Enrollment with an Enrollment End Date

Filter the data

ID	Field	Operator	Value
1	student.firstName		
2	student.lastName		
3	student.gender		
4	student.raceEthnicityFed		
5	histEnrollment.grade		
6	histEnrollment.startDate	<=	10/01/2017
7	histEnrollment.endDate	>=	10/01/2017
8	learningPlan.disability1	IS NOT NULL	
9	histEnrollment.endDate	IS NULL	

Logical Expression (Optional):

6 AND (7 OR 8) AND 8

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Image 2: Filter Identifying Students with a Primary Disability on Enrollment. Students with no Enrollment End Dates are included.

Image of filters for IDEA

In the Image 1 example above, the filter identifies students who have a disability who are actively enrolled on the chosen count date October 1st and a Primary Disability on that enrollment. Additionally, the filter reports the student's primary disability, federal race/ethnicity and gender. The filter assumes that all students have an enrollment end date.

In the Image 2 example above, the filter identifies the same students as the filter in image 1, but also includes students without an enrollment end date. The example (with the histEnrollment.endDate IS NULL and logical expression added) can be used as an example to modify the Ad Hoc filters below if desired.

Students with a Primary Disability in a locked IEP

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

Filter the data

ID	Field	Operator	Value
1	student.firstName		
2	student.lastName		
3	student.gender		
4	student.raceEthnicityFed		
5	histEnrollment.grade		
6	histEnrollment.startDate	<=	10/01/2017
7	histEnrollment.endDate	>=	10/01/2017
8	learningPlan.planStartDate	<=	10/01/2017
9	learningPlan.planEndDate	>=	10/01/2017
10	learningPlan.locked	= TRUE	
11	learningPlan.disability1	IS NOT NULL	

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Image 3: Filter Identifying Students with a Primary Disability in a locked IEP

In the example above (Image 3), the filter identifies students who have a disability who are actively enrolled on the chosen count date October 1st and have a locked IEP that overlaps the count date. Additionally, the filter reports the student's primary disability, federal race/ethnicity and gender. The filter assumes that all students have an enrollment end date.

Students with Disabilities - Section 504 Only

Students with a Section 504 Indicator on Enrollment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

Filter the data

ID *Field	Operator	Value
1 student.firstName		
2 student.lastName		
3 student.gender		
4 student.raceEthnicityFed		
5 histEnrollment.grade		
6 histEnrollment.startDate	<=	10/01/2017
7 histEnrollment.endDate	>=	10/01/2017
8 histEnrollment.section504	=	1

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Image 4: Filter Determining Section 504 Students with an indicator on enrollment

In the example above (Image 4), the filter identifies students who have a disability who are actively enrolled on the chosen count date October 1st and a 504 indicator on that enrollment. Additionally, the filter reports the student's primary disability, federal race/ethnicity and gender. The filter assumes that all students have an enrollment end date.

Students with a Section 504 Flag

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

Filter the data

ID	*Field	Operator	Value
1	student.firstName		
2	student.lastName		
3	student.gender		
4	student.raceEthnicityFed		
5	histEnrollment.grade		
6	histEnrollment.startDate	<=	10/01/2017
7	histEnrollment.endDate	>=	10/01/2017
8	spProgram.name	=	Section 504
9	spProgram.startDate	<=	10/01/2017
10	spProgram.endDate		

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Image 5: Filter Determining students with a Section 504 flag

In the example above (Image 5), the filter identifies students who have a disability who are actively enrolled on the chosen count date October 1st and a Section 504 Flag. Additionally, the filter reports the student's primary disability, federal race/ethnicity and gender. The filter assumes that all students have an enrollment end date.

Students with a Section 504 from Primary Disability on IEP

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

Filter the data

ID	*Field	Operator	Value
1	student.firstName		
2	student.lastName		
3	student.gender		
4	student.raceEthnicityFed		
5	histEnrollment.grade		
6	histEnrollment.startDate	<=	10/01/2017
7	histEnrollment.endDate	>=	10/01/2017
8	learningPlan.planStartDate	<=	10/01/2017
9	learningPlan.planEndDate	>=	10/01/2017
10	learningPlan.locked	= TRUE	
11	learningPlan.disability1	=	Section 504

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Image 6: Filter Determining Section 504 Students with a Primary Disability on IEP

In the example above (Image 6), the filter identifies students who have a disability who are actively enrolled on the chosen count date October 1st and have a Primary Disability = Section 504 on a locked IEP. Additionally, the filter reports the student's primary disability, federal race/ethnicity and gender. The filter assumes that all students have an enrollment end date.

Students with English Learners (EL)

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

Filter the data

ID	*Field	Operator	Value
1	student.firstName		
2	student.lastName		
3	student.gender		
4	student.raceEthnicityFed		
5	histEnrollment.grade		
6	histEnrollment.startDate	<=	10/01/2017
7	histEnrollment.endDate	>=	10/01/2017
8	lep.programStatus	IN	LEP, Exited LEP
9	lep.identifiedDate	<=	10/01/2017
10	lep.exitDate	>=	10/01/2017
11	lep.parentDeclined	=	FALSE
12	lep.exitDate	IS NULL	

Add

Logical Expression (Optional):
6 and 7 and 8 and 9 and (10 or 12) and 11

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Image 7: Filter for students with English Learners (EL)

In the example above (Image 7), the filter identifies students who have an active enrollment on the October 1st count date while having a LEP status = LEP or Exited LEP with a LEP start date on or before October 1st and a LEP end date after October 1st OR NULL. Additionally, the filter reports the student's federal race/ethnicity and gender. Logical expressions are used to find students who have an LEP end date that is NULL or after 10/1. The filter assumes that all students have an enrollment end date.

Students Enrolled in EL Programs

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

Filter the data

ID	Field	Operator	Value
1	student.firstName		
2	student.lastName		
3	student.gender		
4	student.raceEthnicityFed		
5	histEnrollment.grade		
6	histEnrollment.startDate	<=	10/01/2017
7	histEnrollment.endDate	>=	10/01/2017
8	lep.programStatus	IN	LEP, Exited LEP
9	lep.identifiedDate	<=	10/01/2017
10	lep.exitDate	>=	10/01/2017
11	lep.parentDeclined	= FALSE	
12	lep.exitDate	IS NULL	
13	lepService.code		
14	lepService.name		
15	lepService.startDate	<=	10/01/2017
16	lepService.endDate	>=	10/01/2017
17	lepService.parentRefusedServices	IS NULL	
18	lepService.endDate	IS NULL	

Add

Logical Expression (Optional):
6 and 7 and 8 and 9 and (10 or 12) and 11 and 15 and (16 or 18) and 17

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Image 8: Filter Identifying Students Enrolled in EL Programs

In the example above (Image 8), the filter identifies students who have an active enrollment on the October 1st count date while having a LEP status = LEP or Exited LEP with a LEP start date on or before October 1st and a LEP end date after October 1st OR NULL and a LEP Service with a start date on or before 10/1 and end date after 10/1 or NULL. Additionally, the filter reports the student's federal race/ethnicity and gender. Logical expressions are used to find students who have a LEP end date that is NULL or after 10/1 and a LEP Service that is NULL or after 10/1. The filter assumes that all students have an enrollment end date.

Classes & Course Enrollment

Create a filter similar to the example below using the **Query Wizard** and **Course/Section** data type:

Filter the data

ID *Field	Operator	Value
1 courseInfo.courseNumber	IN	3085, V3091, V3092
2 courseInfo.courseName		
3 courseInfo.stateCode		
4 courseInfo.SCED Subject Area		
5 courseInfo.SCED Course Identifier		
6 rosters.grade07Students		
7 rosters.grade08Students		

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Image 9: Filter Identifying Classes in Algebra I in Middle School

In the example above (Image 9), the filter identifies any 7th or 8th grade students that are scheduled in Algebra I courses. This filter can be modified to use the State Course Code or SCED Codes to identify courses in this category. This template can be copied and used for identifying all required course offering questions on the CRDC.

Adding School of Accountability to Ad Hoc Filters

If the district is using the CRDC School of Accountability field on enrollment, the field can be added to ad hoc filters to only report students who have a CRDC School of Accountability that is NULL or = to the school where the student is enrolled.

Ad hoc cannot report students in a school where the School of Accountability is not = to where the student is enrolled. These students must be manually added to the mapping results when using Ad Hoc to populate the mappings.

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

Filter the data

ID	*Field	Operator	Value
1	student.firstName		
2	student.lastName		
3	student.gender		
4	student.raceEthnicityFed		
5	histEnrollment.grade		
6	histEnrollment.startDate	<=	10/01/2017
7	histEnrollment.endDate	>=	10/01/2017
8	learningPlan.planStartDate	<=	10/01/2017
9	learningPlan.planEndDate	>=	10/01/2017
10	learningPlan.locked	= TRUE	
11	learningPlan.disability1	IS NOT NULL	
12	histEnrollment.schoolOfAccountability	=	sch.schoolID
13	histEnrollment.schoolOfAccountability	IS NULL	

Add

Logical Expression (Optional):
(12 or 13) and 10 and 6 and 7 and 8 and 9 and 11

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Image 10: Filter Identifying Students with Disabilities with School of Accountability

In the example above (Image 10), the filter identifies students who have a disability who are actively enrolled on the chosen count date October 1st and have a locked IEP that overlaps the count date. Additionally, the filter reports the student's primary disability, federal race/ethnicity and gender. The filter assumes that all students have an enrollment end date. All fields that are defined in the filter must be referenced in the Logical Expression to be considered in the results.

Ad Hoc Fields

The following table describes the location of the fields used in the examples in both the Campus interface and in the Query Wizard's Field Selection window.

Student Data Type		
Name	Ad hoc Field Selection	Campus Interface
student.firstName	Student > Demographics	<i>Census > People > Demographics</i>

Student Data Type	Demographics	Demographics
student.lastName	Student > Demographics	<i>Census > People > Demographics</i>
student.gender	Student > Demographics	<i>Census > People > Demographics</i>
student.raceEthnicityFed	Student > Demographics	<i>Census > People > Demographics</i>
histEnrollment.grade	Student > Learner > All Enrollments > Core elements	<i>Student Information > General > Enrollments</i>
histEnrollment.startDate	Student > Learner > All Enrollments > Core elements	<i>Student Information > General > Enrollments</i>
histEnrollment.endDate	Student > Learner > All Enrollments > Core elements	<i>Student Information > General > Enrollments</i>
histEnrollment.section504	Student > Learner > State Reporting elements	<i>Student Information > General > Enrollments</i>
learningPlan.planStartDate	Student > Learner Planning > Learning Plans	<i>Student Information > PLP > General > Documents</i>
learningPlan.planEndDate	Student > Learner Planning > Learning Plans	<i>Student Information > PLP > General > Documents</i>
learningPlan.locked	Student > Learner Planning > Learning Plans	<i>Student Information > PLP > General > Documents</i>
learningPlan.disability1	Student > Learner Planning > Learning Plans	<i>Student Information > PLP > General > Documents</i>
spProgram.name	Student > Learner > Programs/Flags	<i>Student Information > Program Participation</i>
spProgram.startDate	Student > Learner > Programs/Flags	<i>Student Information > Program Participation</i>
spProgram.endDate	Student > Learner > Programs/Flags	<i>Student Information > Program Participation</i>
lep.ProgramStatus	Student > Learner > EL > EL	<i>Student Information > Program Participation > English Learners (EL)</i>

lep.identifiedDate	Student > Learner > EL > EL	<i>Student Information > Program Participation > English Learners (EL)</i>
lep.exitDate	Student > Learner > EL > EL	<i>Student Information > Program Participation > English Learners (EL)</i>
lep.parentDeclined	Student > Learner > EL > EL	<i>Student Information > Program Participation > English Learners (EL)</i>
lepService.code	Student > Learner > EL > EL	<i>Student Information > Program Participation > English Learners (EL)</i>
lepService.name	Student > Learner > EL > EL	<i>Student Information > Program Participation > English Learners (EL)</i>
lepService.startDate	Student > Learner > EL > EL	<i>Student Information > Program Participation > English Learners (EL)</i>
lepService.endDate	Student > Learner > EL > EL	<i>Student Information > Program Participation > English Learners (EL)</i>
lepService.parentRefusedServices	Student > Learner > EL > EL	<i>Student Information > Program Participation > English Learners (EL)</i>
courseInfo.courseNumber	Course > Course Information	<i>Scheduling > Courses</i>
courseInfo.courseName	Course > Course Information	<i>Scheduling > Courses</i>
courseInfo.stateCode	Course > Course Information	<i>Scheduling > Courses</i>
courseInfo.SCED Subject Area	Course > Course Information	<i>Scheduling > Courses</i>
courseInfo.SCED Course Identifier	Course > Course Information	<i>Scheduling > Courses</i>
rosters.grade07Students	Course > Section Information > Roster Summary	<i>Scheduling > Courses > Section > Roster</i>
rosters.grade08Students	Course > Section Information > Roster Summary	<i>Scheduling > Courses > Section > Roster</i>

Student Data Type	Roster Summary	
histEnrollment.schoolOfAccountability	Student > Learner > All Enrollments > Core elements	<i>Student Information > General > Enrollments</i>