

ISES Discipline Extract (Wisconsin)

Last Modified on 06/05/2024 1:57 pm CDT

This report is no longer collected by the Department of Public Instruction, and remains within Campus for retrieval of historical data which can be sent to the state for auditing purposes.

Users should submit data to the state via Ed-Fi functionality. For more information about Ed-Fi, see the following articles:

- [Wisconsin Ed-Fi Data](#)
- [Wisconsin Ed-Fi Setup Checklist](#)

[Report Logic](#) | [Report Editor Field Descriptions](#) | [Generate the ISES Discipline Extract](#) | [State Format \(XML\) Layout](#) | [HTML Format Layout](#) | [CSV Detail Format Layout](#) | [CSV Detail - Unreported Format](#)

Tool Search: ISES Extract

The Individual Student Enrollment System (ISES) requires that schools and/or districts submit data on students removed under disciplinary action.

ISES Extract ☆ Reporting > WI State Reporting > ISES Extract

WI ISES State Extracts

The ISES/CWCS reports facilitate state reporting for general student counts, special education, behavior, and teacher/course data. Use the XML State Formats to generate a file compatible with the State of Wisconsin's ISES system. Use the Detail CSV formats, where available, for analysis and troubleshooting.

Extract Options

School Number:

Extract Type:

Extract Sequence Number:

Format:

Select Calendars

active year
 list by school
 list by year

23-24

- 23-24 Bull Early Education Cen
- 23-24 Case High School
- 23-24 Census School
- 23-24 Community Partner 4K (Di
- 23-24 Dr Jones Elementary
- 23-24 Fratt Elementary
- 23-24 Gifford
- 23-24 Gilmore Fine Arts School
- 23-24 Goodland Montessori
- 23-24 Horlick High School
- 23-24 Jefferson Lighthouse Ele
- 23-24 Jerstad-Agerholm School
- 23-24 Julian Thomas Elementary
- 23-24 Knapp Elementary
- 23-24 Mitchell School
- 23-24 Olympia Brown Elementary
- 23-24 Park High School
- 23-24 Racine Alternative Learn
- 23-24 Racine County Detention

CTRL-click or SHIFT-click to select multiple

Grade

- 08T
- E3
- E4
- K2
- K4
- KG
- PK
- 01
- 02

Ad Hoc Filter

Refresh Show top 60 tasks submitted between 05/29/2024 and 06/05/2024

Batch Queue List	Queued Time	Report Title	Status	Download

ISES Discipline Extract

Reported information varies between the chosen Extract Type and Extract Period. Ensure the proper options are chosen prior to generating the report.

Report Logic

Events are reported based on the calendar of the student's primary enrollment.

If a Special Education Exit Date falls on or after the Event Date, the Primary Disability value will be reported as N.

A [State Resolution Code](#) must be mapped to the school level code in order to be reported.

Behavior Resolution Fields

The following fields on the [Behavior Incident](#) need to be populated in order to save the resolution if a State Removal Type is selected. If one of these fields is NOT populated, an error message displays.

- Resolution End Date
- Resolution End Time
- Duration in School Days
- Removal Reason
- Return Date

Add Resolution

Resolution Details

*Resolution Type:
OS: Out-of-School Suspension

State Code: OS: Out-of-School Suspension

Resolution Assign Date: 06/24/2015 Resolution Start Date: 06/24/2015 Resolution Start Time: 08:00 AM Resolution End Date: 06/26/2015 Resolution End Time: 3:00 PM

Duration in School Days: 2

Behavior Admin Staff Name

Details:

Removal Reason: AE: Endangering Behavior

Secondary Removal Reason

Modification Term and Reason

Services during Expulsion

Return To School: Return Date: 06/29/2015

Custom Data Elements

Behavior Resolution Editor

Expulsion Scenarios

Scenario 1 - Expelled Year A (Incident Year), Returns Year B (Return Year)

- Student reports as expelled in Year A
- Student reports as returned in Year B

Scenario 2 - Expelled Year A (Incident Year) and is expected to come back in Year C (Return Year). Returns Year C

- Student reports in Year A (Incident Year)
- Student does not report in Year B (Gap Year)
- Student reports in Year C (Return Year).

Scenario 3 - Expelled Year A (Incident Year), Expected to Return Year C, Returns Year B

- Student reports in Year A (Incident Year)
- Student does not report in Year B (Gap Year)
- Student reports in Year C (Return Year)

Scenario 4 - Expelled Year A, Expected to return Year B, Does not return Year B, Returns in Year C

- Student reports as Expelled in Year A (Incident Year)
- Student does not report in Year B because there is no enrollment in Year B (Expected Return year, becomes Gap Year)
- Student does report in Year C, Return to School will report "N" (Resolution End date is still in Year B; Expulsion Return Year displays as Year B; Original expulsion record must be updated to Year C for Return to School to report "Y").

Scenario 5 - Enrollment in prior year not end dated

- Year A the student has no Enrollment End Date
- Student is expelled in Year B (Incident Year)
- Resolution end date is within Year C (Return Year)
- Student reports in Year C. If student has no enrollment in Year C, this does not report

Scenario 6 - Enrollment in Expulsion Year has no End Date

- Student's enrollment in Year A (Incident Year) has no End Date
- Student is expelled in Year A.
- Resolution End Date is in Year B (Return Year)
- When report is run against Year A, report only reflects incidents for that year, not the return year
- Student reports in Year B (Return Year) as a return

Scenario 7 - No Resolution End Date

- Student is expelled in Year A (Incident Year)
- Resolution end date is NULL
- Student has an enrollment in Year B with a null enrollment End Date
- Student does NOT report a returned enrollment in Year A or Year B, because there is no Resolution End Date

Scenario 8 - Expelled and Expected Return are in same year

- Student is Expelled in Year A (Incident Year)
- Resolution End Date is within the same year
- Student reports as an Incident and Return in Year A (only one record reports)

Actual Attendance and Positive Attendance

To meet the state requirement for expelled students who continue in enrollment status but who are not receiving educational services, the following logic is used to submit zero as the actual and possible days of attendance.

- If the student's Behavior Resolution = 'EX', AND Behavior Resolution Services during Expulsion = Blank AND Behavior Resolution Expiration Days = NOT blank AND the Grade Level Standard Days Does NOT = 0.5, Delete Resolution Days (value) from both ACTUAL_ATTENDANCE and POSS_ATTENDANCE.
- If the student's State Reporting Enrollment field Behavior Event = 'EX', AND Behavior Resolution Services during Expulsion = Blank AND Behavior Resolution Resolution Days = NOT blank AND the Grade Level Standard Days = 0.5, the Resolution Days (value) is divided by 2 and the resulting day/s value is rounded down to the nearest whole or half day value from both ACTUAL_ATTENDANCE and POSS_ATTENDANCE.

English Proficiency

The Behavior Incident Date is used as the Effective Date for English Proficiency.

- If the student has an active EL record as of the incident date AND there is an English Proficiency Override value on the EL Record, that value reports.
- If the incident date falls AFTER both the student's EL Identified Date and the EL Exit Date, a value of 6 reports (no active record).
- If there is an active EL record but no English Proficiency Override value:
 - If the student has an assessment BEFORE the incident date, where the type is LPF or LID and the result code is greater than or equal to 1, the result reports truncated to the whole number from the most recent assessment record with a type of LPF before that date.
 - Values of 1.0 to 6.0 are accepted.
 - Otherwise, a value of 7 reports.
- Otherwise, a value of 7 reports.

Report Editor Field Descriptions

Field	Description
School Number	This number is attached to the file name of the generated extract and serves as an identifier.
Extract Type	Indicates which ISES extract generates. Select ISES Discipline Extract .
Extract Sequence Number	This number is attached to the file name of the extract and is used to identify the number of times the extract has been submitted to the State; i.e., an Extract Sequence Number of 00004 would indicate the extract has been submitted to the State three times prior and this extract is to be considered the fourth and most recent.
Effective Date	Student data as of this date is reported. Dates are entered in mmddyy format, or use the calendar icon to select a date.

Field	Description
Format	<p>The Discipline Extract can be generated in State Format (XML), HTML, CSV Detail, or CSV Detail - Unreported. Use the State Format (XML) for the final submission.</p> <p>The CSV Detail and CSV Detail - Unreported have different fields than the other formats. See the Layout section below for more information.</p>
Select Calendars	<p>At least one calendar needs to be selected in order to generate the ISES Extract. Multiple calendars can be chosen by using the CTRL and SHIFT keys. It is advised that not all calendars be chosen at once due to the amount of data that is returned in the extracts.</p>
Student Selection	<p>Select students to include on the report by choosing either a Grade level of enrollment for the students or an Ad hoc Filter.</p> <ul style="list-style-type: none"> To include students in all grade levels, choose All Students in the Grade Level options. Selecting an existing ad hoc filter reports only those students or courses included in those filters, if they meet the reporting requirements of the report.
Report Generation	<p>Use the Generate Extract button to immediately display the results of the selected extract type/period. For a larger data set, use the Submit to Batch button. This allows the selection of a specific time in which the extract generates (after school hours). See the Batch Queue article for more information.</p>

Generate the ISES Discipline Extract

1. Enter the **School Number** of the selected calendar.
2. Select the **ISES Discipline Extract** from the **Extract Type** dropdown list.
3. Enter the **Extract Sequence Number**.
4. Enter the **Effective Date** of the extract in *mmdyy* format or use the calendar icon to select a date.
5. Select the **Format** of the extract.
6. Select the **Calendars** to include in the report.
7. Select the students to include in the report by choosing either a **Grade** level or an **Ad hoc Filter**.
8. Click the **Generate Extract** button to display the report immediately, or use the **Submit to Batch** button to determine when the report should generate. The report displays in the selected format.

```

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE ISES_TRANS SYSTEM "TR_DISCIP.DTD">
- <ISES_TRANS>
  <DTG>04-23-2014 08:41:33 CDT</DTG>
  <SEQ_NUM>00001</SEQ_NUM>
  <COLLECTION>YED</COLLECTION>
  <DISTRICT>2303</DISTRICT>
  - <SCHOOLS>
    <SCHOOL>9999</SCHOOL>
    <RECORD_TYPE>D</RECORD_TYPE>
    <YEAR>2014</YEAR>
    - <INCIDENT>
      <YEAR_INCIDENT>2013</YEAR_INCIDENT>
      <WSN_ID> </WSN_ID>
      <ENROLL_DATE>09/02/2008</ENROLL_DATE>
      <INCIDENT_DATE>01/01/2013</INCIDENT_DATE>
      - <REMOVAL>
        <REMOVAL_ID>89756108</REMOVAL_ID>
        <YEAR_REMOVAL_TYPE>2013</YEAR_REMOVAL_TYPE>
        <REMOVAL_TYPE>EX</REMOVAL_TYPE>
        <REMOVAL_START_DATE>01/01/2013</REMOVAL_START_DATE>
        <EARLY_REINSTATE_CONDITIONS>N</EARLY_REINSTATE_CONDITIONS>
        <EXPULSION_RETURN_YEAR>2014</EXPULSION_RETURN_YEAR>
        <MODIFIED_TERM>N</MODIFIED_TERM>
        <PRIM_DISAB>A</PRIM_DISAB>
        <ENG_PROF_CODE>7</ENG_PROF_CODE>
        <DAYS_REMOVED_CURRENT_TERM>105.0</DAYS_REMOVED_CURRENT_TERM>
        <SERVICES_PROVIDED>N</SERVICES_PROVIDED>
        <RETURN_TO_SCHOOL>N</RETURN_TO_SCHOOL>
      </REMOVAL>
    </INCIDENT>
  </SCHOOLS>
</ISES_TRANS>
  
```

State Format (XML)

Records:3

schoolNumber	year	personID	incidentID	yearIncident	stateID	schoolStartDate	incidentDate	removalReason
9999	2014	123456789		2014	123456789	09/01/2011	02/04/2014	
9999	2014	234567890		2013	234567890	09/02/2008	01/01/2013	
9999	2014	345678901		2013	345678901	09/01/2011	12/05/2012	

HTML Format

	A	B	C	D	E	F	G	H	I	J
1	ISES Reported Records									
2	School Name	School Number	School Override	Last Name	First Name	Middle Name	Birth Date	Grade	YEAR_INCIDENT	WSN_ID
3	High School	540		Student	James	S	4/11/1996	12	2015	1234567890
4	Non-Reported Records									
5	School Name	School Number	School Override	Last Name	First Name	Middle Name	Birth Date	Grade	YEAR_INCIDENT	WSN_ID
6	High School	540		Student	Jennifer		9/11/1997	12	2015	2345678901
7										
8										

CSV Detail Format

State Format (XML) Layout

The following tables define the elements and logic included in the ISES Discipline Extracts.

Report Header and footers will be displayed with XML and CSV Formats for the ISES Discipline Extract. There are five record types the report header/footer information:

- 01 - Date Stamp, Sequence Number, Collection Period, District Information
- 02 - School Code, Record Type and Collection Year
- 03 - Incident Data
- 04 - Removal Type Data
- 05 - Indicates the end of the file

Header Elements

These elements are nested inside the `<ISES_TRANS> </ISES_TRANS>` tag.

State Name (ELEMENT)	Description	Format
Date and Time Stamp (DTG)	Reports the time the extract was generated.	MM-DD-YYYY HH:MM:SS Timezone
Sequence Number (SEQ_NUM)	Sequence number for file being generated as entered on the Extract Editor.	Numeric, 5 digits
Collection (COLLECTION)	Extract name from DPI Table. Will report TFS when Extract Period = Third Friday in September or End of Year.	Alphanumeric
District Number (DISTRICT)	District submitting the extract.	Numeric, 4 digits
Header for Schools (SCHOOLS)	Tag indicating school data.	N/A

School Elements

These elements are nested inside the `<SCHOOLS></SCHOOLS>` tag.

State Name	Description	Format
State School Number	Reports the assigned state school number.	Numeric, 4 digits
Record Type	Reports as D.	Alphabetic, 1 character
Year	Reports the end year of the selected calendar.	Numeric, 4 digits
Incident	N/A	N/A

Incident Elements

These elements are nested inside the <INCIDENT><INCIDENT> tag.

State Name	Description	Type, Format and Length	Campus Database	Campus Application
Incident Year	Indicates the year the reported behavior event occurred based on the Event Date entered.	Date field, 4 characters YYYY	Behavior.timestamp	Behavior Management > Detail Information > Date of Incident
WSN ID	A unique number assigned to a student by the Department of Education.	Numeric, 10 digits	Person.stateID	Demographics > State ID
School Enrollment Date	<p>Reports the enrollment date for the student associated with the incident.</p> <p>For the Discipline Extract, this date bases its logic on the Return Enrollment (the first enrollment on or after the student is expected to return based on the Resolution End Date. If the Resolution End Date field is NULL, and there is no enrollment that ends on or after the Resolution End Date, the Incident Enrollment field is used.</p>	Date field, 10 characters MM/DD/YYYY	Enrollment.startDate Enrollment.endDate Enrollment.endStatus	Enrollment > General Enrollment Information > Start Date, End Date, End Status
Incident Date	Indicates the date the reported Behavior Event occurred.	Date field, 10 characters MM/DD/YYYY	Behavior.timestamp	Behavior Management > Detail Information > Date of Incident

State Name	Description	Type, Format and Length	Campus Database	Campus Application
Incident Type Primary	Reports the Removal Reason from the student's behavior resolution.	Alphanumeric, 2 characters	BehaviorResolution. removalReason	Behavior Management > Resolution > Removal Reason
Incident Type Secondary	Reports the Removal Reason from the student's behavior resolution.	Alphanumeric, 2 characters	BehaviorResolution. removalReason2`	Behavior Management > Resolution > Removal Reason

Removal Elements

These elements are nested inside the <REMOVAL><REMOVAL> tag.

State Name	Description	Type, Format and Length	Campus Database	Campus Application
Removal ID	Reports the person ID and the Resolution ID.	Numeric,	Person.personID BehaviorResolution. resolutionID	Demographics > Person ID Behavior Management > Resolution ID
Removal Type	Reports the code assigned to the behavior resolution type. Removal types IS, SP and HO only report when the Primary Disability field is not null.	Alphanumeric, 2 characters	BehaviorResolution.code	Behavior > Resolution > Resolution Type
Removal Start Date	Reports the start date of the behavior resolution.	Date field, 10 characters MM/DD/YYYY	BehaviorResolution. timestamp	Behavior Management > Resolution > Start Date

State Name	Description	Type, Format and Length	Campus Database	Campus Application
Serious Bodily Injury	<p>Reports only when the Remove Type is SP and the Primary Disability is not null.</p> <p>If on the Behavior Event, the Injury field is set to 4: Serious Bodily Injury, this field reports Y. If not set to 4, this field reports N.</p>	Alphanumeric, 1 character	BehaviorResolution.code	<p>Behavior Management > Resolution > Resolution Type</p> <p>Special Education > Enrollment Screen > Primary Disability</p>

State Name	Description	Type, Format and Length	Campus Database	Campus Application
Early Reinstatement Conditions	Reports only if the Removal Type is EX: Expulsion. This value is converted from the Modification Term list on the Behavior Resolution into a value of Y or N. <ul style="list-style-type: none"> • CI: Conditional, modified because of IDEA, reports Y • CM: Conditional, modified other than IDEA, reports Y • NI: Non-conditional, modified because of IDEA, reports N • NM: Non-conditional, modified other than IDEA, reports N= 	Alphanumeric, 1 character	BehaviorResolution.modificationReason	Behavior Management > Resolution > Modification Term and Reason
Expulsion Return Year	Reports the end year of the behavior resolution end date.	Numeric, 4 digits YYYY	BehaviorResolution.timestamp BehaviorResolution.code	Behavior Management > Resolution > End Date

State Name	Description	Type, Format and Length	Campus Database	Campus Application
Modified Term	<p>Reports only if the Removal Type field is EX: Expulsion. This value is converted from the Modification Term list on the Behavior Resolution into a value of I or M.</p> <ul style="list-style-type: none"> • CI: Conditional, modified because of IDEA, reports I • CM: Conditional, modified other than IDEA, reports M • NI: Non-conditional, modified because of IDEA, reports N • NM: Non-conditional, modified other than IDEA, reports M • If none are selected, reports N. 	Alphanumeric, 1 character	BehaviorResolution.code	<p>Behavior Management > Resolution > Modification Term and Reason</p> <p>Behavior Management > Resolution > Removal Reason</p>

State Name	Description	Type, Format and Length	Campus Database	Campus Application
Primary Disability	<p>Reports the Primary Disability code from the student's locked IEP which overlaps the Incident Date. Unless:</p> <ul style="list-style-type: none"> • If the student has a Special Education Exit Date on or before the incident date, even if the active IEP exists, reports N. • If the IEP end date is later than the Enrollment End Date, reports N. • Otherwise, reports N. 	Alphanumeric, 1 character	PlanState.disability1 Enrollment.spedExitDate	Special Education > Plan > Enrollment
English Proficiency Code	<p>Reports the student's EL code. Reports from the Incident Year. See the Report Logic section for more information.</p>	Alphanumeric, 2 characters	LEP.identifiedDate CustomStudent. LEPOverride	English Learners (EL) EL Assessments > LID or LPF Test Results

State Name	Description	Type, Format and Length	Campus Database	Campus Application
Days Removed Current Term	<p>Reports the total number of days the student was removed from instructional learning for the term.</p> <p>Reports as either XXX.0 or XXX.5.</p>	<p>Numeric, 4 digits XXX.X</p>	<p>BehaviorResolution. code BehaviorResolution. expulsionServiceProvided</p>	<p>Behavior Management > Services Provided During Expulsion</p> <p>Behavior Management > Resolution Type</p>
Services Provided	<p>When the Behavior Resolution is EX, reports Y when Services During Expulsion checkbox is marked; reports N when Services During Expulsion checkbox is not marked.</p>	<p>Alphanumeric, 1 character</p>	<p>BehaviorResolution. code BehaviorResolution. expulsionServiceProvided</p>	<p>Behavior Management > Services Provided During Expulsion</p> <p>Behavior Management > Resolution Type</p>

State Name	Description	Type, Format and Length	Campus Database	Campus Application
Return to School	<p>Indicates whether the student can return to school. The Resolution must have a code of EX (Expulsion). This is pulled from the first enrollment that ends on or after the resolution date.</p> <p>Reports Y if the Return to School checkbox is marked and the Resolution Return Date is between the Calendar Start and End Dates associated with the enrollments.</p> <p>Otherwise, reports N.</p>	Alphanumeric, 1 character	BehaviorResolution.auxiliaryCode BehaviorResolution.returnDate BehaviorResolution.EndDate	Behavior Management > Resolution > Return to School

HTML Format Layout

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
School Number	Reports the school name of enrollment.	Alphanumeric, 15 character	School.name	School Information > Name

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Year	Reports the selected year of enrollment.	Numeric, 4 digits	Calendar.endYear	Calendar Information > End Year
Person ID, Incident ID	Reports the person ID and the incident ID of the behavior event.	Numeric, 9 digits	Person.personID Behavior.incidentID	Demographics > Person ID Behavior Management > Resolution ID
Year Incident	Reports the year in which the incident occurred.	Numeric, 4 digits	BehaviorEvent.Date	Behavior Management > Event Date
State ID	Reports the student's state ID.	Numeric, 10 digits	Person.stateID	Demographics > State ID
School Start Date	Reports the student's first start date of enrollment.	Date field, 10 characters MM/DD/YYYY	Enrollment.startDate	Enrollments > General Enrollment Information > Start Date
Incident Date	Reports the date the behavior incident occurred.	Date field, 10 character MM/DD/YYYY	BehaviorEvent.date	Behavior Management > Event Date
Removal Reason	Reports the reason the student was removed.	Alphanumeric, 2 characters	BehaviorResolution. removalReason	Behavior Management > Resolution > Removal Reason
Removal Reason 2	Reports the reason the student was removed.	Alphanumeric, 2 characters	BehaviorResolution. removalReason	Behavior Management > Resolution > Removal Reason
Removal ID	Reports the person ID and the Resolution ID.	Numeric,	Person.personID BehaviorResolution. resolutionID	Behavior > Resolution

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Removal Type	<p>Reports the code assigned to the behavior resolution type.</p> <p>Removal types IS, SP and HO only report when the Primary Disability field is not null.</p>	Alphanumeric, 2 characters	BehaviorResolution.code	Behavior > Resolution > Resolution Type
Removal Start Date	Reports the start date of the behavior resolution.	Date field, 10 characters MM/DD/YYYY	BehaviorResolution.timestamp	Behavior Management > Resolution > Start Date
Serious Bodily Injury	<p>Reports only when the Remove Type is SP and the Primary Disability is not null.</p> <p>If on the Behavior Event, the Injury field is set to 4: Serious Bodily Injury, this field reports Y. If not set to 4, this field reports N.</p>	Alphanumeric, 1 character	BehaviorResolution.code	<p>Behavior Management > Resolution > Resolution Type</p> <p>Special Education > Enrollment Screen > Primary Disability</p>

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Early Reinstatement Conditions	<p>Reports only if the Removal Type is EX: Expulsion. This value is converted from the Modification Term list on the Behavior Resolution into a value of Y or N.</p> <ul style="list-style-type: none"> • CI: Conditional, modified because of IDEA, reports Y • CM: Conditional, modified other than IDEA, reports Y • NI: Non-conditional, modified because of IDEA, reports N • NM: Non-conditional, modified other than IDEA, reports N 	Alphanumeric, 1 character	BehaviorResolution.modificationReason	Behavior Management > Resolution > Modification Term and Reason
Expulsion Return Year	Reports the end year of the behavior resolution end date.	Numeric, 4 digits YYYY	BehaviorResolution.timestamp BehaviorResolution.code	Behavior Management > Resolution > End Date

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Modified Term	<p>Reports only if the Removal Type field is EX: Expulsion.</p> <p>This value is converted from the Modification Term list on the Behavior Resolution into a value of I or M.</p> <ul style="list-style-type: none"> • CI: Conditional, modified because of IDEA, reports I • CM: Conditional, modified other than IDEA, reports M • NI: Non-conditional, modified because of IDEA, reports N • NM: Non-conditional, modified other than IDEA, reports M • If none are selected, reports N. 	Alphanumeric, 1 character	BehaviorResolution.code	<p>Behavior Management > Resolution > Modification Term and Reason</p> <p>Behavior Management > Resolution > Removal Reason</p>

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Primary Disability	<p>Reports the Primary Disability code from the student's locked IEP which overlaps the Incident Date. Unless:</p> <ul style="list-style-type: none"> • If the student has a Special Education Exit Date on or before the incident date, even if the active IEP exists, reports N. • If the IEP end date is later than the Enrollment End Date, reports N. • Otherwise, reports N. 	Alphanumeric, 1 character	PlanState.disability1 Enrollment.spedExitDate	Special Education > Plan > Enrollment
English Proficiency Code	<p>Reports the student's EL code. Reports from the Incident Year. See the Report Logic section for more information.</p>	Alphanumeric, 2 characters	LEP.identifiedDate CustomStudent.LEPOverride	English Learners (EL) EL Assessments > LID or LPF Test Results

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Days Removed	Reports the total number of days the student was removed from instructional learning for the term. Reports as either XXX.0 or XXX.5.	Numeric, 4 digits XXX.X	BehaviorResolution. code BehaviorResolution. expulsionServiceProvided	Behavior Management > Services Provided During Expulsion Behavior > Behavior Management > Resolution Type
Services Provided	When the Behavior Resolution is EX, reports Y when Services During Expulsion checkbox is marked; reports N when Services During Expulsion checkbox is not marked.	Alphanumeric, 1 character	BehaviorResolution. code BehaviorResolution. expulsionServiceProvided	Behavior Management > Services Provided During Expulsion Behavior Management > Resolution Type

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Return to School	<p>Indicates whether the student can return to school. The Resolution must have a code of EX (Expulsion). This is pulled from the first enrollment that ends on or after the resolution date.</p> <p>Reports Y if the Return to School checkbox is marked and the Resolution Return Date is between the Calendar Start and End Dates associated with the enrollments.</p> <p>Otherwise, reports N.</p>	Alphanumeric, 1 character	BehaviorResolution.auxiliaryCode BehaviorResolution.returnDate BehaviorResolution.EndDate	Behavior Management > Resolution > Return to School

CSV Detail Format Layout

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
School Name	Reports the name of the school.	Alphanumeric, 20 characters	School.name	School Information > Name
School Number	Reports the school number of enrollment.	Numeric, 4 digits	School.number	School Information > Number

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
School Override	Reports the school override number, if populated.	Numeric, 4 digits	CustomStudent.schoolOverride	Enrollments > State Reporting Fields > School Override
Last Name	Reports the student's legal last name.	Alphanumeric, 50 characters	Identity.lastName	Demographics > Last Name
First Name	Reports the student's legal first name.	Alphanumeric, 30 characters	Identity.firstName	Demographics > First Name
Middle Name	Reports the student's complete middle name.	Alphanumeric, 15 characters	Identity.middleName	Demographics > Middle Name
Birth Date	Reports the student's date of birth.	Date field, 10 characters MM/DD/YYYY	Identity.birthDate	Demographics > Birth Date
Grade	Reports the grade level of enrollment.	Numeric, 2 digits	Enrollment.grade	Enrollments > General Enrollment Information > Grade
Year Incident	Reports the year in which the incident occurred.	Numeric, 4 digits	Behavior.incident	Behavior Management > Event > Date
WSN ID	A unique number assigned to a student by the Department of Education.	Numeric, 10 digits	Person.stateID	Demographics > State ID
Enroll Date	The student's first (true) enrollment date in a school with no lapse in enrollments.	Date field, 10 characters MM/DD/YYYY	Enrollment.startDate Enrollment.endDate Enrollment.endStatus	Enrollments > Enrollment Editor > Start Date, End Date, End Status

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
	<p>The Enrollment Date is determined by the most recent enrollment record, by start date, where the End Status is not NULL. This is the End Status Enrollment.</p> <ul style="list-style-type: none"> If no enrollment applies, the Start Date from the earliest enrollment in the same school by start date reports; OR if the enrollment applies, the Start Date from the next earliest enrollment in the same school reports. <p>The following enrollments are excluded: enrollments from calendars marked "SS: Summer School", No Show, WSLs/ISES</p>			

Element Name	Exclude, or State Description Exclude, or which are Calendar or	Type, Format and Length	Campus Database	Campus Application
	Grade Level excluded.			
Incident Date	Indicates the date the reported Behavior Event occurred.	Date field, 10 characters MM/DD/YYYY	Behavior.timestamp	Behavior Management > Detail Information > Date of Incident
Incident Type Primary	Reports the Removal Reason from the student's behavior resolution.	Alphanumeric, 2 characters	BehaviorResolution. removalReason	Behavior Management > Resolution > Removal Reason
Incident Type Secondary	Reports the Removal Reason from the student's behavior resolution.	Alphanumeric, 2 characters	BehaviorResolution. removalReason2`	Behavior Management > Resolution > Removal Reason
Removal ID	Reports the person ID and the Resolution ID.	Numeric, 10 digits	Person.personID BehaviorResolution. resolutionID	Behavior Management > Resolution > Resolution ID Demographics > Person ID
Year Removal Type	Reports the year in which the student was removed from school.	Numeric, 4 characters	BehaviorResolution. timestamp	Behavior Management > Resolution > Start Date

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Removal Type	Reports the code assigned to the behavior resolution type. Removal types IS, SP and HO only report when the Primary Disability field is not null.	Alphanumeric, 2 characters	BehaviorResolution.code	Behavior Management > Resolution > Resolution Type
Removal Start Date	Reports the start date of the behavior resolution.	Date field, 10 characters MM/DD/YYYY	BehaviorResolution.timestamp	Behavior Management > Resolution > Start Date
Serious Bodily Injury	Reports only when the Remove Type is SP and the Primary Disability is not null. If on the Behavior Event, the Injury field is set to 4: Serious Bodily Injury, this field reports Y. If not set to 4, this field reports N.	Alphanumeric, 1 character	BehaviorResolution.code	Behavior Management > Resolution > Resolution Type Special Education > Enrollment Screen > Primary Disability

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Early Reinstatement Conditions	<p>Reports only if the Removal Type is EX: Expulsion. This value is converted from the Modification Term list on the Behavior Resolution into a value of Y or N.</p> <ul style="list-style-type: none"> • CI: Conditional, modified because of IDEA, reports Y • CM: Conditional, modified other than IDEA, reports Y • NI: Non-conditional, modified because of IDEA, reports N • NM: Non-conditional, modified other than IDEA, reports N 	Alphanumeric, 1 character	BehaviorResolution.modificationReason	Behavior Management > Resolution > Modification Term and Reason
Expulsion Return Year	Reports the end year of the behavior resolution end date.	Numeric, 4 digits YYYY	BehaviorResolution.timestamp BehaviorResolution.code	Behavior Management > Resolution > End Date

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Modified Term	<p>Reports only if the Removal Type field is EX: Expulsion. This value is converted from the Modification Term list on the Behavior Resolution into a value of I or M.</p> <ul style="list-style-type: none"> • CI: Conditional, modified because of IDEA, reports I • CM: Conditional, modified other than IDEA, reports M • NI: Non-conditional, modified because of IDEA, reports N • NM: Non-conditional, modified other than IDEA, reports M • If none are selected, reports N. 	Alphanumeric, 1 character	BehaviorResolution.code	<p>Behavior Management > Resolution > Modification Term and Reason</p> <p>Behavior Management > Resolution > Removal Reason</p>

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Primary Disability	<p>Reports the Primary Disability code from the student's locked IEP which overlaps the Incident Date. Unless:</p> <ul style="list-style-type: none"> • If the student has a Special Education Exit Date on or before the incident date, even if the active IEP exists, reports N. • If the IEP end date is later than the Enrollment End Date, reports N. • Otherwise, reports N. 	Alphanumeric, 1 character	PlanState.disability1 Enrollment.spedExitDate	Special Education > Plan > Enrollment
English Proficiency Code	<p>Reports the student's EL code. Reports from the Incident Year. See the Report Logic section for more information.</p>	Alphanumeric, 2 characters	LEP.identifiedDate CustomStudent.LEPOverride	English Learners (EL) EL Assessments > LID or LPF Test Results

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Days Removed Current Term	Reports the total number of days the student was removed from instructional learning for the term. Reports as either XXX.0 or XXX.5.	Numeric, 4 digits XXX.X	BehaviorResolution. code BehaviorResolution. expulsionServiceProvided	Behavior Management > Services Provided During Expulsion Behavior Management > Resolution Type
Services Provided	When the Behavior Resolution is EX, reports Y when Services During Expulsion checkbox is marked; reports N when Services During Expulsion checkbox is not marked.	Alphanumeric, 1 character	BehaviorResolution. code BehaviorResolution. expulsionServiceProvided	Behavior Management > Services Provided During Expulsion Behavior Management > Resolution Type

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Return to School	<p>Indicates whether the student can return to school.</p> <p>The Resolution must have a code of EX (Expulsion). This is pulled from the first enrollment that ends on or after the resolution date.</p> <p>Reports Y if the Return to School checkbox is marked and the Resolution Return Date is between the Calendar Start and End Dates associated with the enrollments.</p> <p>Otherwise, reports N.</p>	Alphanumeric, 1 character	BehaviorResolution.auxiliaryCode BehaviorResolution.returnDate BehaviorResolution.endDate	Behavior Management > Resolution > Return to School
Incident ID	Reports the number associated with the behavior incident.	Numeric, 5 digits	BehaviorIncident.incidentID	Behavior Management > Incident Detail Information > Incident ID
Incident Title	Reports the name associated with the incident.	Alphanumeric, 15 characters	BehaviorIncident.title	Behavior Management > Incident Detail Information > Title

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Incident School	Reports the name of the school where the incident was created.	Alphanumeric, 20 characters	School.name	School Information > Name
Incident Calendar	Reports the name of the calendar in which the incident was created.	Alphanumeric, 20 characters	Calendar.name	Calendar Information > Name
Incident Title	Reports the name associated with the incident.	Alphanumeric, 15 characters	BehaviorIncident.title	Behavior Management > Incident Detail Information > Title
Incident Status	Reports the completion status of the incident.	Alphanumeric, 30 characters	BehaviorIncident.status	Behavior Management > Incident > Status
Event ID	Reports the number associated with the event.	Numeric, 5 digits	BehaviorEvent.eventID	Behavior Management > Events and Participants > Event ID
Event Name	Reports the name of the behavior event.	Alphanumeric, 15 characters	BehaviorEvent.name	Behavior Management > Events and Participants > Event Name

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Student Incident School Enrollment Type	<p>Reports the Enrollment Service Type of the student's enrollment in the school/calendar in which the incident was created.</p> <p>If the student is not enrolled at the incident school but was added as a Census Person to the incident report, this reports as Not Enrolled.</p>	Alphanumeric, 10 characters	Enrollment.serviceType	Enrollment > General Enrollment Information > Service Type

CSV Detail - Unreported Format

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
School Name	Reports the name of the school.	Alphanumeric, 20 characters	School.name	School Information > Name
School Number	Reports the school number of enrollment.	Numeric, 4 digits	School.number	School Information > Number
School Override	Reports the school override number, if populated.	Numeric, 4 digits	CustomStudent.schoolOverride	Enrollments > State Reporting Fields > School Override

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Last Name	Reports the student's legal last name.	Alphanumeric, 50 characters	Identity.lastName	Demographics > Last Name
First Name	Reports the student's legal first name.	Alphanumeric, 30 characters	Identity.firstName	Demographics > First Name
Middle Name	Reports the student's complete middle name.	Alphanumeric, 15 characters	Identity.middleName	Demographics > Middle Name
Birth Date	Reports the student's date of birth.	Date field, 10 characters MM/DD/YYYY	Identity.birthDate	Demographics > Birth Date
Grade	Reports the grade level of enrollment.	Numeric, 2 digits	Enrollment.grade	Enrollments > General Enrollment Information > Grade
Year Incident	Reports the year in which the incident occurred.	Numeric, 4 digits	Behavior.incident	Behavior Management > Event > Date
WSN ID	A unique number assigned to a student by the Department of Education.	Numeric, 10 digits	Person.stateID	Demographics > State ID
Enroll Date	The student's first (true) enrollment date in a school with no lapse in enrollments. <ul style="list-style-type: none"> The Enrollment Date is determined by the most recent enrollment 	Date field, 10 characters MM/DD/YYYY	Enrollment.startDate Enrollment.endDate Enrollment.endStatus	Enrollments > Start Date, End Date, End Status

Element Name	Description record, by start date, where the End Status	Type, Format and Length	Campus Database	Campus Application
	<p>if not NULL. This is the End Status Enrollment.</p> <ul style="list-style-type: none"> If no enrollment applies, the Start Date from the earliest enrollment in the same school by start date reports; OR if the enrollment applies, the Start Date from the next earliest enrollment in the same school reports. <p>The following enrollments are excluded: enrollments from calendars marked "SS: Summer School", No Show, WSLS/ISES Exclude, or State Exclude, or which are Calendar or Grade Level excluded.</p>			

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Incident Date	Indicates the date the reported Behavior Event occurred.	Date field, 10 characters MM/DD/YYYY	Behavior.timestamp	Behavior Management > Detail Information > Date of Incident
Incident Type Primary	Reports the Removal Reason from the student's behavior resolution.	Alphanumeric, 2 characters	BehaviorResolution.removalReason	Behavior Management > Resolution > Removal Reason
Incident Type Secondary	Reports the Removal Reason from the student's behavior resolution.	Alphanumeric, 2 characters	BehaviorResolution.removalReason2`	Behavior Management > Resolution > Removal Reason
Removal ID	Reports the person ID and the Resolution ID.	Numeric, 10 digits	Person.personID BehaviorResolution.resolutionID	Behavior Management > Resolution > Resolution ID Demographics > Person ID
Year Removal Type	Reports the year in which the student was removed from school.	Numeric, 4 characters	BehaviorResolution.timestamp	Behavior Management > Resolution > Start Date
Removal Type	Reports the code assigned to the behavior resolution type. Removal types IS, SP and HO only report when the Primary Disability field is not null.	Alphanumeric, 2 characters	BehaviorResolution.code	Behavior Management > Resolution > Resolution Type

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Removal Start Date	Reports the start date of the behavior resolution.	Date field, 10 characters MM/DD/YYYY	BehaviorResolution. timestamp	Behavior Management > Resolution > Start Date
Serious Bodily Injury	Reports only when the Remove Type is SP and the Primary Disability is not null. If on the Behavior Event, the Injury field is set to 4: Serious Bodily Injury, this field reports Y. If not set to 4, this field reports N.	Alphanumeric, 1 character	BehaviorResolution. code	Behavior Management > Resolution > Resolution Type Special Education > Enrollment Screen > Primary Disability

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Early Reinstatement Conditions	<p>Reports only if the Removal Type is EX: Expulsion. This value is converted from the Modification Term list on the Behavior Resolution into a value of Y or N.</p> <ul style="list-style-type: none"> • CI: Conditional, modified because of IDEA, reports Y • CM: Conditional, modified other than IDEA, reports Y • NI: Non-conditional, modified because of IDEA, reports N • NM: Non-conditional, modified other than IDEA, reports N 	Alphanumeric, 1 character	BehaviorResolution.modificationReason	Behavior Management > Resolution > Modification Term and Reason
Expulsion Return Year	Reports the end year of the behavior resolution end date.	Numeric, 4 digits YYYY	BehaviorResolution.timestamp BehaviorResolution.code	Behavior Management > Resolution > End Date

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Modified Term	<p>Reports only if the Removal Type field is EX: Expulsion. This value is converted from the Modification Term list on the Behavior Resolution into a value of I or M.</p> <ul style="list-style-type: none"> • CI: Conditional, modified because of IDEA, reports I • CM: Conditional, modified other than IDEA, reports M • NI: Non-conditional, modified because of IDEA, reports N • NM: Non-conditional, modified other than IDEA, reports M • If none are selected, reports N. 	Alphanumeric, 1 character	BehaviorResolution. code	<p>Behavior Management > Resolution > Modification Term and Reason</p> <p>Behavior Management > Resolution > Removal Reason</p>

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Primary Disability	<p>Reports the Primary Disability code from the student's locked IEP which overlaps the Incident Date. Unless:</p> <ul style="list-style-type: none"> • If the student has a Special Education Exit Date on or before the incident date, even if the active IEP exists, reports N. • If the IEP end date is later than the Enrollment End Date, reports N. • Otherwise, reports N. 	Alphanumeric, 1 character	PlanState.disability1 Enrollment.spedExitDate	Special Education > Plan > Enrollment
English Proficiency Code	<p>Reports the student's EL code. Reports from the Incident Year. See the Report Logic section for more information.</p>	Alphanumeric, 2 characters	LEP.identifiedDate CustomStudent.LEPOverride	English Learners (EL) EL Assessments > LID or LPF Test Results

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Days Removed Current Term	<p>Reports the total number of days the student was removed from instructional learning for the term.</p> <p>Reports as either XXX.0 or XXX.5.</p>	<p>Numeric, 4 digits XXX.X</p>	<p>BehaviorResolution. code BehaviorResolution. expulsionServiceProvided</p>	<p>Behavior Management > Services Provided During Expulsion</p> <p>Behavior Management > Resolution Type</p>
Services Provided	<p>When the Behavior Resolution is EX, reports Y when Services During Expulsion checkbox is marked; reports N when Services During Expulsion checkbox is not marked.</p>	<p>Alphanumeric, 1 character</p>	<p>BehaviorResolution. code BehaviorResolution. expulsionServiceProvided</p>	<p>Behavior Management > Services Provided During Expulsion</p> <p>Behavior Management > Resolution Type</p>

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Return to School	<p>Indicates whether the student can return to school. The Resolution must have a code of EX (Expulsion). This is pulled from the first enrollment that ends on or after the resolution date.</p> <p>Reports Y if the Return to School checkbox is marked and the Resolution Return Date is between the Calendar Start and End Dates associated with the enrollments.</p> <p>Otherwise, reports N.</p>	Alphanumeric, 1 character	BehaviorResolution.auxiliaryCode BehaviorResolution.returnDate BehaviorResolution.EndDate	Behavior Management > Resolution > Return to School
Incident ID	Reports the number associated with the behavior incident.	Numeric, 5 digits	BehaviorIncident.incidentID	Behavior Management > Incident Detail Information > Incident ID
Incident Title	Reports the name associated with the incident.	Alphanumeric, 15 characters	BehaviorIncident.title	Behavior Management > Incident Detail Information > Title

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Incident School	Reports the name of the school where the incident was created.	Alphanumeric, 20 characters	School.name	School Information > Name
Incident Calendar	Reports the name of the calendar in which the incident was created.	Alphanumeric, 20 characters	Calendar.name	Calendar Information > Name
Incident Title	Reports the name associated with the incident.	Alphanumeric, 15 characters	BehaviorIncident. title	Behavior Management > Incident Detail Information > Title
Incident Status	Reports the completion status of the incident.	Alphanumeric, 30 characters	BehaviorIncident. status	Behavior Management > Incident > Incident Detail Information > Status
Event ID	Reports the number associated with the event.	Numeric, 5 digits	BehaviorEvent.eventID	Behavior Management > Events and Participants > Event ID
Event Name	Reports the name of the behavior event.	Alphanumeric, 15 characters	BehaviorEvent.name	Behavior Management > Events and Participants > Event Name

Element Name	Description	Type, Format and Length	Campus Database	Campus Application
Student Incident School Enrollment Type	<p>Reports the Enrollment Service Type of the student's enrollment in the school/calendar in which the incident was created.</p> <p>If the student is not enrolled at the incident school but was added as a Census Person to the incident report, this reports as Not Enrolled.</p>	Alphanumeric, 10 characters	Enrollment.serviceType	Enrollment > General Enrollment Information > Service Type