

Zone Setup

Last Modified on 01/29/2026 7:37 am CST

[Zones](#) | [Zone Fields](#) | [Zone Scopes](#) | [Sync Data from Multiple School Years](#) | [Related Information](#)

Tool Search: Zone Setup

A zone is an area specifically configured for data exchange and message communication between [Agents](#) representing different applications (e.g., Campus student system, [SIF](#), [POS](#), state/district).

This tool does not appear in all versions of Campus. It only applies to certain districts/states, including: district/states/regions operating as part of an Infinite Campus State or Regional Edition, districts using [National Records Exchange](#) functionality and/or districts using [Point-of-Sale](#) functionality. For SIF zones, please refer to the [Setup SIF Zone](#) information.

Zones as Part of Data Communication

Zones are an integral part of [Data Interchange Services \(DIS\)](#), which allows data to transfer and synchronize between separate instances of Campus.

A zone is an area specifically configured for message communication between [Agents](#). A zone exists as a specific URL location where assigned [Agents](#) exchange XML data messages. Data exchanged within a zone can be "scoped," or limited to certain data objects and parameters, to prevent excessive data transfer. All zones existing within Campus are managed by the built-in Campus ZIS (Zone Integration Server).

Campus ZIS and Data Communication

Campus comes with a built-in Zone Integration Server (ZIS) that directs data messages between sending and receiving agents.

The Campus ZIS acts as the communication hub and manager of zones used for data messaging. The ZIS controls the access, routing and security of data messages from various types of [Agents](#) operating within its zones (e.g., [SIF](#) agents, district/state-level agents, [POS](#) agents, DIS agents).


The ZIS allows zones to be scoped to specific years, schools and/or calendars, which eliminates the transfer of excess data. Messages are routed through the ZIS based on the [Data Access Rights](#) configured for the data objects allowed to exchange within each zone.

Zones

The Zones tool displays the zones currently established for communication and data messaging, as managed by the ZIS. Infinite Campus configures the zones necessary for messaging between Campus applications. Settings for Campus zones can be viewed, but not edited, on the Zones tool.

In the event the agent table is blank, the state will recreate zones for each district when the application server reboots.

The Zones and Zone Options tabs do not share the same tool rights. In order to apply [SIF Zone Options](#) to zones, users with tool rights to the Zones tab must also be given tool rights to the [SIF Zone Options](#) tab.



The Campus ZIS allows the existence of multiple zones, so that several applications may share data in a central location. For example, the district-level student application may share data with the state-level student application in one zone, while the same district-level student application also shares data with the POS application in another zone. Several zones may appear on the Zones tool, depending on the district/state.

Examples of Campus zones include:

- **Standard District Zone** - *KYStateZone* - This zone represents the district-level view of the zone used for messaging between the district and state agents within the current school year. Though named differently, this is the same zone as the Standard State Zone.
- **Standard State Zone** - This zone represents the state-level view of the zone used for messaging between the district and state agents within the current school year. Though named differently, this is the same zone as the Standard District Zone.
- **SIF Zone** - *Name varies, entered by user* - In certain scenarios, third-party/external applications are configured for use with the Infinite Campus system. A SIF zone represents the area in which the Campus student information system communicates with an external (non-Campus) application agent/ZIS for data exchange purposes.

Please refer to the [SIF Data Exchange](#) and [Setup SIF Zone](#) articles for more information.

- **POS Zone** - *POS* - This zone is used for messaging between the Campus student information


system (client) and POS application (server) agents. This zone may allow editing via the Zones tool.

- **National Records Exchange Zone** - *InfiniteRouter* - This zone is used for messaging between the district and the Infinite Campus router used to allow National Records Exchange between participating Campus districts.
- **Future Year Sync/Scope Zone** - *KY003ZoneP1* - This zone is used for messaging between the district and state agents for a future school year.
- **Prior Year Sync/Scope Zone** - *KY003ZoneM1* - This zone is used for messaging between the district and state agents for a prior school year.

See the [Data Interchange Setup Tool Rights](#) article for information about related tool rights.

Zone Fields

Most zones and zone fields will be locked from editing.



The screenshot shows the 'Zone Info' editor window. It contains the following fields:

- Name:** District
- XML Language:** Any (not ZIS restricted)
- Allow HTTP (please don't use this in production):** Unchecked
- Description:** (Empty text area)
- School:** Ackerly/Bingham Guidance Ctr Elem
- Year:** 13-14
- Calendar:** All Calendars
- URL for Communication:** <https://iese.infinitecampus.com/ieSE/interchange/ieSEKYd1/District>

Zone Info Editor and Data Filtering Options

The following table defines the fields/settings of the Zone Info editor:

Setting	Description
Name	Name of the zone.
XML Language	Language used for message communication.

Setting	Description
Allow HTTP	<p>Generally, this checkbox should NOT be marked for live production sites. When the box is checked, HTTPS encryption of data messages is disabled, allowing HTTP, a much less secure data transfer method.</p> <p>However, the use of HTTP may be acceptable in the following scenarios when another form of encryption is used:</p> <ul style="list-style-type: none"> • If the district uses hardware, such as a load balancer, to handle encryption/decryption. • If both the state and district servers reside within the same network. <div data-bbox="430 646 1383 833" style="background-color: #FFFACD; padding: 10px; border-radius: 10px;"> <p>This checkbox allows incoming connections via unencrypted HTTP. It should only be used when encryption is offloaded to a separate device, like a load balancer or proxy. Given the internal architecture of our Cloud hosting, this box should be checked for Campus Cloud and Campus Clout Choice customers.</p> </div>
Description	Comments related to the zone.
School	Data from schools selected in this field will be available for exchange.
Year	Data from years selected in this field will be available for exchange.
Calendar	Data from calendars selected in this field will be available for exchange.
URL for Communication	<p>The specific location of the zone. The URL is automatically created and will only display after a zone has been saved.</p> <div data-bbox="430 1275 1383 1439" style="background-color: #FFFACD; padding: 10px; border-radius: 10px;"> <p>SIF Note: In the Horizontal Reporting method of SIF Configuration, this field is used as the URL that must be entered in the external (non-Campus) SIF system to identify the area in which SIF Data Exchange is occurring.</p> </div>

Zone Scopes

The zone settings, or scopes, between syncing Campus applications must match to allow data interchange features like syncing, records transfers, meal processing, etc. For example, the zones set up for data exchange between a linked Campus district/state, two records-exchanging Campus districts, or when using the Campus [POS](#) meal processing must be set to the same data scope on the zone existing for that purpose within application.

Example

If the **School**, **Year** and **Calendar** fields selected for a zone at the state level are set to “All Schools,” “09-10” and no selected calendar (respectively), the district-level **School**, **Year** and

Calendar fields are also set to the same values for the same zone.

Consider the following screenshots:

Zone Setup ☆

New Save Delete

Name	Scope
InfiniteRouter	JEFFERSON COUNTY PUBLIC SCHOOLS All Years
KYStateZone	23-24
KYStateZoneM1	22-23
KYStateZoneP1	24-25

District-level view of the State Zone (used for syncing data from the district to the state)

Zone Info
 Note: Campus Zone, not editable
 *Name: KYStateZone
 XML Language: Any (not ZIS restricted)
 Allow HTTP
 Description
 School: All Schools
 Year: 23-24
 Calendar
 URL for Communication: com/campus/interchange/intSEKYD1/KYStateZone

Zone Setup ☆

New Save Delete

Name	Scope
KY271ZoneM1	Jackson County 22-23
KY271ZoneP1	Jackson County 24-25
KY272Zone	Jackson Independent 23-24
KY272ZoneM1	Jackson Independent 22-23
KY272ZoneP1	Jackson Independent 24-25
KY275Zone	JEFFERSON COUNTY PUBLIC SCHOOLS 23-24
KY275ZoneM1	JEFFERSON COUNTY PUBLIC SCHOOLS 22-23
KY275ZoneP1	JEFFERSON COUNTY PUBLIC SCHOOLS 24-25
KY276Zone	Jenkins Independent 23-24
KY276ZoneM1	Jenkins Independent 22-23
KY276ZoneP1	Jenkins Independent 24-25
KY281Zone	Jessamine County 23-24
KY281ZoneM1	Jessamine County 22-23
KY281ZoneP1	Jessamine County 24-25
KY285Zone	Johnson County 23-24
KY285ZoneM1	Johnson County 22-23
KY285ZoneP1	Johnson County 24-25

State-level view of the District Zone (used for syncing data between the district and state)

Zone Info
 Note: Campus Zone, not editable
 *Name: KY275Zone
 XML Language: Any (not ZIS restricted)
 Allow HTTP
 Description: Zone for JEFFERSON COUNTY PUBLIC SCHOOLS
 District: JEFFERSON COUNTY PUBLIC SCHOOLS (275)
 School: All Schools
 Year: 23-24
 Calendar
 URL for Communication: com/campus/interchange/intSEKYST/KY275Zone

The district and state-level zones will be named differently, but the zone settings will be the same. At the district level, the naming convention indicates data exchange with the state zone, while the state level, the naming convention indicates the specific district from which data will be received.

Sync Data from Multiple School Years

In some states, data is allowed to sync for the current school year, as well as the prior and/or next school year. This is a process that requires a zone to be created, configured and scoped for each year that it should sync (prior, current, future). For more information, please refer to information on [Syncing Data from Multiple School Years](#).

Related Information

For more information on tools and processes using Campus/DIS Zones, please refer to the following areas:

- [Student Records Transfer](#)
- [National Records Exchange](#)
- [Point-of-Sale](#)
- [Resync State Data Tool](#)
- [Syncing Data from Multiple School Years](#)
- [SIF Zone Options](#)
