

Deactivated Elements Impact Report

Last Modified on 06/10/2025 9:22 am CDT

Tool Search: Deactivated Elements Impact Report

The Deactivated Elements Impact Report lists which user-created Ad hoc Filters and Reports have been affected by elements being deactivated. Deactivated elements are those fields which are no longer in use, but kept for historical reporting purposes. Identifying deactivated elements within filters is important for understanding which data is being reported and <u>possible filter changes</u> needed in order to pull current data.

Ad Hoc Dea	activated Elements Impact Report 🌣	System Settings > Data Utilities > Ad Hoc Deactivated Elements Impact Report
activated Element	ts Impact Report	
Locates deactivate	d data elements (also known as 'deprecated') and reports impacted Filters/Repo	ts, Users, Groups and Modules.
Report Options		
Ad Hoc Objects	(All v)	
Group By	Filter/Report	
	User Group	
Only report Fi	liters/Reports assigned to a group	
Format	(HTML ~)	
Generate Extract)	
_		
	Deactivated Ele	ements Impact Report

See the <u>Ad hoc Deactivated Elements Impact Report and Element Replacement Wizard Tool</u> <u>Rights</u> for information on the necessary tool rights for this report.

For more information about Tool Rights and how they function, see the <u>Tool Rights</u> article.

This report includes all areas that may contain user-created Ad hoc Filters or Reports, such as those in the following areas:

- <u>Attendance Messenger</u>
- <u>Attendance Letters</u>
- <u>Behavior Messenger</u>
- Ad Hoc Query Wizard
- Ad Hoc Selection Editor
- Ad Hoc Pass-through Query
- <u>Addressed Letter</u>
- Blank Letter



Generate the Deactivated Elements Impact Report

- 1. Indicate which **Ad hoc Objects** to include in the report. Selecting **All** includes all deactivated elements within Campus.
- 2. Indicate how the report should be **Grouped By**. Reported data can be grouped by the filter/report, the user, user groups or the deactivated element.
- 3. Indicate if the report should **Only report Filters/Reports assigned to a group**.
- 4. Select the **Format** in which the report should be generated.
- 5. Click Generate Extract to generate the report in the desired format.

Deactivated Elements Impact Report Records					
Module	FilterName	Path	Users	GroupName	FieldList
Ad Hoc Reporting	Behavior Information	Ad Hoc Reporting > Filter Designer	admin (System Administrator)		behaviorDetail.gFSAModification_dep - behaviorDetail.locationClassifier_dep - behaviorDetail.resolution_disabilityManifest_dep - behaviorDetail.resolution_motivationCode_dep - behaviorDetail.timeClassifier_dep - behaviorDetail.timeDescription_dep
Ad Hoc Reporting	Behavior Test ML	Ad Hoc Reporting > Filter Designer	admin (System Administrator)		behaviorDetail.gFSAModification_dep - behaviorDetail.locationClassifier_dep - behaviorDetail.resolution_disabilityManifest_dep - behaviorDetail.resolution_motivationCode_dep - behaviorDetail.timeClassifier_dep - behaviorDetail.timeDescription_dep
Ad Hoc Reporting	Behavior Test RA	Ad Hoc Reporting > Filter Designer	Teacher, June		behaviorDetail.gFSAModification_dep - behaviorDetail.locationClassifier_dep - behaviorDetail.resolution_disabilityManifest_dep - behaviorDetail.resolution_motivationCode_dep - behaviorDetail.timeClassifier_dep - behaviorDetail.timeDescription_dep
Ad Hoc Reporting	Expulsion Report	Ad Hoc Reporting > Filter Designer	admin (System Administrator)		behaviorDetail_gFSAModification_dep - behaviorDetail locationClassifier_dep - behaviorDetail resolution_disabilityManifest_dep - behaviorDetail resolution_motivationCode_dep - behaviorDetail timeClassifier_dep - behaviorDetail.timeDescription_dep

Deactivated Elements Impact Report - HTML Format, sorted by Filter/Report

	А	В	С	D	E	F
1	Module	User	GroupName	Path	FilterName	FieldList
						behaviorDetail.gFSAModification_dep -
						behaviorDetail.locationClassifier_dep -
						behaviorDetail.resolution_disabilityManifest_dep -
						behaviorDetail.resolution_motivationCode_dep -
		admin (System		Ad Hoc Reporting		behaviorDetail.timeClassifier_dep -
2	Ad Hoc Reporting	Administrator)		> Filter Designer	Behavior Test	behaviorDetail.timeDescription_dep
						behaviorDetail.gFSAModification_dep -
						behaviorDetail.locationClassifier_dep -
						behaviorDetail.resolution_disabilityManifest_dep -
						behaviorDetail.resolution_motivationCode_dep -
				Ad Hoc Reporting		behaviorDetail.timeClassifier_dep -
3	Ad Hoc Reporting	Clerk, Jane		> Filter Designer	Behavior Test	behaviorDetail.timeDescription_dep
						behaviorDetail.gFSAModification_dep -
						behaviorDetail.locationClassifier_dep -
						behaviorDetail.resolution_disabilityManifest_dep -
						behaviorDetail.resolution_motivationCode_dep -
				Ad Hoc Reporting		behaviorDetail.timeClassifier_dep -
4	Ad Hoc Reporting	Teacher, Chris		> Filter Designer	Behavior Test	behaviorDetail.timeDescription_dep

Deactivated Elements Impact Report - CSV Format, sorted by User



Module	User	GroupName	Path	FilterName	FieldList
d Hoc Reporting	admin (System1 Administrator1)		Ad Hoc Reporting > Filter Designer	Remaining Fields	behaviorDetail.daysOverride_dep
d Hoc Reporting	admin (System1 Administrator1)		Ad Hoc Reporting > Filter Designer	Remaining Fields	behaviorDetail.daysOverride_dep
d Hoc Reporting	admin (System1 Administrator1)		Ad Hoc Reporting > Filter Designer	Remaining Fields	behaviorDetail.daysOverride_dep

Deactivated Elements Impact Report Fields

Field	Description
Module	The module in which the filter/report is used.
Name	The unique name given to the filter/report.
Path	The location where the filter/report is stored.
Users	All users associated with the filter/report.
Group Name	All groups associated with the filter/report.
Field List	A list of deactivated fields within the filter/report.

Suggested Actions

Once the Deactivated Elements Impact Report has been run and the affected filters/report identified, users should take steps to update or create new filters/reports to accommodate new database fields. It is up to the user if new filters should be created to collect updated fields or if existing filters should be changed to accommodate changes. Deactivated fields can be used to collect historical data.

Deactivated filters appear in red text in the Ad hoc module, but not elsewhere in the product. Users are advised to distribute information about changed filters and deactivated elements to affected users.

In the example below, a filter containing deactivated fields appears as red within the <u>Filter</u> <u>Designer</u> tool.

Ad Hoc Filtor Docimor				
Au Hoc Filter Designer				
This wizard will walk you through the creation of a new	r filter. Filters can be created using the Query wiz	ard, selection editor or a pass-through SQL Que		
Saved Filter				
student aden	Create New			
student eTranscript Rosters				
student KR Query	Filter Type	Data Type		
student KR Query 123	Query Wizard	○ Student		
	Selection Editor	Census/Staff		
person SIS-71465 Students with NULL EDD		\sim		
person SIS-71465 Students with NULL EDD student Test Filter	Pass-through SQL Query	Course/Section		
person SIS-71465 Students with NULL EDD student Test Filter State Publed	Pass-through SQL Query	Course/Section		