



# Generating the Extract

1. Enter a **Date Range** to limit records to those with a Date of Incident on or within the range. The End Date defaults to the current date.
2. A **Format** of *XML* is selected by default.
3. Mark **Report District Wide** to generate the extract for all calendars in the current School Year.
4. Mark **Exclude Victim Records** to exclude participants with a Role of Victim from the extract if Victim records should not be included in the extract.
5. Enter a **Number of Habitually Truant Students from Previous School Year** to report that value in the extract. If a number is not entered in this field, a value of 000 reports and should be updated manually.
6. Select an **Ad hoc Filter** to limit records reports.
7. Select the **Calendar(s)** to be included in the report.
8. Click the **Generate Extract** button to generate the report in the indicated format or **Submit to Batch** to schedule when the report will generate.

Users can submit an extract request to the batch queue by clicking **Submit to Batch** instead of Generate Extract. This process will allow larger reports to generate in the background, without disrupting the use of Campus. For more information about submitting a report to the batch queue, see the [Batch Queue](#) article.

## DIRS Extract Layout

Element Name	Description & Format	Campus Location
<b>District Number</b>	The identification number of the reporting district.  <i>Numeric</i>	System Administration > Resources > District Information > State District Number  District.number
<b>District Type</b>	The code that identifies the type of school district.  <i>Numeric</i>	System Administration > Resources > District Information > Type  District.type
<b>School</b>	Reports the total count of schools in the report.	
<b>School Number</b>	The number of the school where the incident occurred.  <i>Numeric</i>	System Administration > Resources > School Number  School.number
<b>Safety Specialist</b>	The email address of the school safety specialist.  <i>Alphanumeric</i>	System Administration > Resources > School Specialist Email  School.otherEmail
<b>Habitual Truants</b>	The number of habitually truant students for previous school year entered in the extract editor, or 000 if blank.  <i>Numeric</i>	MN State Reporting > DIRS Extract > Number of Habitually Truant Students for Previous School Year  Not dynamically stored

Element Name	Description & Format	Campus Location
<b>Safety Plan</b>	<p>Indicates if the school has a Safety Plan policy in place.</p> <p>If a policy record exists with a value of 01 with a Start Date on or before extract editor Start Date and End Date is null or after extract End Date, report <b>"1"</b>.</p> <ol style="list-style-type: none"> <li>1. If multiple policy records exist with a value of 01, report from record with most recent Start Date where End Date is null or after extract End Date.</li> <li>2. Otherwise, report <b>"0"</b>.</li> </ol>	<p>System Administration &gt; Resources &gt; Sch Policy &gt; Policy</p> <p>schoolPolicy.policy</p>
<b>Anti-Violence Policy</b>	<p>Indicates if the school has an Anti-Violence policy in place.</p> <p>If a policy record exists with a value of 03 with a Start Date on or before extract editor Start Date and End Date is null or after extract End Date, report <b>"1"</b>.</p> <ol style="list-style-type: none"> <li>1. If multiple policy records exist with a value of 03, report from record with most recent Start Date where End Date is null or after extract End Date.</li> <li>2. Otherwise, report <b>"0"</b>.</li> </ol>	<p>System Administration &gt; Resources &gt; Sch Policy &gt; Policy</p> <p>schoolPolicy.policy</p>
<b>Drug Education</b>	<p>Indicates if the school has an Alcohol/Drug Education policy in place.</p> <p>If a policy record exists with a value of 06 with a Start Date on or before extract editor Start Date and End Date is null or after extract End Date, report <b>"1"</b>.</p> <ol style="list-style-type: none"> <li>1. If multiple policy records exist with a value of 06, report from record with most recent Start Date where End Date is null or after extract End Date.</li> <li>2. Otherwise, report <b>"0"</b>.</li> </ol>	<p>System Administration &gt; Resources &gt; Sch Policy &gt; Policy</p> <p>schoolPolicy.policy</p>

Element Name	Description & Format	Campus Location
<b>Zero Tolerance Policy</b>	<p>Indicates if the school has a Zero/No Tolerance policy in place.</p> <p>If a policy record exists with a value of 02 with a Start Date on or before extract editor Start Date and End Date is null or after extract End Date, report "1".</p> <ol style="list-style-type: none"> <li>1. If multiple policy records exist with a value of 02, report from record with most recent Start Date where End Date is null or after extract End Date.</li> <li>2. Otherwise, report "0".</li> </ol>	<p>System Administration &gt; Resources &gt; Sch Policy &gt; Policy</p> <p>schoolPolicy.policy</p>
<b>Anti-Bullying Policy</b>	<p>Indicates if the school has a Anti-Bullying/Anti-Intimidation policy in place.</p> <p>If a policy record exists with a value of 04 with a Start Date on or before extract editor Start Date and End Date is null or after extract End Date, report "1".</p> <ol style="list-style-type: none"> <li>1. If multiple policy records exist with a value of 04, report from record with most recent Start Date where End Date is null or after extract End Date.</li> <li>2. Otherwise, report "0".</li> </ol>	<p>System Administration &gt; Resources &gt; Sch Policy &gt; Policy</p> <p>schoolPolicy.policy</p>
<b>Crisis Plan</b>	<p>Indicates if the school has a Crisis Plan policy in place.</p> <p>If a policy record exists with a value of 05 with a Start Date on or before extract editor Start Date and End Date is null or after extract End Date, report "1".</p> <ol style="list-style-type: none"> <li>1. If multiple policy records exist with a value of 05, report from record with most recent Start Date where End Date is null or after extract End Date.</li> <li>2. Otherwise, report "0".</li> </ol>	<p>System Administration &gt; Resources &gt; Sch Policy &gt; Policy</p> <p>schoolPolicy.policy</p>
<b>Discipline Complaint Procedure</b>	<p>Indicates that the school implements a discipline complaint procedure.</p> <p>If a policy record exists with a value of 07 with a Start Date on or before extract editor Start Date and End Date is null or after extract End Date, report "1".</p> <ol style="list-style-type: none"> <li>1. If multiple policy records exist with a value of 07, report from record with most recent Start Date where End Date is null or after extract End Date.</li> <li>2. Otherwise, report "0".</li> </ol>	<p>System Administration &gt; Resources &gt; Sch Policies Tab &gt; Policy</p> <p>schoolPolicy.policy</p>

Element Name	Description & Format	Campus Location
<b>Incident</b>	Reports one behavior event per incident with a valid State Event Code mapping and a State Code mapped Resolution within the extract Date Range or school year. Must have a participant of Offender and a Relationship to School of 1 or 4. Reports the most severe (lowest Code)	
<b>External Incident ID</b>	The Incident ID for events with mapped State Event Codes.	Student Information > Behavior > Event > Number
<b>School Number</b>	The School ID of the school reporting the incident.  <i>Alphanumeric</i>	System Administration > Resources > School Number  School.number
<b>Incident Date</b>	The date the incident took place.  <i>Date</i>	Behavior Office > Behavior Management > Date of Incident  BehaviorIncident.date
<b>Time of Incident</b>	The time the incident took place.  <i>Numeric</i>	Behavior Office > Behavior Management > Context  BehaviorIncident.context
<b>Cost to Property</b>	The cost the school incurred by this event. <ul style="list-style-type: none"> <li>• If zero, reports as 1</li> <li>• If 500 or less, reports as 2</li> <li>• If greater than 500, reports as 3.</li> </ul> <i>Numeric</i>	Behavior Office > Behavior Management > Damages
<b>Incident Location</b>	Reports the total number of locations listed.	
<b>Incident Location</b>	The location of the incident  <i>Numeric</i>	Behavior Office > Behavior Management > Location  BehaviorIncident.location
<b>Number of Unknown Offenders</b>	The total number of unknown offenders.  <i>Numeric</i>	Behavior Office > Behavior Management > Number of Unknown Offenders  BehaviorEvent.unknownOffenders
<b>Offender</b>	Reports the total number of offenders. Students must have a Primary enrollment active Incident with at least one State Code mapped Resolution.	
<b>MARSS Number</b>	The state identification number of the student offender. Student must have a Role of Offender and a Relationship to School of Student  <i>Alphanumeric</i>	Census > People > Demographics > Person > Student State ID  Person.stateID

Element Name	Description & Format	Campus Location
<b>Was Under Current Suspension</b>	<p>Indicates if the offender was suspended at the time of the incident.</p> <p>Report "1" if a previous Behavior Resolution record exists for the reported Offender when Role = Offender with a Resolution Type = 1 or 2 and Resolution End Date of previous record is null or &gt; Date of Incident being reported.</p> <p>1. Otherwise, report "0".</p>	<p>Behavior Office &gt; Behavior Management &gt; Calculated</p>
<b>Was Referred Law Enforcement</b>	<p>Indicates if the Offender was referred to law enforcement.</p> <p>If checked, report "1" when Role = Offender.</p> <p>If unchecked, report "0".</p>	<p>Behavior Office &gt; Behavior Management &gt; Referred to Law Enforcement</p> <p>BehaviorResolution.lawEnforcement</p>
<b>Was Arrested Law Enforcement</b>	<p>Indicates if the offender was Arrested by Law Enforcement.</p> <p>Reports Yes or No based on whether the student's behavior resolution has been flagged as an arrest was made.</p> <p>If "Arrest Made" is checked, report "1". If "Arrest Made" is unchecked, report "0".</p>	<p>Behavior Office &gt; Behavior Management &gt; Arrest Made</p> <p>BehaviorResolution.arrestMade</p>
<b>Reasonable Force Used</b>	<p>Indicates whether reasonable force was used to correct or restrain the student.</p> <p>1. Report '1':</p> <ol style="list-style-type: none"> <li>1. If role of participant = offender and</li> <li>2. Reasonable Force Used is checked and</li> <li>3. Special Ed Status on Enrollment = 1 or null</li> </ol> <p>2. Otherwise, report '0' if unchecked and role = offender.</p>	<p>Behavior Office &gt; Behavior Management &gt; Participant Details &gt; Participant Details &gt; Force Used</p> <p>behaviorRole.reasonableForce</p>
<b>Reasonable Force Role</b>	<p>Indicates the role of the adult who implemented reasonable force.</p> <p>Report value selected:.</p> <ol style="list-style-type: none"> <li>1. If role of participant = offender and</li> <li>2. Reasonable Force Used is checked and</li> <li>3. Special Ed Status on Enrollment = 1 or null</li> </ol>	<p>Behavior Office &gt; Behavior Management &gt; Participant Details &gt; Participant Details &gt; Force Role</p> <p>behaviorRole.reasonableForceRole</p>
<b>Offender Activity</b>	Reports the total count of Offender activity records.	

Element Name	Description & Format	Campus Location
<b>Offender Activity Type</b>	Reports the State Event Code of the reported incident when the participant has a Role of Offender.  <i>Alphanumeric</i>	Behavior Office > Behavior Management > Event Name  BehaviorEvent.name
<b>Offense Type</b>	The Offense Type code. Reports if the Role is Offender and the Offender Activity Type State Event Code is 1, 2, 3, 4, 6, 12, 13, or 15.  <i>Alphanumeric</i>	Behavior Office > Behavior Management > > Offense Type  BehaviorRole.motivationCode
<b>Weapon</b>	Reports the total count of weapons recorded.	
<b>Weapon Type</b>	The type of weapon used. Reports the Weapon Type if the Event Type is 22 or 0 and Role is Offender.  <i>Alphanumeric</i>	Behavior Office > Behavior Management > Participant > Weapon Type  BehaviorWeapon.weaponType
<b>Number Weapons Involved</b>	The number of weapons used. Reports the Weapon Type if the Event Type is 22 or 0 and Role is Offender.  <i>Numeric</i>	Behavior Office > Behavior Management > Participant > Weapon Type  Calculated
<b>Was Used as a Dangerous Weapon State</b>	Indicates if the weapon used meets the state statute to be a dangerous weapon.  If Dangerous Weapon = 02 or 03 and Role = Offender, report "1". Otherwise, report "0".  <i>Alphanumeric</i>	Behavior Office > Behavior Management > Participant > Dangerous Weapon  BehaviorWeapon.weaponCategory2
<b>Was Used as a Dangerous Weapon Fed</b>	Indicates if the weapon used meets the federal statute to be a dangerous weapon. If Dangerous Weapon is 02 or 03 and Role is Offender, reports as true. Otherwise reports as false.	Behavior Office > Behavior Management > Participant > Dangerous Weapon  BehaviorWeapon.weaponCategory2
<b>Bullying Harassment Type</b>	The type of harassment committed by the offending participant. Reports the Harassment Type code(s) selected on the Event with a Role of Offender. Does not report if no Harassment Type is selected.  <i>Alphanumeric</i>	Behavior Office > Behavior Management > Participant > Harassment Type  BehaviorHarassment.harassmentType

Element Name	Description & Format	Campus Location
<b>Is Gun Loaded</b>	<p>If a gun was part of the incident, indicates if the gun was loaded.</p> <p>If Weapon Status = 01, 03, 05, or 07 and Role = Offender, report <b>"1"</b>. Otherwise, report <b>"0"</b>.</p>	<p>Behavior Office &gt; Behavior Management &gt; Participant &gt; Weapon Status</p> <p>BehaviorWeapon.weaponCategory</p>
<b>Is Gun Cased</b>	<p>If a gun was part of the incident, indicates if the gun was cased.</p> <p>If Weapon Status = 02, 03, 06, or 07 and Role = Offender, report <b>"1"</b>. Otherwise, report <b>"0"</b>.</p>	<p>Behavior Office &gt; Behavior Management &gt; Participant &gt; Weapon Status</p> <p>BehaviorWeapon.weaponCategory</p>
<b>Is Gun in Trunk</b>	<p>If a gun was part of the incident, indicates if the gun was in the trunk.</p> <p>If Weapon Status = 04, 05, 06, or 07 and Role = Offender, report <b>"1"</b>. Otherwise, report <b>"0"</b>.</p>	<p>Behavior Office &gt; Behavior Management &gt; Participant &gt; Weapon Status</p> <p>BehaviorWeapon.weaponCategory</p>
<b>Drug Type</b>	Reports the total count of drugs reported.	
<b>Drug Type</b>	<p>If the Event Type is 13 and Role is Offender, reports the Drug Type selected.</p> <p><i>Alphanumeric</i></p>	<p>Behavior Office &gt; Behavior Management &gt; Participant &gt; Drug Type</p> <p>BehaviorDrug.drugType</p>
<b>Drug Type Other Description</b>	<p>Description for other drug type (not found in drug type selection list).</p> <ol style="list-style-type: none"> <li>If Event Type = 13, Role = Offender and Drug Type = 8, report Drug Description.</li> <li>Otherwise, do not report.</li> </ol>	<p>Behavior Office &gt; Behavior Management &gt; Participant Details &gt; Participant Details &gt; Description</p> <p>BehaviorDrug.drugDescription</p>
<b>Incident Type Other Description</b>	<p>A brief description of student activities and incident.</p> <p>Report if role = offender and offenderActivityType = 23</p>	<p>Behavior &gt; Behavior Management &gt; Even Participant Details &gt; Participant Details &gt;</p>
<b>Disciplinary Action</b>	<p>Reports a Disciplinary Action record when the following conditions are met:</p> <ol style="list-style-type: none"> <li>Role = Offender</li> <li>Relationship to School = 1 or 4</li> <li>Incident Event Type has a state event code mapping (not null)</li> <li>Resolution Type state code = <b>1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13, 14, 15</b></li> </ol>	



Element Name	Description & Format	Campus Location
<b>Disciplinary Action Type</b>	<p>Reports the State Code of the Resolution if Role is Offender, Relationship to School is 1 or 4, the Incident Event Type is mapped to a State Event Code and the Resolution is mapped to a State Resolution Code of 1-13.</p> <p>A value of 12 only reports if either of the following is true:</p> <ul style="list-style-type: none"> <li>Extract fields report as follows: Victim Type reported as 2 or 3, Physical Assault State reported as F and Offender Activities reported as 3 with an Offense Type of 1.</li> <li>Extract fields report as follows: Victim Type reported as 2 or 3 and Offender Activity is 2, 4, 22, or 28.</li> </ul> <p><i>Alphanumeric</i></p>	<p>Behavior Office &gt; Behavior Management &gt; Resolution &gt; Resolution Type</p> <p>BehaviorResolution.stateResCode</p>
<b>No Response Explanation</b>	<p>Explanation for instances of no school disciplinary action.</p> <p>When Behavior Resolution Type state code = <b>11 or 13, report Details.</b> Otherwise, do not report.</p>	<p>Behavior Office &gt; Behavior Management &gt; Resolution &gt; Details</p> <p>BehaviorResolution.details</p>
<b>Was DAT Through Year</b>	<p>Indicates if the expulsion lasted through the end of the current school year.</p> <p>Report <b>"1"</b> when Behavior Resolution Type state code = 3, Role = Offender, and Relationship to School = 1 or 4. Otherwise, report <b>"0"</b>. If Behavior Resolution Type state code &lt;&gt; 3, do not report.</p>	<p>Behavior Office &gt; Behavior Management &gt; Resolution &gt; Resolution Type</p> <p>Calculated</p>
<b>Num Days</b>	<p>Enter the number of whole or half School days (.5, 1, 1.5, etc.)</p> <p>If Behavior Resolution Type state code = <b>1, 2, 3, 4, 5, or 6</b>, report the value in Duration in School Days. Otherwise, do not report.</p>	<p>Behavior Office &gt; Behavior Management &gt; Details &gt; Duration in School Days</p>
<b>Start Date</b>	<p>Start Date of resolution.</p> <p>Report the Start Date of the reported Behavior Resolution when Resolution Type state code = <b>3 or 4</b>; otherwise, do not report.</p> <p><i>Date</i></p>	<p>Behavior Office &gt; Behavior Management &gt; Resolution &gt; Resolution Start Date</p> <p>BehaviorResolution.startDate</p>

Element Name	Description & Format	Campus Location
<b>End Date</b>	<p>End Date of the resolution.</p> <p>Report the End Date of the reported Behavior Resolution when Resolution Type state code = <b>3 or 4</b>. Otherwise, do not report.</p> <p><i>Date</i></p>	<p>Behavior Office &gt; Behavior Management &gt; Resolution &gt; Resolution End Date</p> <p>BehaviorResolution.endDate</p>
<b>Was Expulsion Modified</b>	<p>Indicates if the student returned to school prior to the end date on a school board resolution.</p> <p>Report "<b>1</b>" if Behavior Resolution Type state code = 3 and Number Days Reduced is populated. Otherwise report "<b>0</b>". If Behavior Resolution Type state code &lt;&gt; 3, do not report element.</p>	<p>Behavior Office &gt; Behavior Management &gt; Resolution &gt; Number of Days Reduced</p> <p>Calculated</p>
<b>Num Days Expulsion Reduced</b>	<p>The number of days the expulsion was reduced from the original resolution. If Type is 2 and the expulsion was modified, reports the Number of Days Reduced.</p> <p><i>Alphanumeric</i></p>	<p>Behavior Office &gt; Behavior Management &gt; Resolution &gt; Number of Days Reduced</p>
<b>Did Return Before End School Year</b>	<p>Indicates if the student returned before the end of the school year.</p> <p>Report "<b>1</b>" if the Behavior Resolution End Date &lt; school year End Date and wasExpulsionModified = <b>1</b>. Otherwise, report "<b>0</b>". If wasExpulsionModified = <b>0</b>, do not report.</p>	<p>Behavior Office &gt; Behavior Management &gt; Resolution &gt; Resolution End Date</p> <p>Calculated</p>
<b>AES Type</b>	<p>Indicates the student was suspended from school for more than 5 days. Reports the Alternate Education Setting if Resolution Type is 2 - 6 and the Duration in School Days is greater than 5.</p> <p><i>Alphanumeric</i></p>	<p>Behavior Office &gt; Behavior Management &gt; Resolution &gt; Alternate Education Settings</p> <p>BehaviorResolution.altEducationSetting</p>
<b>AES No Service Proved Explanation</b>	<p>Reports the Resolution Details if the Alternate Education Setting of 15 is selected, the Behavior Resolution was mapped to a state code of 2, 3, 5, or 6, and the Duration was greater than 5 days. Otherwise reports as blank.</p> <p><i>Alphanumeric</i></p>	<p>Behavior Office &gt; Behavior Management &gt; Resolution &gt; Details</p> <p>BehaviorResolution.details</p>

Element Name	Description & Format	Campus Location
<b>Non-Exclusionary Discipline Type</b>	Identified Non-Exclusionary discipline (NED) alternative interventions.  Report the code selected for the Behavior Resolution where Role = Offender and the Behavior Resolution Type = 3, 4, or 15.	Behavior Office > Behavior Management > Details > Non-Exclusionary Discipline Type  customBehaviorResolution.intervention
<b>Non-Exclusionary Discipline Explanation</b>	Specific interventions implemented for the student for the incident.  When Behavior Resolution Type state code = 3, 4 or 15, report Details. Otherwise, do not report.	Behavior Office > Behavior Management > Details > Details
<b>Victim</b>	Reports the total count of victims.	
<b>Victim Type</b>	Reports the Relationship to School of the participant with a Role of Victim.  <i>Alphanumeric</i>	Behavior Office > Behavior Management > Participant > Relationship to School  BehaviorRole.relationshipToSchool
<b>Multiple Victim Count</b>	Reports the Total count of Number of Unknown Victims, Number of Student Victims, and Number of School Personnel Victims when Relationship to School is 2-5.  <i>Numeric</i>	Behavior Office > Behavior Management > Participant > Relationship to School, Numl  Calculated
<b>Estimated Victims Enrolled</b>	Reports the Number of Student Victims entered on the event.  <i>Numeric</i>	Behavior Office > Behavior Management > Event > Number of Student Victims  BehaviorEvent.numOfStuVictims
<b>Estimated Victims Not Enrolled</b>	Reports the Number of Unknown Victims entered on the event.  <i>Numeric</i>	Behavior Office > Behavior Management > Event > Number of Unknown Victims  BehaviorEvent.numOfNonSchVictims
<b>MARSS Number</b>	Reports the Student State ID of the participant with a Role of Victim and a Relationship to School of 1.  <i>Numeric</i>	Census > People > Demographics > Person > State ID  Person.stateID
<b>Did Injury Occur</b>	Indicates whether an injury occurred related to the incident.  Report "1" if Injury = 2, 3, or 4 when Role = Victim. Otherwise, report "0".	Behavior Office > Behavior Management > Participant > Injury  BehaviorRole.injury

Element Name	Description & Format	Campus Location
<b>Was Serious Bodily Injury</b>	<p>Indicates if injury qualified as serious bodily injury based on federal law.</p> <p>Report <b>"1"</b> if Injury = 4 when Role = Victim. Otherwise, report <b>"0"</b>.</p>	<p>Behavior Office &gt; Behavior Management &gt; Participant &gt; Injury</p> <p>BehaviorRole.injury</p>
<b>Aware Reporting Assault</b>	<p>Indicates that the reported is aware that the incident included a victim who is a district employee, but that the incident is not being reported as such based on 121A.53.</p> <p>To report, export fields must report as follows:</p> <p>Reports as 1 if the Not Reported 121A.53 checkbox is marked and either of the following are true:</p> <ul style="list-style-type: none"> <li>• Extract fields report as follows: Victim Type reported as 2 or 3, Physical Assault State reported as F and Offender Activities reported as 3 with an Offense Type of 1.</li> <li>• Extract fields report as follows: Victim Type reported as 2 or 3 and Offender Activity is 2, 4, 22, or 28.</li> </ul> <p>If checkbox is not marked, reports as 0.</p> <p><i>Numeric</i></p>	<p>Behavior Office &gt; Behavior Management &gt; Participant &gt; Not Reported 121A.53</p> <p>BehaviorRole.notReported121A.53</p>
<b>Cost to Victim</b>	<p>The medical cost to the victim incurred by the event.</p> <ul style="list-style-type: none"> <li>• If zero, reports as 1</li> <li>• If 500 or less, reports as 2</li> <li>• If greater than 500, reports as 3.</li> </ul> <p><i>Numeric</i></p>	<p>Behavior Office &gt; Behavior Management &gt; Participant &gt; Cost to Victim</p> <p>BehaviorRole.cost</p>
<b>Reasonable Force Used Victim</b>	<p>Indicates whether reasonable force was used to correct or restrain an enrolled student victim.</p> <ol style="list-style-type: none"> <li>1. Report '1': <ol style="list-style-type: none"> <li>1. If role of participant = victim and</li> <li>2. Reasonable Force Used is checked and</li> <li>3. Special Ed Status on Enrollment = 1 or null.</li> </ol> </li> <li>2. Otherwise, report '0' if unchecked and role = victim.</li> </ol>	<p>Behavior Office &gt; Behavior Management &gt; Participant Details &gt; Participant Details &gt; Force Used</p> <p>behaviorRole.reasonableForce</p>

Element Name	Description & Format	Campus Location
<b>Reasonable Force Role Victim</b>	<p>Indicates the role of the adult who implemented reasonable force on the enrolled student victim.</p> <p>Report value selected:</p> <ol style="list-style-type: none"> <li>1. If role of participant = victim and</li> <li>2. Reasonable Force Used is checked and</li> <li>3. Special Ed Status on Enrollment = 1 or null.</li> </ol>	<p>Behavior Office &gt; Behavior Management &gt; Participant Details &gt; Participant Details &gt; Force Role</p> <p>behaviorRole.reasonableForceRole</p>
<b>Physical Assault State</b>	<p>Are you reporting this incident to fulfill your requirement to report assault of a district employee as set forth under Minn Stat 121A.53.</p> <p>Note: Required if VictimType = Teacher or District Employee, offenderActivity (event) = assault and offenseType = Physical Assault OR offenderActivity = 2, 4, 22, or 28.</p> <p>When physicalAssault = true, report "1". Otherwise, report "0".</p>	<p>Behavior Office &gt; Behavior Management &gt; Participant &gt; Physical Assault of District Employee</p> <p>BehaviorRole.physicalAssaultOfEmployee</p>