

Screenings

Last Modified on 10/21/2024 8:19 am CDT

[Enter Health Screening Results](#) | [Add a Health Screening](#) | [Add a Screening Follow-up](#) | [Required Field Logic](#) | [View Screenings and Follow-ups](#) | [Screenings and Sub-Screenings](#) | [Screening Type Fields and Description](#) | [Print Student Screening Records](#) | [Print All](#) | [Print Selected Year](#) | [Print Selected Screening](#) | [Upload and Manage Screening Documents](#) | [Use Letter Designer and Letter Builder to Report Screening Information](#) | [Missing Screenings](#) | [Report of Screenings](#)

Tool Search: Screenings

The Health Screenings tool stores health screening information for a student. If a screening has been completed in the past, it will be shown within the Screening History window. When a **Type** of screening is selected, only the required sub-screens open.

The screenshot displays the 'Student Health Screenings Tool' interface. At the top, there is a toolbar with buttons for Save, Delete, New, Print All, Print Selected Year, Print Selected Screening, and Documents. Below the toolbar is a 'Screening History' table with columns for Type, Date, and Comments. The table contains four rows of data. Below the table is a 'Screening Detail' section with a Date field (01/19/2022), a Type dropdown menu (Vision/Hearing), and a Comments text area. At the bottom, there is a list of sub-screening categories, each with a plus icon to expand it.

Type	Date	Comments
Vision/Hearing	01/19/2022	P/P spot vision screener P/P hearing
Vision/Hearing	01/25/2021	01/25/2021 annual screening
Vision/Hearing	11/24/2020	Vision PASS HEARING FAIL: 4000 L&R rescreen in 15-30 days
Vision/Hearing	08/22/2018	

- Sports Physical
 - Height/Weight and Vital Signs
 - Vision
 - Hearing
 - Early Childhood Screening
 - Child and Teen Checkup
 - Developmental
 - Social-Emotional
 - Speech
 - Tuberculosis
 - Scoliosis
 - Dental
 - Lead Level
 - Concussion

Student Health Screenings Tool

Enter Health Screening Results

Health Screenings are entered as a record to track health and wellness screening data for students. The Screenings tool stores the results of the screening, and health office staff can add follow-up recommendations for students and parents if further testing or notifications are needed.

Multiple screenings can be added for a student. Screenings display in chronological order with the most recent screening listed first. When multiple different screenings are entered on the same day, the most recently entered one is listed first.

The Screening Type is locked from editing once the screening has been saved. Editing and expanding of sub-screenings may still occur after the initial save.

Add a Health Screening

1. Click the **New** button.
2. The **Date** will auto-populate with the current date. If applicable, enter a different date in *mmdyy* format or by clicking the calendar icon and selecting the date.
3. Select the type of screening from the **Type** dropdown. This will open the appropriate sub-screening records to be filled in for this Type.
4. Enter information related to the student's screening within the appropriate fields. Follow-up data can also be added at this time.
5. When finished, click **Save**. This screening record will now displays within the Screening History editor.

Add a Screening Follow-up

1. In the Screening History list, select an existing screening. The related screening panels open.
2. Locate the **Follow-up** editor within that screening and click the **Add Follow-up** button.
3. Enter the **Follow-up Date** in *mmdyy* format or use the calendar icon to select a date.
4. Select the **Follow-up Type** from the dropdown.
5. Select the **Contact Type** from the dropdown.
6. Enter **Comments** about the Follow-up that describe the reason and any further actions needed by the health office staff or the student's guardians.
7. Click **Save** when finished.

Multiple follow-ups can be added to a screening.

The screenshot displays the 'Sports Physical' screening record in the Infinite Campus system. The record is titled 'Sports Physical' and is categorized under 'Height/Weight and Vital Signs'. The main record shows the following information:

- Screening Date:** 12/30/2019
- Status:** HW: Healthy weight, 5th-85th percentile
- Examiner:** Medical Professional
- Height:** 50 inches
- Weight:** 80 lbs.
- BMI:** 22.496
- BMI Percentile:** 97 %
- Blood Pressure:** [Empty field]
- Pulse:** [Empty field]
- Respiration:** [Empty field]
- Comments:** [Empty text area]

At the bottom of the main record, there is a 'Follow-ups' section with an 'Add Follow-up' button. A red box highlights this button, and a red arrow points from it to a separate 'Follow-up' dialog box that is open. The dialog box contains the following information:

- Follow-up Date:** 01/09/2020
- Follow-up Type:** F: Follow-up
- Contact Type:** HV: Home visit
- Comments:** [Empty text area]
- Buttons:** 'Add Follow-up' and 'Close Follow-up'

Add Screening Follow-ups

Required Field Logic


If a Health Screening field is set in the Attribute/Dictionary as required, it will only be required when the Type of screening selected when creating a new screening record contains the sub-screening with the required field. For example, if the Status field in the Vision sub-screening is set as required, it will only be required if the screening Type includes the sub-screening (Early Childhood, Health Appraisal, Child & Teen Checkup, Placement, Vision, Hearing/Vision, Other). If a sub-screening with a required field that is not part of a Type is expanded and data is entered, the required field will be enforced.

If a screening record was originally created without any required fields, and the record is later edited, newly required fields will be enforced upon saving.

View Screenings and Follow-ups

To view an existing screening, select that screening from the Screening History list. The screening panels related to that screening expand to see the entered data.

To view a follow-up for an existing screening, select that screening from the Screening History list and navigate to the Follow-ups editor. Use the **Open/Edit Follow-up** button to expand the record. When finished viewing, use the **Close Follow-up** button to collapse the record. Click the **X** to the left of the follow-up record to delete the follow-up record.



Date	Follow-up	Type of Contact	Staff
06/03/2015	Observation	School conference	Administrator, System

Follow-up Date: 06/03/2015
 Follow-up Type: O: Observation
 Contact Type: SC: School conference

Comments: discussed needed intervention

Created: 06/03/2015 by Administrator, System

Administrator, System

View recorded follow-up records

Created and Modified information displays, indicating when the record was first entered and when it was last modified, and by whom. This data appears when creating or modifying any sub-screening and when adding follow-up data (Created by only).

Screenings created and saved prior to the .1525 Release will NOT display this information until the record is modified again. New or modified data on these historic records will be stored, causing the Created date to be the date it was re-saved, but it will NOT modify the original Screening Date.

Created and Modified Values on Sub-Screenings and Follow-up Records

Screenings and Sub-Screenings

When adding a new health screening, health staff can select a Screening Type from the Screening Detail section and populate data for the opened screening editors. These editors that open are referred to as sub-screenings, and the following table lists which screening types open which screening editors. Sometimes the screening type has the same name as an editor.

Health staff are able to populate additional sub-screening editors by expanding the plus sign next to a collapsed editor.

Screening Type	Sub-Screenings
Early Childhood	Height/Weight and Vital Signs Vision Hearing Early Childhood Screening Developmental Social-Emotional Speech
Health Appraisal	Height/Weight and Vital Signs Vision Hearing
Tuberculosis	Tuberculosis
Sports Physical	Sports Physical

Screening Type	Sub-Screenings
Child and Teen Checkup	Height/Weight and Vital Signs Vision Hearing Child and Teen Checkup Developmental Social-Emotional
Placement	Height/Weight and Vital Signs Vision Hearing Tuberculosis
Height/Weight and Vital Signs	Height/Weight and Vital Signs
Re Screen	N/A
Vision	Vision
Hearing	Hearing
Vision/Hearing	Vision Hearing
Dental	Dental
Scoliosis	Scoliosis
Lead Level	Lead Level
Developmental	Developmental
Social-Emotional	Social-Emotional
Concussion	Concussion
Speech	Speech
Other	Height/Weight and Vital Signs Vision Hearing Developmental Social-Emotional Speech Scoliosis

Screening Type Fields and Description

The following table defines the fields needed for each type of screening. Options listed in the dropdowns can be modified (if proper tool rights are assigned) in the [Attribute Dictionary](#).

Screenings are localized to a specific state. The information here may not apply to all states.

Sub-Screening Editor	Fields	Description
Sports Physical		
	Status	Indicates the result of the student's sports physical. The default dictionary may be modified for localized district use.
	Comments	Provides a text field for entering details about the screening.
Height, Weight and Vital Signs		
	Screening Date	Date the student received the screening. This field populates based on the Screening Date entered when a Screening Type is selected, but it can be modified as needed.
	Status	<p>Indicates the student's growth assessment, based on the BMI percentile. Options are:</p> <ul style="list-style-type: none"> • UW: Underweight, 0-4th percentile • HW: Healthy Weight, 5th-85th percentile • OW: Overweight, 86th-95th percentile • O: Obese, >95th percentile <p>Enter the student's height and weight. These fields allow the BMI and BMI Percentile to calculate. Based on the BMI Percentile, the Status can be assigned.</p>
	Examiner	The personnel who performed the health screening.
	Height	Defined as the distance from the student's feet to the top of his/her head. This data is entered in inches. If a student were 6 feet, 2 inches tall, the height would be entered at 74 inches. This field is limited to four characters - two places before the decimal point and two characters after (<i>e.g.</i> 74.22)
	Weight	Indicates how much the student weighs in pounds. This field is limited to five characters - 3 places before the decimal point and 2 places after.
	BMI	The Body Mass Index is a measure of a student's weight in relation to height. This field is auto-calculated based on the entered height and weight values, and cannot be modified. The calculation formula is: (weight in pounds/(height in inches) ²) times 703.

Sub-Screening Editor	Fields	Description
	BMI Percentile	A value on the CDC BMI for age growth charts, determined after the calculation of the student's BMI. This value is auto-calculated based on the student's BMI, age and gender using data from a CDC-recommended chart that is built into the calculation. Students must be between 2 and 20 years of age on the date of the screening to have the BMI Percentile auto-calculated. While this field is auto-calculated, the value can be modified if the district is using a different chart for calculating percentile.
	Blood Pressure	This is the force exerted by circulating blood on the walls of blood vessels. Enter values in XXX/XX format.
	Pulse	Value indicates the heartbeats per minute. Enter values in XXXX format.
	Respiration	Indicates the number of breaths per minute. Enter values in XXX format.
	Comments	Provides a text field for entering details about the screening.
Vision		
	Screening Date	Date the student received the screening. This field populates based on the Screening Date entered when a Screening Type is selected, but it can be modified as needed.
	Vision Check Type	Identifies the results as being from a vision screening (S) or vision exam (E).
	Test Type	Indicate the name of the vision screening instrument being used to test the student's visual acuity. Tests are assumed to measure acuity at 20 feet, except for codes H, O1, SY10, SN10, and VT10 which measure acuity at 10 feet. The default dictionary is shown below: <ul style="list-style-type: none"> • T: HOTV - 20 ft • H: HOTV - 10 ft • S: Snellen • L: LEA Symbols • O: Other - 20 ft • O1: Other - 10 ft • SY10: LEA Symbols - 10ft • SN10: Sloan - 10ft • VT10: Vision Test - 10ft
	Status	Indicates the result of the screening. The default dictionary may be modified for localized district use.

Sub-Screening Editor	Fields	Description
	Far Acuity R	Indicates the ability of the left eye to see at a distance. Entry is limited to five digits. The leading number (10 or 20) is determined by the Test Type code selected)
	Far Acuity L	Indicates the ability of the right eye to see at a distance. Entry is limited to five digits. The leading number (10 or 20) is determined by the Test Type code selected)
	Cor(rective) Lens	Indicates whether the student wears corrective lenses for proper vision. The default dictionary may be modified for localized district use.
	External Inspection	Indicates the result of an examination of the visual appearance of the eye. The default dictionary may be modified for localized district use.
	Near Acuity R	Indicates the ability of the left eye to see near. Entry is limited to five digits. The leading number (10 or 20) is determined by the Test Type code selected)
	Near Acuity L	Indicates the ability of the right eye to see near. Entry is limited to five digits. The leading number (10 or 20) is determined by the Test Type code selected)
	Plus Lens	Indicates the results of a test for far-sightedness (hyperopia). Also referred to as Convex Lens testing. The default dictionary may be modified for localized district use.
	Stereo Vision	Indicates the results of a test for depth perception. Also referred to as binocular vision or muscle balance. The default dictionary may be modified for localized district use.
	Cover Test	Indicates the results of a test for the presence and amount of ocular deviation. The default dictionary may be modified for localized district use.
	Color Vision	Indicates the results of a test for color blindness. The default dictionary may be modified for localized district use.
	Convergence	Indicates the results of a test for alignment of the eyes when focusing on nearby objects. The default dictionary may be modified for localized district use.
	Corneal Reflex	Indicates the results of a test for the reflex stimulated when the cornea is touched. The default dictionary may be modified for localized district use.

Sub-Screening Editor	Fields	Description
	Referral Date	Indicates the date the student was given a referral for a vision test. Use the Follow-up functionality to track referrals.
	Examiner	The personnel who performed the health screening.
	Comments	Provides a text field for entering details about the screening.
Hearing		
	Screening Date	Indicates the date the student received the hearing test. This field populates based on the Screening Date entered when a Screening Type is selected, but it can be modified as needed.
	Status	Displays the results of the hearing test. The default dictionary may be modified for localized district use.
	Type	Selection indicates the type of test given. The default dictionary may be modified for localized district use.
	Otoacoustic Emissions R	Results of the measurement of sounds given off by the inner ear when the cochlea is stimulated by a sound in the right ear. The default dictionary may be modified for localized district use.
	Otoacoustic Emissions L	Results of the measurement of sounds given off by the inner ear when the cochlea is stimulated by a sound in the left ear. The default dictionary may be modified for localized district use.
	Tympanometry R	Results of a test of the condition of the middle ear and the mobility of the eardrum in the right ear. The default dictionary may be modified for localized district use.
	Tympanometry L	Results of a test of the condition of the middle ear and the mobility of the eardrum in the left ear. The default dictionary may be modified for localized district use.
	Otosopic R	Results of an examination of the auditory canal and eardrum in the right ear. The default dictionary may be modified for localized district use.
	Otosopic L	Results of an examination of the auditory canal and eardrum in the left ear. The default dictionary may be modified for localized district use.
	250 L - 8000 R	Indicates the range, in Hz, at which the student can hear frequencies of sound for the right ear. These are values entered up to 3 characters.

Sub-Screening Editor	Fields	Description
	250 L - 8000 L	Indicates the range, in Hz, at which the student can hear frequencies of sound for the left ear. These are values entered up to 3 characters.
	Comments	Provides a text field for entering details about the screening.
	Examiner	The personnel who performed the health screening.
Early Childhood		
	Provider	Indicates where the screening took place. Not used in any core Health reports; the default dictionary may be modified for localized district use.
	Early Ed Experiences	Indicates where the student received education before attending school. Not used in any core Health reports; the default dictionary may be modified for localized district use.
	Readiness Referral	Indicates where the student has been referred for Early Childhood services. Not used in any core Health reports; the default dictionary may be modified for localized district use.
	Healthcare	Indicates the student's healthcare coverage. Not used in any core Health reports; the default dictionary may be modified for localized district use.
	Comments	Provides a text field for entering details about the screening.
Child and Teen Checkup Screening		
	Date of Exam	Indicates when the exam occurred. This field populates based on the Screening Date entered when a Screening Type is selected, but it can be modified as needed.
	Type	Indicates the reason for the test. The default dictionary may be modified for localized district use.
	Location	Indicates where the test was performed. The default dictionary may be modified for localized district use.
	Status	Displays the results of the screening. The default dictionary may be modified for localized district use.
	Early Childhood Expiration Date	Indicates the date the student's screening expires. This date must be AFTER the date entered in the Date of the Exam field.
	Healthcare	Indicates the student's healthcare coverage. The default dictionary may be modified for localized district use.
	Comments	Provides a text field for entering details about the screening.
Developmental		

Sub-Screening Editor	Fields	Description
	Screening Date	Indicates the date the screening occurred. This field populates based on the Screening Date entered when a Screening Type is selected, but it can be modified as needed.
	Score	Indicates the score the student received. This can be a whole number or a number with a decimal place (NN.N).
	Development Test	Indicates the type of test the student received. The default dictionary may be modified for localized district use.
	Development Status	Indicates the result of the test. The default dictionary may be modified for localized district use.
	Social/Emotional Status	Displays the student's status for social and emotional health. There is a separate Social-Emotional sub-screening and this field is no longer necessary. It can be hidden through the Attribute/Dictionary to preserve historical data while avoiding incorrect data entry in the future.
	Comments	Provides a text field for entering details about the screening.
Social-Emotional		
	Screening Date	Indicates the date the screening occurred. This field populates based on the Screening Date entered when a Screening Type is selected, but it can be modified as needed.
	Test Type	Indicates the test used in this screening. The default dictionary may be modified for localized district use.
	Score	Indicates the score the student received. Up to four characters can be entered.
	Status	Indicates the result of the test. The default dictionary may be modified for localized district use.
	Comments	Provides a text field for entering details about the screening.
Speech		
	Date	Indicates the date the screening occurred. This field populates based on the Screening Date entered when a Screening Type is selected, but it can be modified as needed.
	Test	Indicates the type of test given to the student. The default dictionary may be modified for localized district use.
	Status	Indicates the results of the screening. The default dictionary may be modified for localized district use.
	Comments	Provides a text field for entering details about the screening.
Tuberculosis		

Sub-Screening Editor	Fields	Description
	Skin Test Date	Date the student received the TB skin test. This field populates based on the Screening Date entered when a Screening Type is selected, but it can be modified as needed.
	Place Given	Indicates where the student received the test. The default dictionary may be modified for localized district use.
	Date Read	Date the results of the test were read.
	Results mm	Indicates the results of the skin test. Up to 5 characters can be entered
	X-Ray Date	Indicates the date the student received an X-Ray.
	Status	Indicates the results of the X-Ray. The default dictionary may be modified for localized district use.
	Med Start Date	If medication is given for treatment of TB, the entered date indicates when the medication was first taken.
	Med End Date	If medication is given for treatment of TB, the entered date indicates when the medication will last be taken.
	Refused Date	Date the student (or parents/guardians) refused treatment.
	Free from Communicable TB	When marked, indicates the student does not have TB.
	Comments	Provides a text field for entering details about the screening.
Scoliosis		
	Screening Date	Indicates the date the student received the scoliosis screening. This field populates based on the Screening Date entered when a Screening Type is selected, but it can be modified as needed.
	Character	Indicates the results of the test. The default dictionary may be modified for localized district use.
	Type	Indicates the type of scoliosis test given. The default dictionary may be modified for localized district use.
	Degree of Curve	The measurement, in degrees, of spinal curvature. Up to 3 characters can be entered.

Sub-Screening Editor	Fields	Description
	Curvature Location	Identification of the area of the student's back in which the degree of curve is measured. The default dictionary may be modified for localized district use. The default dictionary is shown below: <ul style="list-style-type: none"> • LT: Left thoracic • RT: Right thoracic • LL: Left lumbar • RL: Right lumbar
	Comments	Provides a text field for entering details about the screening.
	Examiner	The personnel who performed the health screening.
Dental		
	Date	Indicates the date the student received the dental screening. This field populates based on the Screening Date entered when a Screening Type is selected, but it can be modified as needed.
	Test Type	Indicates the type of dental screening performed was an exam (E) or screening (S). The default dictionary may be modified for localized district use.
	Status	Indicates the results of the dental screening or exam. The default dictionary may be modified for localized district use.
	Expiration Date	Indicates the date the dental screening expires. This date must be AFTER the date entered in the Date field.
	Dental Sealants Present	Indicates if sealants are present. The default dictionary may be modified for localized district use.
	Caries History	Indicates the student has any existing decay of teeth that has been treated. The default dictionary may be modified for localized district use.
	Untreated Caries	Indicates the student has existing decay of teeth that has not been treated. The default dictionary may be modified for localized district use.
	Soft Tissue Pathology	Indicates the student has existing dental soft tissue pathology. The default dictionary may be modified for localized district use.
	Malocclusion	Indicates the student has existing issues with the jaw sitting correctly when the mouth is closed. The default dictionary may be modified for localized district use.
	Urgent Treatment	Indicates the student needs care immediately. The default dictionary may be modified for localized district use.


Sub-Screening Editor	Fields	Description
	Restorative Care	Indicates the student has received care to restore teeth. The default dictionary may be modified for localized district use.
	Preventative Care	Indicates the student receives preventative dental care. The default dictionary may be modified for localized district use.
	Dental Erosion	Indicates the result of an examination of the student's dental enamel for areas of discoloration or erosion. The default dictionary may be modified for localized district use.
	Dental Waiver Date	Indicates the date of the student's dental waiver.
	Dental Waiver Reason	Indicates the reason for the dental waiver. The default dictionary may be modified for localized district use.
	Referral Date	Indicates the date the student was referred for dental care. Use the Follow-up functionality to track referrals.
	Examiner	The personnel who performed the health screening.
	Dental Other	Provides a text field for entering details about the screening.
Lead Level		
	Screening Date	Indicates the date the student took the screening. This field populates based on the Screening Date entered when a Screening Type is selected, but it can be modified as needed.
	Lead Level	Indicates the level of lead for the student, usually administered as a blood test. This is a five character alphanumeric field.
	Status	Indicates the result of the lead screening. The default dictionary may be modified for localized district use.
	Comments	Provides a text field for entering details about the screening.
Concussion		
	Screening Date	Indicates the date the student took the screening. This field populates based on the Screening Date entered when a Screening Type is selected, but it can be modified as needed.
	Test Type	Indicates the type of concussion test administered (e.g. baseline or post-injury). The default dictionary may be modified for localized district use.
	Score	Indicates the score the student received. This is an eight-character field.

Sub-Screening Editor	Fields	Description
	Status	Indicates the results of the screening. The default dictionary may be modified for localized district use.
	Expiration Date	Indicates the date the screening expires. This date must be AFTER the original screening date.
	Comments	Provides a text field for entering details about the screening.

Print Student Screening Records

Select one of the Print buttons at the top of the Screenings tab. The report can be generated as a PDF or DOCX format.

These print options print screening records for the selected student only. More health reports are available in the Health Reports folder.



Print All

The **Print All** option prints all records of saved screenings for the student. Screenings print in chronological order (the earliest screening prints first).

Print Selected Year

The **Print Selected Year** option prints the entered screenings recorded during the year selected in the Campus toolbar. If a screening was recorded in December of 2013, and the year in the Campus toolbar was 2013-14, the screening prints. If the screening was recorded in December of 2013, and the year selected in the Campus toolbar was 2014-15, the screening does not print.

Print Selected Screening

The Print Selected Screening option prints a summary of the selected screening from the Screening History list only. For this option, a screening must be selected.

Upload and Manage Screening Documents

The Screenings tool allows you to store, manage, and view all screening-related documents associated with the selected person.

To Upload a New Document:

1. Click the **Documents** button. A separate window will appear, containing an Upload Document button and the Documents List.
2. To begin uploading a new document, click the **Upload Document** button and select **Add Files**.
3. Locate the file on your local hard drive or network and click **OK**.
4. The file will appear in the Upload Documents list. From here you can add a **Description** (optional), see what tool will be associated with the file, and the size of the file.
5. Mark the checkbox in the left-hand corner to agree to the terms of the Infinite Campus Acceptable Use Policy (as well as any district-mandated policies).
6. Click **Upload**. The file is now uploaded and attached to the student where it can be accessed at any time.

Delete or Edit an Existing File

If you need to delete the file, click the **X** next to the file needing deletion.

If you need to edit file details, click the **pencil** icon next to the file. The Edit Document editor will appear, allowing you to edit the file name, description, or replace the file.

The screenshot displays two overlapping windows from the Infinite Campus system. The top window, titled 'Upload Document', features a 'Document List' table. The table has columns for 'Date Uploaded', 'Name', 'File Description', 'Campus Tool', and 'File Size'. A single document entry is visible with the following details: Date Uploaded: 02/01/2023 10:31 AM; Name: Health Document Example; File Description: Description of the document goes here; Campus Tool: Student Information > Health > General > Conditions; File Size: 0.63 MB. A red box highlights the 'X' icon in the left margin of the table row, with a callout box stating 'Click the X to remove the document'. Another red box highlights the pencil icon next to the document name, with a callout box stating 'Click the pencil icon to edit file details'. Below the 'Upload Document' window, the 'Edit Document' window is open, showing fields for 'Name' (Health Document Example), 'Description' (Description of the document goes here), and 'Campus Tool' (Student Information > Health > General > Conditions). It also includes a 'Replace File' button, a 'Health Document Example.pdf' label, and 'Cancel' and 'Save' buttons at the bottom.

Use Letter Designer and Letter Builder to Report Screening Information


Tool Search: Letter Builder, Letter Designer

Use the following procedures to create letters that can be sent to parents/guardians for students who may be missing screenings or to report the results of a recent screening.

- These examples use the [Filter Designer](#), [Letter Builder](#) and [Letter Designer](#) tools.
- Students must be in a household with at least one address marked as mailing to receive a letter.
- Campus sub-reports are available in the Letter Designer for Dental, Vision, Hearing, Concussion, and Scoliosis screenings.

Missing Screenings

1. Create an Ad hoc Filter to find students who may be missing a specific screening during set time. Use these fields from Screening Counts:
 - screeningCounts.subformCounts (subform is the specific sub-screening; if the letter is for missing hearing screenings, this field would be screeningCounts.hearingCounts).
 - screeningCounts.date (this will be used twice)
 - screeningCounts.calendarID
 - additional fields like identity.lastName, identity.firstName, etc., can also be selected.
2. Click the Next button.
3. On the Parameters screen, add a second screeningCounts.date by clicking the Add button and select that field from the dropdown list.
4. Set the fields like so:
 - screeningCounts.subformCount = 0
 - screeningCounts.date IS NULL
 - screeningCounts.calendarID = enter the calendar ID of your selected calendar (navigate to System Administration > Calendar > Calendar to locate this)
 - screeningCounts.date BETWEEN DATE (enter desired date range in the appropriate fields).
5. Enter this text in the Logical Expression field. Instead of the field names, enter the ID numbers of the row in which that field is located. (subformCount AND calendarID AND (date #1 OR date #2))
 - in this example, the expression would be (3 AND 5 AND (4 OR 6))



ID	Field	Operator	Value
1	student.lastName		
2	student.firstName		
3	screeningCounts.subformCount	=	0
4	screeningCounts.date	IS NULL	
5	screeningCounts.calendarID	=	579
6	screeningCounts.date	BETWEEN DATE	08/01/2014 THROUGH DATE 06/09/2015

Logical Expression (Optional):
(3 AND 5 AND (4 OR 6))


If logical expression is left blank, all operators will be applied.
Allowed Symbols: AND OR NOT () { }
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

6. Save.
7. In the Letter Designer, create and save the letter.
8. In the Letter Builder, select the created ad hoc filter and the letter created in the previous steps.

9. Click the **Build Letters** button.

Report of Screenings

1. Create an Ad hoc Filter to find students who may be missing a specific screening during set time. Use these fields from Screening Counts. The filter can contain multiple subform counts, but the only Sub-reports available are Dental, Hearing, Vision, Scoliosis, and Concussion.
 - screeningCounts.subformCounts (subform is the specific sub-screening; if the letter is for missing hearing screenings, this field would be screeningCounts.hearingCounts).
 - screeningCounts.date (this will be used twice)
 - additional fields like identity.lastName, identity.firstName, etc., can also be selected
2. On the Parameters screen, add a second screeningCounts.date by clicking the Add button and select that field from the dropdown list.
3. Set the Parameters as follows:
 - screeningCounts.subformCount > 0
 - screeningCounts.date IS NULL
 - screeningCounts.date BETWEEN DATE (enter desired date range in the appropriate fields).
4. Enter this text in the Logical Expression field. Instead of the field names, enter the ID numbers of the row in which that field is located. (screeningCounts.date #1 OR date #2) AND (subformCounts 1 OR subformCounts 2 OR subformCounts 3)
 - in this example, the expression would be ((3 OR 5) AND (4))
 - Only one subform.Count has been added, but if more than one were included, additional ID numbers would be added.



ID	Field	Operator	Value
X 1	student.lastName		
X 2	student.firstName		
X 3	screeningCounts.date	IS NULL	
X 4	screeningCounts.dentalCount	>	0
X 5	screeningCounts.date	BETWEEN	DATE 01/01/2015 THROUGH DATE 06/30/2015

Logical Expression (Optional):
 ((3 OR 5) AND (4))

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () [] []
 Example Syntax: (1 AND (2 OR 3)) AND (4 AND (NOT 5 OR 6))

5. Save.
6. In Letter Designer, create and save your letter.
 1. Include the desired Health Sub-reports. The Screening Counts used in the Ad hoc filter and the Sub-reports in the letter should be for the same screenings.
7. In the Letter Builder, select the created ad hoc filter and the letter created in the previous steps.