

Voice Settings

Last Modified on 03/10/2026 11:10 am CDT

[Field Descriptions](#) | [Shoutpoint Account Setup](#)

Tool Search: Voice Settings

Use Voice Settings to configure Messenger with Voice. Voice Settings must be configured for ShoutPoint to deliver Campus-created voice messages. Voice Settings only apply to schools/districts that use Campus Messenger with Voice add-on functionality. Please review the [Messenger with Voice - Setup and Details](#) before the initial configuration of these settings.

Use the [Field Descriptions](#) in this article to configure the settings. Click the **Save** button to save your changes.


Save

Voxology/Messenger 2.0 Information

Important: The Recommended redial status codes below only apply to messenger tools using Shoutpoint (currently all non-Messenger 2.0 tools). All other settings on this page are applicable to both Shoutpoint and Voxology.

ShoutPoint Settings (Enabled)

Time Zone*

District Start Time* *(Do not call before)*

District End Time* *(Do not call after)*

The district dialing window does not apply to Emergency Messenger.

[Click here to update the ShoutPoint user account or URL](#)
Please note: The user account and URL have been previously set up. Update it only if requested to do so by Infinite Campus.

Redial Settings

Maximum Number of redial attempts

Number of minutes to wait between redial attempts

Voice Settings Tool

Field Descriptions

Field	Description
Shoutpoint Settings	

Field	Description
Time Zone	<p>Select the Time Zone from which message delivery is based. This is integral to proper message delivery.</p> <p>For messages to send properly, the time zone set on Messenger staff member's computers must match the time zone set here. Message delivery problems can occur from inconsistent time zones.</p>
District Start Time and District End Time	<p>These fields create a district-wide dialing window during which a general message - either a voice or text message, that is NOT an emergency message, may be sent.</p> <p>These times are used as the default start and end times for all messages, unless otherwise specified.</p> <div data-bbox="427 775 1423 943" style="background-color: #fff9c4; padding: 10px;"> <p>Emergency messages are the only type of message that ignores the values set in these fields. Emergency messages are always sent immediately.</p> </div> <p>If a general message is scheduled outside of the dial window, the message is not sent until the schedule is corrected to send within the window. Additionally, if a general message is still delivering when the District End Time is reached, message delivery stops and does not complete.</p>
User Name, Password, URL End Point	<p>These fields are Shoutpoint credentials provided by Campus. See the Shoutpoint Account Setup topic in this article for more information about these fields.</p> <div data-bbox="427 1303 1423 1429" style="background-color: #fff9c4; padding: 10px;"> <p>Shoutpoint credentials should NOT be modified without specific direction from Infinite Campus.</p> </div>

Redial Settings - *The Redial Settings determine how Messenger delivers voice messages for which a live voice was not detected on the first attempt.*

Field	Description
Maximum Number of redial attempts	<p>This field indicates the maximum number of times a phone number is redialed in an attempt to deliver general messages to a live voice. When the system has redialed the maximum number of times indicated by this field, additional delivery attempts are canceled. Choosing a value of "0" for this field prevents redialing (<i>i.e.</i>, each phone number is called only once, regardless of whether a live voice was reached).</p> <div data-bbox="427 533 1422 813" style="background-color: #e1f5fe; padding: 10px; border: 1px solid #ccc;"> <p>Depending on the District Start/End times specified for a message and the value of the Number of minutes to wait between redial attempts field, delivery may be canceled before the maximum number of redial attempts is reached. Similarly, redials may not complete if attempted outside of the district-allowed dialing window which overrides the delivery end times entered on individual messages.</p> </div>
Number of minutes to wait between redial attempts	<p>This field indicates the length of time the dialer waits before attempting to redial numbers where the recipient was not reached. If a value of "0" was entered in the Maximum Number of redial attempts field, this field does not apply.</p> <div data-bbox="427 1059 1422 1339" style="background-color: #e1f5fe; padding: 10px; border: 1px solid #ccc;"> <p>Depending on the start/end times specified for a message and the value of the Maximum Number of redial attempts field, delivery may be canceled before the maximum number of redial attempts is reached. Similarly, redials may not complete if attempted outside of the district-allowed dialing window which overrides the delivery end times entered on individual messages.</p> </div>

Field	Description
Recommended redial status codes	<p data-bbox="427 271 1423 430">The Recommended redial status codes below only apply to messenger tools using Shoutpoint (currently all non-Messenger 2.0 tools). All other settings on this page are applicable to both Shoutpoint and Voxology.</p> <p data-bbox="427 465 1342 533">This area indicates the common message delivery responses for which redials are recommended.</p> <p data-bbox="427 577 1390 725">Checking any/all of the following delivery responses allows redialing of the number until a live voice is reached, per the value set in the Maximum Number of redial attempts field. These response types are detected by Shoutpoint technology.</p> <p data-bbox="427 770 1423 896">If the Maximum Number of redial attempts field is set to a value of "0," selections made in this area do not apply.</p> <ul data-bbox="459 927 1414 1496" style="list-style-type: none"> • Select All - Marking this checkbox marks all the checkboxes indicated below. Unmarking this checkbox removes the selection for all the checkboxes indicated below. • No Answer - No live voice or answering machine was detected. • No Ring Back - The recipient phone number did not ring when dialed (may occur if the recipient has a song that plays instead of a ringtone). • Failed - The message connected to the recipient phone number, but silence was detected on the line. • No response from dialer - The dialer did not log a response for the recipient phone number. • Busy - Busy signal was detected. • Fax - Fax line was detected. • Temporarily unavailable - The phone line is temporarily unavailable. • All routes temporarily unavailable to destination - All delivery lines are temporarily unavailable.

Field	Description
Additional redial status codes	<p>This area indicates additional message delivery responses for which redials can be made. Checking any/all of the following delivery responses allows redialing of the number until a live voice is reached, per the value set in the Maximum Number of redial attempts field. These response types are detected by Shoutpoint technology.</p> <div data-bbox="427 495 1422 622" style="background-color: #fff9c4; padding: 10px; margin: 10px 0;"> <p>If the Maximum Number of redial attempts field is set to a value of "0," selections made in this area do not apply.</p> </div> <ul style="list-style-type: none"> • Operator - Operator/switchboard was detected. • Answering Machine - Answering machine was detected. • Unknown - The call did not connect to the recipient phone number. • Invalid phone number - The recipient phone number was not called because it was not a valid number. • Not In Service - The recipient phone number was not in service. • Pbx - A Private Branch Exchange (PBX) was detected. • Fast Busy - A fast busy signal was detected.
Global Voice Settings	

Field	Description
<p>Use Sender's Work Phone from Census as Caller ID</p>	<p>Mark this checkbox to insert the sender's Work Phone number as the Caller ID number on all new and existing templates and associated schedulers.</p> <p>Campus uses the logged in user's Work Phone number in Demographics > Personal Contact Information. If the user's Work Phone number is blank, then Campus uses the school's phone number found on the CallerID Preferences tool.</p> <p>If you clear this checkbox, future messages use the school's phone number found on the CallerID Preferences.</p> <p>When selected in conjunction with the Allow Custom Caller ID checkbox, new templates automatically use the user's Work Phone but the field remains editable.</p> <p>Custom Caller IDs are saved on existing User/Group Templates unless the user changes the template.</p> <div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"> <p>This option does not apply to Emergency Messenger. Emergency Messenger uses the Caller ID from CallerID Preferences .</p> </div>

Field	Description
Allow Custom Caller ID	<p>Mark this checkbox to allow custom caller IDs on all templates and associated schedulers.</p> <p>When this checkbox is marked, the Missing Assignment Scheduler and Failing Assignment Scheduler allows a custom CallerID to be entered but does not use the custom Caller ID from the saved template. This restriction is in place to avoid custom fields on these schedulers from being overwritten by the Messenger Template.</p> <p>If you clear this checkbox after Templates have been saved, new and saved templates return to pulling phone numbers from the Caller ID Preferences tool based on the School(s) selected for the message.</p> <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;"> <p>This option does not apply to Emergency Messenger. Emergency Messenger uses the Caller ID from CallerID Preferences.</p> </div>
Messenger Tool Settings	
Allow Voice as a Delivery Device for Missing and Failing Assignment Schedulers	<p>This option allows messages regarding missing/failing assignments to be sent as voice messages when schedules are created in Failing Assignment Scheduler.</p> <p>If this option is changed from Yes to No, Campus prevents new schedules with Voice as the only delivery device from being created. If schedules already exist, those schedules continue to be delivered via Voice until the schedule is updated.</p>
Allow Voice as a Delivery Device for Messenger in the Instruction module	<p>This option allows messages sent from Campus Instruction to be sent as voice messages.</p>

Field	Description
Allow Text as a Delivery Device for Messenger in the Instruction module	This option allows messages sent from Campus Instruction to be sent as text messages. Text messaging must be enabled for this option to be available.

Shoutpoint Account Setup

Select "Click here to update the ShoutPoint user account or URL" and enter the User Name, Password and URL End Point credentials, as received from Infinite Campus.

To configure Voice Messenger for the first time, the administrator must have received the credentials; i.e., the User Name, Password and URL End Point to be entered on this screen, from Infinite Campus.

Shoutpoint credentials should **NOT** be modified without specific direction from Infinite Campus.

The credentials are stored in the *ShoutpointCustomer* table of the Campus database when the tool is saved.

Voxology/Messenger 2.0 Information

Important: The Recommended redial status codes below only apply to messenger tools using Shoutpoint (currently all non-Messenger 2.0 tools). All other settings on this page are applicable to both Shoutpoint and Voxology.

ShoutPoint Settings (Enabled)

Time Zone*

District Start Time* *(Do not call before)*

District End Time* *(Do not call after)*

The district dialing window does not apply to Emergency Messenger.

[Click here to hide ShoutPoint account setup screen](#)

Please note: The user account and URL have been previously set up.
Update it only if requested to do so by Infinite Campus.

User Name Password

URL End Point

Text Messenger Enabled Messenger Version: 1.1

