

Terminals

Last Modified on 07/01/2024 10:46 am CDT

[Terminal List Filters](#) | [Terminal List Column Descriptions](#) | [Types of Terminals](#) | [Best Practices for Terminal Setup](#) | [Add a New Terminal](#) | [Delete a Terminal](#) | [Install a Terminal](#) | [Display District Secret](#)

This functionality is only available to customers who have purchased Campus Point of Sale as an add-on functionality.


Tool Search: Terminals

The Terminals tool contains system information and settings for all Point of Sale terminals within a district. It also includes system information related to Cafeteria Serve and Class Serve functionality.

| What can I do? | What do I need to know? |
|--|--|
| <ul style="list-style-type: none"> • Add a New Terminal • Delete a Terminal • Install a Terminal • Get the District Secret | <ul style="list-style-type: none"> • Terminal Editor Column Descriptions • Types of Terminals • Best Practices for Terminal Setup |

Terminal List Filters

Filters can be used to limit the terminals that appear within the Terminal List. Terminals can be filtered by Terminal Name and School. Additionally, the Show Inactive switch can be turned ON to have terminals that are not Active appear.



The screenshot shows the 'Terminal List' filter interface. It includes two text input fields: 'Filter By Terminal Name' and 'Filter By School'. The 'Filter By Terminal Name' field has 'Select All' and 'Clear' buttons to its right. The 'Filter By School' field has 'Select All' and 'Clear' buttons below it. To the right of the 'Filter By School' field is a 'Show Inactive' toggle switch, which is currently set to 'OFF'.

Terminal List Column Descriptions

The Terminal List displays system information for each terminal within a district and a terminal's current operating status.

When a terminal is made active or inactive, the numbers shown in the Events and Responses

columns may fluctuate as messages are delivered, or the **Events** and **Responses** columns may fluctuate as messages are delivered/queued. However, values in these columns should be at or near zero during regular terminal operation.

Terminals ☆

Terminal List

Filter By Terminal Name Select All Clear

Filter By School Select All Clear Show Inactive OFF

Refresh Data

| NAME | CONNECTION ⓘ | EVENT | RELOAD REQUESTS | RESPONSES | LAST IP ADDRESS | ACTIONS |
|-------------------------------------|--------------|-------|-----------------|-----------|-----------------|-------------------|
| AES-1 | | 0 | 0 | 0 | | View |
| CM | | 0 | 0 | 0 | 10.35.171.156 | View |
| CM 2.0 | | 0 | 0 | 0 | | View |
| HHS 2 | | 0 | 0 | 0 | | View |
| HHS-1 | | 0 | 0 | 0 | 10.200.60.200 | View |
| POS-1 | | 0 | 0 | 0 | 10.35.58.14 | View |
| CAFETERIA SERVE LOCKED | | 0 | 0 | 0 | | View |
| CLASS SERVE LOCKED | | 0 | 0 | 0 | | View |
| SERVER LOCKED | | 0 | 0 | 0 | | View |

New Print All Install Display District Secret

Terminal List

The Refresh Data button above the Terminal List can update the data displayed within Connection, Event, Reload Requests, and Responses without resetting the filters.

| Column | Description |
|-------------|--|
| Name | The Name column displays the POS terminal name and indicates whether it is active. Inactive terminals will show an "Inactive" status in the name column. Active terminals are set by marking the Active checkbox in the Terminal Detail panel. |

| Column | Description |
|------------------------|---|
| Connection | <p>Indicates if a terminal is online. Online terminals will show "Online" in the Connection column, while offline terminals will not display any status.</p> <p>Connection messages from the terminal are sent at the same rate as the Disconnected Status Time set in General Preferences. Click the Refresh Data button periodically to see updated data and connection statuses. There may be up to a 30 second delay.</p> |
| Events | Messages waiting to be sent to the terminal from the Campus application server, such as enrollment updates and account changes. |
| Reload Requests | Tracks Reload Requests made from this terminal that are currently not complete. |
| Responses | Messages to be sent to the Campus application from the terminal, such as POS Data Reload command. |
| Last IP Address | IP address of the terminal as last reported to Campus. |
| Actions | Upon clicking the View button, the Terminal Detail panel opens. This panel allows users to edit the terminal name and active status, add or remove selected schools, print terminal information, or delete the terminal. |

Types of Terminals

All terminals listed in the Terminals tool are used in reporting, allowing reports to indicate where/how a transaction occurred. Reports indicate whether a transaction occurred as part of Cafeteria/Class Serve functionality, through a manual adjustment on a patron's [Journal](#) tab (indicated by the *Server* terminal), or through an actual POS terminal.

The following types of terminals are displayed in the Terminal List.

| Terminal Type | Description |
|--------------------|--|
| POS | Most terminals are standard POS terminals that represent actual physical terminals used to process food service transactions. The district creates these terminals. |
| Class Serve | This terminal represents Class Serve functionality, although an actual physical terminal is not used. This terminal is built-in by Infinite Campus and cannot be changed or deleted. |
| Server | This terminal represents the Campus application, although an actual physical terminal is not used. This terminal is built-in by Infinite Campus and cannot be changed or deleted. |

Best Practices for Terminal Setup

The best practices described here are the preferred setup recommended by Infinite Campus.


- Create terminal(s) for each cafeteria.
- Keep the terminal name short or use an abbreviated form. Terminal names should be under eight (8) characters.
 - If there is one school type and one terminal at each site (Main High School, Main Middle School, Main Elementary), the terminal names should be abbreviated to the school type. For example, HS_01, MS_01, EL_01. If another terminal is added in the future, additions should be named HS_02, MS_02, EL_02, etc.
 - If there are two or more school types and only one terminal at each site, such as East Elementary and West Elementary, the terminal names could be East_01 and West_01.
 - If there is only one school type and more than one terminal at that site, the terminal names could be HSPizza, HSGrill, HSAC, MSGrill, MSPizza, which would indicate the physical location of the terminal within the cafeteria.

| Option | Cafeteria Structure | Terminal Structure |
|----------|---|--|
| A | <p>This options is best for the following cafeteria structure:</p> <ul style="list-style-type: none"> • Each school has a physical building • Each physical building has a cafeteria. • Each cafeteria may have one or more terminals. | <ul style="list-style-type: none"> • Name the terminal something that signifies where the terminal is located and the type of serving line in which the terminal will be used. • Only assign one school to a terminal. |
| B | <p>This option is best for the following cafeteria structure:</p> <ul style="list-style-type: none"> • Each school may or may not have a physical building. • One or more schools share a cafeteria; i.e., the high school and middle school share a cafeteria. • The cafeteria is shared by multiple schools yet housed at one school building. • All schools shares a cafeteria located at one physical site. • The cafeteria may have one or more terminals. • Students are processed at any terminal. | <ul style="list-style-type: none"> • If there is one physical cafeteria with one or more terminals where all students are served, assign all schools to the terminal(s). • If there are two physical cafeterias where students from one school type are served and another cafeteria where students from another school type are served, assign the terminal to the appropriate school type. <p>If more than one school is assigned to a terminal, each school's enrollments will appear on the terminal. This also allow students to be charged at their correct eligibility.</p> |

Add a New Terminal

1. Click the **New** button.

Result: The Terminal Detail area displays.



2. Enter a unique **Name** for the terminal (duplication is not allowed).
3. Select the **Selected School(s)** for which the terminal will be used.

The School selected in this field determines the patrons who appear for processing on the terminal. The School also appears on reports.

4. The **Active** checkbox is active by default. Uncheck that field to make it inactive.

A terminal should not be made active until it is configured and is ready to receive/load student data from Infinite Campus.

Delete a Terminal

Terminals cannot be deleted after they are used to complete Point of Sale transactions.

1. Click the **View** button of the terminal you want to delete. The Terminal Detail panel will open.
2. Click the **Delete** button. A Confirm Delete prompt will appear.

Terminal Detail

Name (Required)

Active

Selected Schools

✕

Select All
Clear

Save
Cancel
Delete
Print

3. Click **Delete**. The Terminal is deleted and removed from the Terminal List.

Install a Terminal

| | |
|------------------------|---------------|
| To install a... | See... |
|------------------------|---------------|

| To install a... | See... | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|--|-------|-----------------|-----------|-----------------|-----------|-----------------|---------|-------|--|---|---|---|--|------|----|--|---|---|---|---------------|------|-------|--|---|---|---|--|------|
| <p>POS Terminal</p> | <p>Terminal Installation and Configuration</p> <p>The screenshot shows the 'Terminals' page in a web application. At the top, there's a breadcrumb trail: 'Food Service > Administration > Terminals'. Below that is a 'Terminal List' section with a search filter 'Filter By Terminal Name' and a 'Filter By School' dropdown. There are also buttons for 'Select All', 'Clear', and a 'Show Inactive' toggle set to 'OFF'. A 'Refresh Data' button is present. The main table has the following data:</p> <table border="1"> <thead> <tr> <th>NAME</th> <th>CONNECTION</th> <th>EVENT</th> <th>RELOAD REQUESTS</th> <th>RESPONSES</th> <th>LAST IP ADDRESS</th> <th>ACTIONS</th> </tr> </thead> <tbody> <tr> <td>AES-1</td> <td></td> <td>0</td> <td>0</td> <td>0</td> <td></td> <td>View</td> </tr> <tr> <td>CM</td> <td></td> <td>0</td> <td>0</td> <td>0</td> <td>10.35.171.156</td> <td>View</td> </tr> <tr> <td>HHS 2</td> <td></td> <td>0</td> <td>0</td> <td>0</td> <td></td> <td>View</td> </tr> </tbody> </table> <p>At the bottom of the terminal list, there are four buttons: 'New', 'Print All', 'Install' (highlighted with a red box), and 'Display District Secret'.</p> | NAME | CONNECTION | EVENT | RELOAD REQUESTS | RESPONSES | LAST IP ADDRESS | ACTIONS | AES-1 | | 0 | 0 | 0 | | View | CM | | 0 | 0 | 0 | 10.35.171.156 | View | HHS 2 | | 0 | 0 | 0 | | View |
| NAME | CONNECTION | EVENT | RELOAD REQUESTS | RESPONSES | LAST IP ADDRESS | ACTIONS | | | | | | | | | | | | | | | | | | | | | | | |
| AES-1 | | 0 | 0 | 0 | | View | | | | | | | | | | | | | | | | | | | | | | | |
| CM | | 0 | 0 | 0 | 10.35.171.156 | View | | | | | | | | | | | | | | | | | | | | | | | |
| HHS 2 | | 0 | 0 | 0 | | View | | | | | | | | | | | | | | | | | | | | | | | |

Display District Secret

The District Secret authorizes the terminal to pull data from Campus and prevents users from using the URL from another district to load district data on the terminal.

1. Click the **Display District Secret** button to display the Authenticate POS with District Secret screen.

Terminals ☆ Food Service > Administration > Terminals

Terminal List

Filter By Terminal Name Select All Clear

Filter By School Select All Clear Show Inactive OFF

Refresh Data

| NAME | CONNECTION i | EVENT | RELOAD REQUESTS | RESPONSES | LAST IP ADDRESS | ACTIONS |
|-------|---------------------------|-------|-----------------|-----------|-----------------|-------------------|
| AES-1 | | 0 | 0 | 0 | | View |
| CM | | 0 | 0 | 0 | 10.35.171.156 | View |
| HHS 2 | | 0 | 0 | 0 | | View |

New Print All Install Display District Secret

Display District Secret

- Click the copy icon to copy the District Secret.
- Paste the District Secret in the **District Secret** field on the POS Terminal Admin.

Configurations

Campus Login URL Press Ctrl+V to paste your Campus Login URL

District Secret i Press Ctrl+V to paste your District Secret

Verify Campus

District Secret Field

See the [Terminal Installation and Configuration](#) article for more information about the POS Terminal Admin.