

Audit Log

Last Modified on 04/08/2024 9:39 am CDT

[Using the Audit Log](#) | [System Preference Changes](#) | [User Account Changes](#) | [User Group Changes](#) | [Calendar Rights \(User Group\)](#) | [Technical Information](#)

Tool Search: Audit Log

The Audit Log tool is available for district and state-level use.

This tool allows system administrators the ability to monitor and track changes made to areas of user security, including:

- [System Preference Changes](#)
- [User Account Changes](#)
- [User Account Tab](#)
- [User Groups \(Individual User\)](#)
- [Tool Rights \(Individual User\)](#)
- [Calendar Rights \(Individual User\)](#)
- [User Group Changes](#)
- [User Group Tab](#)
- [Tool Rights \(User Group\)](#)
- [Calendar Rights \(User Group\)](#)

Using the Audit Log

This tool can be used to review changes made to areas of user security within the product.




Image 1: Audit Log Tool Editor

All audit records are accessible in the Campus database for historical purposes; however, for performance purposes, the interface View Audit Log tool will only display the 500 most recent entries.

The fields at the top of the screen allow the records in the Audit Log Entries table to be sorted based on the entered criteria, as follows:

Field	Sorting Technique
Start Date	The first date for which audit logs will be displayed.
End Date	The last date for which audit logs will be displayed.

Field	Sorting Technique																																																																	
<p>Table</p>	<p>The Audit Log Entries editor may be sorted by the table/area for which an action was logged:</p> <div style="background-color: #fff9c4; padding: 10px; margin: 10px 0;"> <p>This field will only display tables where changes have occurred.</p> </div> <ul style="list-style-type: none"> • Preference - Actions related to the System Preferences tool will be displayed. • UserGroupMember - Actions related to the addition/removal of users from a user group will be displayed. This also includes modifications made to a user's Product Security Roles. Product Security Roles are listed by their name in all caps (see image below). <div style="border: 1px solid black; padding: 5px; margin: 10px 0;"> <p style="font-size: small; color: red;">First 500 records displayed. Enter search criteria to narrow the results.</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Timestamp</th> <th>Table</th> <th>Action</th> <th>Affected Object</th> <th>Changed by</th> </tr> </thead> <tbody> <tr style="border: 2px solid red;"> <td>03/28/2024 09:29:52 -0500</td> <td>UserSchoolYearRights</td> <td>add</td> <td>natetester, All Years, All Schools</td> <td>admin</td> </tr> <tr style="border: 2px solid red;"> <td>03/28/2024 09:29:52 -0500</td> <td>UserGroupMember</td> <td>add</td> <td>natetester, STUDENT INFORMATION SYSTEM</td> <td>admin</td> </tr> <tr> <td>03/28/2024 09:29:52 -0500</td> <td>UserAccount</td> <td>change</td> <td>natetester</td> <td>admin</td> </tr> <tr> <td>03/28/2024 07:04:53 -0500</td> <td>UserGroupMember</td> <td>add</td> <td>lbush, STUDENT INFORMATION SYSTEM - GROUP ASSIGNMENT</td> <td>admin</td> </tr> <tr> <td>03/28/2024 07:04:53 -0500</td> <td>UserGroupMember</td> <td>delete</td> <td>lbush, STUDENT INFORMATION SYSTEM</td> <td>admin</td> </tr> <tr> <td>03/28/2024 07:04:53 -0500</td> <td>UserAccount</td> <td>change</td> <td>lbush</td> <td>admin</td> </tr> <tr> <td>03/28/2024 07:04:31 -0500</td> <td>UserGroupMember</td> <td>delete</td> <td>lbush, STUDENT INFORMATION SYSTEM - GROUP ASSIGNMENT</td> <td>admin</td> </tr> <tr> <td>03/28/2024 07:04:31 -0500</td> <td>UserAccount</td> <td>change</td> <td>lbush</td> <td>admin</td> </tr> <tr> <td>03/28/2024 07:03:09 -0500</td> <td>UserAccount</td> <td>change</td> <td>lbush</td> <td>admin</td> </tr> <tr> <td>03/28/2024 07:02:25 -0500</td> <td>UserSchoolYearRights</td> <td>add</td> <td>lbush, All Years, All Schools</td> <td>admin</td> </tr> <tr> <td>03/28/2024 07:02:25 -0500</td> <td>UserGroupMember</td> <td>add</td> <td>lbush, STUDENT INFORMATION SYSTEM</td> <td>admin</td> </tr> <tr> <td>03/28/2024 07:02:25 -0500</td> <td>UserGroupMember</td> <td>add</td> <td>lbush, STUDENT INFORMATION SYSTEM -</td> <td>admin</td> </tr> </tbody> </table> <div style="border: 1px solid black; padding: 5px; margin-top: 5px; font-size: x-small;"> <p>UserGroupMember</p> <p>Timestamp: 03/28/2024 09:29:52 -0500 Area: UserGroupMember Type: add</p> <p>User name: natetester Changed By: admin</p> <p style="border: 1px solid red; padding: 2px;">Group name: STUDENT INFORMATION SYSTEM</p> </div> </div> <ul style="list-style-type: none"> • UserSchoolYearRights - Actions related to the addition/modification/removal of calendar rights for users will be displayed. • UserAccount - Actions related to adding or removing user accounts and/or modifying user account settings will be displayed. • UserGroupSchoolYearRights - Actions related to the addition/modification/removal of user group calendar rights will be displayed. • UserToolRights - Actions related to the addition/modification/removal of user tool rights will be displayed. • UserGroup - Actions related to the addition/modification/removal of a user group will be displayed. • UserGroupToolRights - Actions related to the addition/modification/removal of user group tool rights will be displayed. 	Timestamp	Table	Action	Affected Object	Changed by	03/28/2024 09:29:52 -0500	UserSchoolYearRights	add	natetester, All Years, All Schools	admin	03/28/2024 09:29:52 -0500	UserGroupMember	add	natetester, STUDENT INFORMATION SYSTEM	admin	03/28/2024 09:29:52 -0500	UserAccount	change	natetester	admin	03/28/2024 07:04:53 -0500	UserGroupMember	add	lbush, STUDENT INFORMATION SYSTEM - GROUP ASSIGNMENT	admin	03/28/2024 07:04:53 -0500	UserGroupMember	delete	lbush, STUDENT INFORMATION SYSTEM	admin	03/28/2024 07:04:53 -0500	UserAccount	change	lbush	admin	03/28/2024 07:04:31 -0500	UserGroupMember	delete	lbush, STUDENT INFORMATION SYSTEM - GROUP ASSIGNMENT	admin	03/28/2024 07:04:31 -0500	UserAccount	change	lbush	admin	03/28/2024 07:03:09 -0500	UserAccount	change	lbush	admin	03/28/2024 07:02:25 -0500	UserSchoolYearRights	add	lbush, All Years, All Schools	admin	03/28/2024 07:02:25 -0500	UserGroupMember	add	lbush, STUDENT INFORMATION SYSTEM	admin	03/28/2024 07:02:25 -0500	UserGroupMember	add	lbush, STUDENT INFORMATION SYSTEM -	admin
Timestamp	Table	Action	Affected Object	Changed by																																																														
03/28/2024 09:29:52 -0500	UserSchoolYearRights	add	natetester, All Years, All Schools	admin																																																														
03/28/2024 09:29:52 -0500	UserGroupMember	add	natetester, STUDENT INFORMATION SYSTEM	admin																																																														
03/28/2024 09:29:52 -0500	UserAccount	change	natetester	admin																																																														
03/28/2024 07:04:53 -0500	UserGroupMember	add	lbush, STUDENT INFORMATION SYSTEM - GROUP ASSIGNMENT	admin																																																														
03/28/2024 07:04:53 -0500	UserGroupMember	delete	lbush, STUDENT INFORMATION SYSTEM	admin																																																														
03/28/2024 07:04:53 -0500	UserAccount	change	lbush	admin																																																														
03/28/2024 07:04:31 -0500	UserGroupMember	delete	lbush, STUDENT INFORMATION SYSTEM - GROUP ASSIGNMENT	admin																																																														
03/28/2024 07:04:31 -0500	UserAccount	change	lbush	admin																																																														
03/28/2024 07:03:09 -0500	UserAccount	change	lbush	admin																																																														
03/28/2024 07:02:25 -0500	UserSchoolYearRights	add	lbush, All Years, All Schools	admin																																																														
03/28/2024 07:02:25 -0500	UserGroupMember	add	lbush, STUDENT INFORMATION SYSTEM	admin																																																														
03/28/2024 07:02:25 -0500	UserGroupMember	add	lbush, STUDENT INFORMATION SYSTEM -	admin																																																														
<p>Action</p>	<p>The Audit Log Entries editor can be sorted based on the type of action logged.</p> <ul style="list-style-type: none"> • Add - Only entries recorded as "add" actions will be shown (e.g., a user account was created). • Change - Only entries recorded as "change" actions will be shown (e.g., a user account was marked "Disabled"). • Delete - Only entries recorded as "delete" actions will be shown (e.g., a user account was deleted). 																																																																	

Field	Sorting Technique
Affected Object	<p>This field allows the user to search for objects that were changed or the users who were affected by changes.</p> <ul style="list-style-type: none"> • Object Search - To search for changes made to a particular object, enter the (database) name of that object (<i>e.g.</i>, searching for the "Behavior" object will show all auditing records related to the Behavior object). • User Search - To search for changes affecting a particular user, enter the user name of the affected person (<i>e.g.</i>, searching for a user name of "JDoe2610" will show all changes made to that user).
Changed By	<p>This field allows the filtering of entries for the user logged into the system and credited with the logged action.</p>

System Preference Changes

Changes made to the System Preferences tool are always logged, regardless of whether or not the **Audit Users Account Security Preference** setting is enabled.

Changes made to the System Preferences tool will be logged in the Audit Log tool:




Image 2: System Preferences Tool

First 500 records displayed. Enter search criteria to narrow the results.

Audit Log Entries				
Timestamp	Table	Action	Affected Object	Changed by
05/06/2014 15:58:04 -0500	Preference	change	SearchFieldOrder	admin
05/06/2014 15:52:34 -0500	Preference	change	SearchLimit	admin
05/01/2014 08:59:33 -0500	Preference	change	StudentAssignment	Mckenzie
01/09/2014 14:35:14 -0600	Preference	change	EnrollmentOverlap	admin
01/09/2014 14:19:40 -0600	Preference	change	BoundaryWarn	admin
01/09/2014 14:13:47 -0600	Preference	change	StudentAssignment	admin
11/07/2013 12:57:32 -0600	Preference	change	GPA Digits	admin
09/27/2013 13:00:19 -0500	Preference	change	StudentAssignment	admin
09/09/2013 13:41:58 -0500	Preference	change	RaceEthnicityRequirement	AITsAllCs
09/09/2013 13:41:48 -0500	Preference	change	RaceEthnicityRequirement	AITsAllCs
09/09/2013 13:41:34 -0500	Preference	change	RaceEthnicityRequirement	AITsAllCs
09/09/2013 13:41:23 -0500	Preference	change	RaceEthnicityRequirement	AITsAllCs
09/06/2013 09:12:32 -0500	Preference	change	DefaultHealthConditions	AITsAllCs
09/06/2013 09:12:31 -0500	Preference	change	FlagableHealthConditions	AITsAllCs
09/06/2013 03:06:47 -0500	Preference	change	RaceEthnicityRequirement	AITsAllCs
09/06/2013 03:06:46 -0500	Preference	change	RaceEthnicityRequirement	AITsAllCs

Preference		
Timestamp: 05/06/2014 15:58:04 -0500	Area: Preference	Type: change
Preference name: SearchFieldOrder	Changed By: admin	
Property Name: value	Existing Value: after	New Value: before

Image 3: Sample Audit Log Entry of System Preferences Tool Change

The following information is logged in the audit record:

Audit Information	Description
Timestamp	The date and time of the logged action.
Preference Name	The system preference that was changed. This field will show the database column name of the system preference, rather than the field name displayed in the interface.
Property Name	This field will display "Value" for system preference changes.
Area	General category of the audit. Changes to system preferences will display a value of "Preference" for this area.
Changed By	The name of the user who was logged in at the time of the update.
Existing Value	The value of the system preference BEFORE the change (old value).
Type	The type of update made to the system preference. System Preference changes will be logged as "changes."
New Value	The value of the system preference AFTER the change (new value).

User Account Changes

Before the complete functionality of the View Audit Log tool can be fully utilized for this area, the Audit Users System Preference must be enabled.

Changes made to an individual user's account, group memberships, tool rights, or calendar rights are logged by the auditing tool.

User Account Tab

The View Audit Log tool tracks changes to settings on an individual's User Account.




Image 4: User Account Tab

View Audit Log

First 500 records displayed. Enter search criteria to narrow the results.

Timestamp	Table	Action	Affected Object	Changed by
05/13/2010 08:52:47 -0500	UserAccount	change	UserName	admin
05/13/2010 08:47:23 -0500	UserToolRights	add	UserName, Medication Summary	admin
05/13/2010 08:47:23 -0500	UserToolRights	add	UserName, Health Office Visit	admin
05/13/2010 08:47:23 -0500	UserToolRights	add	UserName, Health Condition	admin
05/13/2010 08:47:23 -0500	UserToolRights	add	UserName, Immunizations	admin
05/13/2010 08:47:23 -0500	UserToolRights	add	UserName, Immunization Batch	admin

User Account			
Timestamp: 05/13/2010 08:52:47 -0500	Area: UserAccount	Type: change	
User name: UserName	Changed By: admin		
Property Name: disable	Existing Value: false	New Value: true	

Image 5: Example Audit Log Entry for User Account Change (Individual User)

The following information is logged in the audit record:

Audit Information	Description
Timestamp	The date and time of the logged action.
User Name	Name of the user for whom the account settings were changed.
Property Name	<p>This field only appears if the update is a change.</p> <p>The user account setting(s) that changed.</p> <p>This field will show the database column name for the user account setting, rather than the field name displayed in the interface.</p>
Area	General category of the audit. Changes to user accounts will display a value of "UserAccount."
Changed By	The name of the user who was logged in at the time of the update.
Existing Value	<p>This field only appears if the update changes an existing account setting.</p> <p>The value of the user account setting BEFORE the change (old value).</p>
Type	<p>The type of update made to the user account/setting: add, change or delete.</p> <ul style="list-style-type: none"> • Add - will appear when a new user account is created. • Change - will appear when a change is made to any setting on an existing account. • Delete - will appear when an existing account is deleted.

Audit Information	Description
New Value	<p>This field only appears if the update changes an existing account setting.</p> <p>The value of the user account setting AFTER the change (new value).</p>

User Groups (Individual User)

Changes made to an individual's user group memberships are tracked by the View Audit Log tool.

Modifications to a user's Product Security Role are also listed as a UserGroupMember change. Product Security Roles are listed by their name in all caps.

▶ [Click here to expand...](#)

The screenshot shows the 'User Account Administration' page for a user named Terri. The breadcrumb trail is 'User Management > User Account Administration > User Account'. The user's name 'Terri' is displayed with a dropdown arrow, along with fields for 'Staff #' and 'DOB'. The main section is titled 'User Groups' and is divided into two panes: 'Search and Add User Groups' and 'Current Group Membership'. The 'Search and Add User Groups' pane contains a search box and a list of user groups. The group '+1 Calendar - Arthur Elem' is highlighted with a blue border. A red arrow points from this group to the 'User Groups' header. The 'Current Group Membership' pane shows a list of current memberships, including '-1 Calendar - Arthur Elem' and '-1 Calendar - Harrison HS'. At the bottom of the interface, there are several buttons: 'Save', 'Close', 'Delete', 'Login As User', 'Reset Password', 'Reset Account Settings', and 'Log and Summaries'.

Image 6: Individual User's Membership in User Groups

Audit Log Entries				
Timestamp	Table	Action	Affected Object	Changed by
05/13/2010 10:20:08 -0500	UserGroupMember	add	UserName, Health Staff	admin
05/13/2010 08:52:47 -0500	UserAccount	change	UserName	admin
05/13/2010 08:47:23 -0500	UserToolRights	add	UserName, Medication Summary	admin
05/13/2010 08:47:23 -0500	UserToolRights	add	UserName, Health Office Visit	admin
05/13/2010 08:47:23 -0500	UserToolRights	add	UserName, Reports	admin
05/13/2010 08:47:23 -0500	UserToolRights	add	UserName, Immunizations	admin

UserGroupMember		
Timestamp: 05/13/2010 10:20:08 -0500	Area: UserGroupMember	Type: add
User name: UserName	Changed By: admin	
Group name: Health Staff		

Image 7: Example Audit Log Entry for Additional User Group Membership (Individual User)

The following information is logged in the audit record:

Audit Information	Description
Timestamp	The date and time of the logged action.
User Name	Name of the user for whom a user group membership was added/removed.
Group Name	The name of the user group to which the user was added/removed. <div style="border: 1px solid #add8e6; padding: 5px; background-color: #e6f2ff;"> This field will show the database column name for the tool right, rather than the field name displayed in the interface. </div>
Area	General category of the audit. Changes to user group memberships will display a value of "UserGroupMember" for this area.
Changed By	The name of the user who was logged in at the time of the update.
Type	The type of action made to the user's group memberships: <ul style="list-style-type: none"> • Add - will appear if the user was granted membership to the user group. • Delete - will appear if the user's membership from the user group was removed.

Tool Rights (Individual User)

The View Audit Log tool also tracks changes to an individual's tool rights.




Image 8: User Tool Rights




Image 9: Example Audit Log Entry for Added Tool Rights (Individual User)

The following information is logged in the audit record:

Audit Information	Description
Timestamp	The date and time of the logged action.
User Name	Name of the user for whom the tool rights were changed.
Tool Name	The tool right that was added/removed from the user.

This field will show the database column name for the tool right, rather than the field name displayed in the interface.

Audit Information	Description
Area	General category of the audit. Changes to user tool rights will display a value of "UserToolRights" for this area.
Changed By	The name of the user who was logged in at the time of the update.
Type	<p>The type of update made to the user's tool rights: add or delete.</p> <ul style="list-style-type: none"> • Add - will appear if the tool rights box is checked and the user is granted rights to the tool. • Delete- will appear if the tool rights box is unchecked and the tool rights are removed from the user. <div style="border: 1px solid #add8e6; padding: 5px; margin-top: 10px;"> <p>When rights to a module are added/removed, the audit log will contain an add/delete entry for each sub-right affected.</p> </div>

Calendar Rights (Individual User)

Changes made to an individual's calendar rights are tracked.

User Account ☆

Terri Staff #: DOB:

[User Management](#) > [User Account Administration](#) > [User Account](#)

Access Information

Failed Login Attempts: 0

[Reset Login Attempts](#)

Password Last Changed By: Unavailable

Last Login Timestamp: 01/10/2019 10:33

Modified By: 01/01/1901 00:00

Created Timestamp: 01/01/1901 00:00

User Groups +

Individual Tool Rights +

Individual Calendar Rights -

Year ↓	School	Calendar	Modify Rights	Close School Months	
19-20	All Schools	All Calendars	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Delete
Add Row					

[Save](#) [Close](#) [Delete](#)

[Login As User](#) [Reset Password](#) [Reset Account Settings](#)

[Log and Summaries](#)

Image 10: Calendar Rights

Audit Log Entries				
Timestamp	Table	Action	Affected Object	Changed by
05/13/2010 15:00:58 -0500	UserSchoolYearRights	change	UserName, 2010, Steep Falls Elementary School	admin
05/13/2010 10:33:34 -0500	UserGroupToolRights	delete	Teacher, Data Warehouse: Allow live data as source	admin
05/13/2010 10:20:08 -0500	UserGroupMember	add	UserName, Health Staff	admin
05/13/2010 08:52:47 -0500	UserAccount	change	UserName	admin

UserSchoolYearRights		
Timestamp: 05/13/2010 15:00:58 -0500	Area: UserSchoolYearRights	Type: change
User name: UserName	Changed By: admin	
End year: 2010		
School: Steep Falls Elementary School		
Property Name: schoolID	Existing Value:	New Value: 4

Image 11: Example Audit Log Entry for Calendar Rights Change (Individual User)

The following information is logged in the audit record:

Audit Information	Description
Timestamp	The date and time of the logged action.
User Name	Name of the user for whom the calendar rights were added, changed, or deleted.
End Year	The last year of the school year to which rights were added, changed, or deleted (e.g., the end year of 2009-10 school year is 2010).
School	School for which the calendar rights were added, changed, or deleted.
Property Name *	<p>This field only appears if the update is a change.</p> <p>The specific calendar element(s) that changed.</p> <p>This field will show the database column name for the tool right, rather than the field name displayed in the interface.</p>
Area	General category of the audit. Changes to a user's calendar rights will display a value of "UserSchoolYearRights" for this area.
Changed By	The name of the user who was logged in at the time of the update.
Existing Value*	<p>This field only appears if the update is a change.</p> <p>The value of the user's calendar rights BEFORE the change (old value).</p>
Type	<p>The type of update made to the user's calendar rights: add, change or delete.</p> <ul style="list-style-type: none"> • Add - indicates the user was granted rights to a new calendar. • Change - indicates the user's existing calendar rights were changed. • Delete - Indicates the user's rights to a calendar were removed.

Audit Information	Description
New Value*	<p>This field only appears if the update is a change.</p> <p>The value of the user account setting AFTER the change (new value).</p>

User Group Changes

Before the complete functionality of the View Audit Log tool can be fully utilized for this area, the Audit Users System Preference must be enabled.

User Group Tab

Changes made to a user group tab are tracked.




Image 12: User Group Tab

Audit Log Entries				
Timestamp	Table	Action	Affected Object	Changed by
05/14/2010 13:54:32 -0500	UserGroup	change	Title One/LEP	admin
05/14/2010 12:39:52 -0500	UserSchoolYearRights	add	UserName, 2010, Bonny Eagle Alternative Ed	admin
05/13/2010 15:00:58 -0500	UserSchoolYearRights	change	UserName, 2010, Steep Falls	admin
05/13/2010 10:33:34 -0500	UserGroupToolRights	delete	Teacher, Report Builder	admin
05/13/2010 10:33:34 -0500	UserGroupToolRights	delete	Teacher, Data Export	admin

UserGroup		
Timestamp: 05/14/2010 13:54:32 -0500	Area: UserGroup	Type: change
Group Name: Title One/LEP	Changed By: admin	
Property Name: name	Existing Value: Title One	New Value: Title One/LEP

Image 13: Example Audit Log Entry for User Group Change (User Group)

The following information is logged in the audit record:

Audit Information	Description
Timestamp	The date and time of the logged action.
Group Name	The name of the user group that was added, changed, or deleted.
Property Name *	<p data-bbox="379 405 1433 490">This field only appears if the user group is changed.</p> <p data-bbox="379 524 1007 557">The specific user group element(s) that changed.</p> <p data-bbox="379 562 1433 685">This field will show the database column name for the tool right, rather than the field name displayed in the interface.</p>
Area	General category of the audit. Changes to user groups will display a value of "UserGroup" for this area.
Changed By	The name of the user who was logged in at the time of the update.
Existing Value*	<p data-bbox="379 887 1433 972">This field only appears if the update is a change.</p> <p data-bbox="379 1005 1267 1039">The value of the user account setting BEFORE the change (old value).</p>
Type	<p data-bbox="379 1059 1235 1093">The type of update made to the user group: add, change or delete.</p> <ul data-bbox="411 1099 1362 1207" style="list-style-type: none"> • Add - will appear when a new user group is created. • Change - will appear when a change is made to an existing user group. • Delete - will appear when an existing user group is deleted.
New Value*	<p data-bbox="379 1252 1433 1337">This field only appears if the update is a change.</p> <p data-bbox="379 1370 1251 1404">The value of the user group element AFTER the change (new value).</p>

Tool Rights (User Group)

Changes made to a user group's tool rights are tracked.




Image 14: User Group Tool Rights




Image 15: Example Audit Log Entry for Removal of Tool Rights (User Group)

The following information is logged in the audit record:

Audit Information	Description
Timestamp	The date and time of the logged action.
Group Name	Name of the user group for whom the tool rights were changed.

Audit Information	Description
Tool Name	The tool right that was added/removed from the group. <div style="border: 1px solid #add8e6; padding: 5px; margin-top: 10px;"> This field will show the database column name for the tool right, rather than the field name displayed in the interface. </div>
Area	General category of the audit. Changes to group tool rights will display a value of "UserGroupToolRights" for this area.
Changed By	The name of the user who was logged in at the time of the update.
Type	The type of update made to the group's tool rights: add or delete. <ul style="list-style-type: none"> Add - will appear if the tool rights box is checked and the user group is allowed rights to the tool. Delete - will appear if the tool rights box is unchecked and the rights are removed from the user group. <div style="border: 1px solid #add8e6; padding: 5px; margin-top: 10px;"> When rights to an entire module are added/removed, the audit log will contain an add/delete entry for each sub-right affected (<i>e.g.</i>, if rights to the Health module are added, sub-rights to the health office tools and report will be added as individual entries for the user group within the audit log). </div>

Calendar Rights (User Group)

Changes made to a user group's calendar rights are tracked.




Image 16: User Group Calendar Rights

Audit Log Entries				
Timestamp	Table	Action	Affected Object	Changed by
05/17/2010 08:51:45 -0500	UserGroupSchoolYearRights	change	Title One/LEP, 2010, Bonny Eagle High School	admin
05/17/2010 08:47:27 -0500	UserGroupSchoolYearRights	add	Title One/LEP, 2011, Bonny Eagle High School	admin
05/13/2010 10:33:34 -0500	UserGroupToolRights	delete	Teacher, User Group Filters	admin
05/13/2010 10:33:34 -0500	UserGroupToolRights	delete	Teacher, User Group Formats	admin

UserGroupSchoolYearRights		
Timestamp: 05/17/2010 08:51:45 -0500	Area: UserGroupSchoolYearRights	Type: change
Group name: Title One/LEP	Changed By: admin	
End year: 2010		
School: Bonny Eagle High School		
Property Name: endYear	Existing Value: 2011	New Value: 2010
Property Name: calendarID	Existing Value: 114	New Value:
Property Name: modifyRights	Existing Value: true	New Value: false

Image 17: Example Audit Log Entry for Calendar Rights Change (User Group)

The following information is logged in the audit record:

Audit Information	Description
Timestamp	The date and time of the logged action.
User Name	Name of the user group for which the calendar rights were added, changed, or deleted.
End Year	The last year of the school year to which rights were added, changed, or deleted (e.g., the end year of 2009-10 school year is 2010).
School	School for which the calendar rights were added, changed, or deleted.
Property Name *	<p>This field only appears if the update is a change.</p> <p>The specific calendar element(s) that changed.</p> <p>This field will show the database column name for the tool right, rather than the field name displayed in the interface.</p>
Area	General category of the audit. Changes to a group's calendar rights will display a value of "UserSchoolYearRights" for this area.
Changed By	The name of the user who was logged in at the time of the update.
Existing Value*	<p>This field only appears if the update is a change.</p> <p>The value of the group's calendar rights BEFORE the change (old value).</p>

Audit Information	Description
Type	The type of update made to the group's calendar rights: add, change, or delete. <ul style="list-style-type: none"> • Add - indicates the group was granted rights to a new calendar. • Change - indicates the group's existing calendar rights were changed. • Delete - Indicates the group's rights to a calendar were removed.
New Value*	<div style="background-color: #e1f5fe; padding: 5px; border: 1px solid #ccc;"> This field only appears if the update is a change. </div> <p>The value of the user group setting AFTER the change (new value).</p>

Technical Information

Three database tables are used to hold audited data:

- *AuditLogEntry*
- *AuditLogEntryDescription*
- *AuditLogEntryDetail*