

Response Type Setup

Last Modified on 06/09/2026 11:38 am CDT

Tool Search: Response Type

Behavior Response Types are assigned to behavior incidents that require approved personnel to administer a restraint.

Response Types ☆

Behavior > Settings > Response Types

Save
Delete
New
Active Response Types ▾

Behavior Response Type Editor				
Code	Name	Type	Start Date	End Date
414	Hold	Mechanical Restraint	11/30/2015	
410	Physical Restraint	Physical Restraint	07/31/2013	
412	Restraint (Hands)	Physical Restraint	04/06/2015	
411	Seclusion - Isolated Room	Seclusion	07/31/2013	
409	Soft Limb Restraints	Physical Restraint	04/20/2015	

Behavior Response Type Detail

School
Harrison High

Code

*Name

*Type

*Start Date

End Date

See the [Behavior Settings Tool Rights](#) article for information on available tool rights.

Response Type Field Descriptions

Field	Definition
School	Displays the school selected in the Campus toolbar to which this response applies. If no school is selected in the Campus toolbar, the code applies to all schools in the district (editor displays District Wide).
Code	School- or district-assigned code associated with the response.

Field	Definition
Name <i>Required</i>	Displays the name of the response.
Type <i>Required</i>	Selection indicates the kind of response: <ul style="list-style-type: none"> • R: Restraint • S: Seclusion • O: Other
Start Date <i>Required</i>	Entered date reflects when the response type was created and/or could be used at the school building/district. Dates can be entered in <i>mmddyy</i> format or selected by clicking the calendar icon.
End Date	Entered date reflects when the response type was no longer used at the school building/district. Dates can be entered in <i>mmddyy</i> format or selected by clicking the calendar icon.

Active and Inactive Response Types

Response types are assigned to behavior incidents for specific reasons. These reasons might change with state regulations and staff certifications. Response types, like event types and resolution types, cannot be deleted from Campus once they have been assigned to students. For that reason, response types can be marked as Inactive, indicating that new behavior incidents cannot be assigned to inactive response types, but those that have been assigned to them will not be modified.

An inactive response type contains an End Date that occurred before the current date. End dates can be assigned to response types at any time, and be assigned to students at any time if that date is ended in the future. Response types display on the Inactive editor when that end date has passed.

In the example below, the current date is between January 1 and April 30, which means the highlighted response is still active and can be assigned. It is also still viewable on the Active Response Type editor.

Response Types ☆

Behavior > Settings > Response Types

+ New Active Response Types ▾

Behavior Response Type Editor				
Code	Name	Type	Start Date	End Date
414	Hold	Mechanical Restraint	11/30/2015	
410	Physical Restraint	Physical Restraint	07/31/2013	
412	Restraint (Hands)	Physical Restraint	04/06/2015	
409	Soft Limb Restraints	Physical Restraint	01/01/2019	12/30/2019

Any response type that is inactive, meaning the end date has passed, displays on the Inactive Response Type editor. These response types can be viewed, but no changes can be made. Notice that the fields in the Detail editor below are grayed out and cannot be modified.

Response Types ☆

Behavior > Settings > Response Types

Save Delete + New Inactive Response Types ▾

Active Response Types

Behavior Response Type Editor				
Code	Name	Type	Start Date	End Date
408	Seclusion - Counselor's Office	Seclusion	07/31/2013	08/04/2015
413	Seclusion - Home Room	Seclusion	08/07/2015	01/31/2016
411	Seclusion - Isolated Room	Seclusion	07/31/2013	12/02/2019
409	Seclusion - Principal's Office	Seclusion	07/31/2013	08/08/2014

Behavior Response Type Detail

School
Harrison High

Code
408


*Name
Seclusion - Counselor's Office

*Type
S: Seclusion ▾

*Start Date
07/31/2013

End Date
08/04/2015

Any active response type can be updated, if needed. If that response type has been assigned to students, the change will be reflected on that record. In the image below, the Hold response is being updated to be Hold 123. Because the Hold response has been assigned to a student, any change made to the response type will affect the existing behavior response record.



Create Response Types

The code and name combination of response types must be unique. Duplicate names and codes cannot be saved.

1. Verify the correct school is chosen in the Campus toolbar if the response is associated with a specific school; or, verify no school is selected to create district-wide response types.
2. Select the **New** icon from the action bar. A **Behavior Response Type Detail** editor displays.
3. Enter the **Code** for the response type.
4. Enter the **Name** of the response.
5. Select the appropriate **Type** from the dropdown list.
6. Enter the **Start Date** of the response.
7. If desired, enter an **End Date** for the response.
8. Click the **Save** icon.

Repeat as needed to create all of the response types that may be used in the district/school.

Edit Response Types

To modify existing response types, select the appropriate option from the Response Editor. Make the necessary changes and click the **Save** icon when finished.

Any change made to a response type already assigned to a student will be modified for that assignment.

Delete Response Types

Response types should only be deleted if they were created in error or will not be assigned to a student. If a response type has been assigned to a student but is no longer used, it should be **inactivated**.

Highlight the response type to delete in the editor. Click the **Delete** icon. A warning message appears indicating it will be permanently removed. If this is desired, click **OK** to continue. Otherwise, click the **Cancel** button.

