


Student Discipline and Health Related Exclusion (Maryland)

Last Modified on 01/17/2025 9:15 am CST

Tool Search: Student Discipline and Health Related Exclusion

[Report Logic](#) | [Report Editor Fields](#) | [Report Elements](#)

The Student Discipline and Health Related Exclusion extract reports discipline incidents associated with a state-coded disposition.



Student Discipline and Health Related Exclusion Editor

Report Logic

- This extract reports Behavior Incidents with a state-coded resolution and incident dates between July 1st and June 30th of the reporting year.
- All incidents with a state-coded resolution report, regardless of whether or not they occur on the same date.
- If an incident contains multiple events, only the most serious event in which the student participated is reported. This is based on the event being marked as Most Severe. If multiple events have Most Severe marked or no events have it marked, the lowest event ID event reports.
- Offense Codes 001 (Immunization) and 002 (Personal health), report from the student's attendance. The student must be absent for the entire day and have the Role "Offender" to report.

Title I Determination Logic

- If the student has an active Title1 Flag with a state code of T1 and is marked as state reported as of the incident date Y reports, proceed to the following logic.
- If the student has a value in the home school field on their enrollment AND there is a school in the district with that state school code, then Campus finds the school record that falls as of the end date in the extract editor and reports the value from the Title 1 field on that school.

Code in School	Description	Reports
TGELGBNOPROG	Targeted Assistance Eligible - No Program	N
TGELGBTGPROG	Targeted Assistance Program	N
SWELIGTGPROG	School-wide Eligible - Targeted Assistance	N
SWELIGNOPROG	School-wide Eligible- No Program	N
SWELIGSWPROG	School-wide Program	Y
NOTTITLE1ELIG	Not a Title I School	N

- If all values are null, **N** reports.

Absent Calculation for 001 and 002 Offense Codes

The following logic applies if the student does NOT have an FTE override filled out on their enrollment.

- Campus calculates the total number of absences for the reporting period based on the values found in the Whole Day and Half Day fields (see [Calendar Information](#)). Absences are defined by any attendance code tied to a state code of **17** or **99**.

The following logic applies if the student HAS a value in the FTE override field on their enrollment.

Step	Action
1	Campus finds the student's FTE on their enrollment.
2	Campus finds the number of student day minutes from the calendar.
3	Campus multiplies the number of student day minutes by the FTE.

Step	Action												
4	<p>Campus divides the number of minutes the student was absent by the product from number 3. Absences are defined by any attendance code tied to a state code of 17 or 99.</p> <table border="1"> <thead> <tr> <th>Percent Absent</th> <th>Absent Value</th> <th>Attendance Value</th> </tr> </thead> <tbody> <tr> <td>0-33</td> <td>0</td> <td>1</td> </tr> <tr> <td>34-66</td> <td>.5</td> <td>.5</td> </tr> <tr> <td>67-100</td> <td>1</td> <td>0</td> </tr> </tbody> </table>	Percent Absent	Absent Value	Attendance Value	0-33	0	1	34-66	.5	.5	67-100	1	0
Percent Absent	Absent Value	Attendance Value											
0-33	0	1											
34-66	.5	.5											
67-100	1	0											

Report Editor Fields

Field	Description
Run Date	This date populates the Submission Date field on the extract.
Date Range	<p>The report can be run to only include data with a date range.</p> <ul style="list-style-type: none"> By default, the date range start date is July 1 of the reporting year. By default, the date range end date is June 30th of the reporting year. The End Date cannot exceed June 30th of the reporting year.
Choose Grades	Only active grade levels from schools during the report date range display.
Ad Hoc Filter	Ad Hoc Filters are available for you to narrow the report results.
Format	<p>Determines how the report will be generated.</p> <ul style="list-style-type: none"> State Format (Fixed Width) <u>CSV</u> HTML
Exclude Cross-Site Data	<p>Cross-site section enrollment data is not included in the report when checked.</p> <ul style="list-style-type: none"> <u>Cross-site enrollment</u> functionality must be enabled at the district level for the checkbox to display. Defaults to checked.

Field	Description
Select Schools	The School(s) from which data is pulled for the report. The extract editor excludes schools that were not active during the report date range. Schools must have at least one instructional day on/after the start date OR on/before the end date of the report Date Range to appear in the Select Schools list.
Generate Report Submit to Batch	Users can submit the report request to the batch queue by clicking Submit to Batch instead of Generate Extract . This process allows larger reports to be generated in the background without disrupting Campus. See the Batch Queue article for more information about submitting a report to the batch queue.

Report Elements

Element	Logic	Campus Interface
LEA Number	The two-digit state designation of the local education agency (LEA). Numeric, 2 digits	District Information > State District Number
School Number	The home school number from the student's enrollment as of the Incident Date. If the home school number is null, the school number on the school table tied to the enrollment reports. Numeric, 4 digits	School Information > State School Number
State Assigned Student ID (SASID)	The student's state-assigned ID number. Numeric, 10 digits	Demographics > Student State ID
Local Student ID Number	The student's LEA-assigned ID number. Numeric, 10 digits	Demographics > Student Number
Last Name	The student's last name. Reports the last name from the current Identity record. Legal Last Name reports. If Legal Last Name is null, the Last Name reports. Alpha, 25 characters	Identities > Current Identity > Legal Last Name or Last Name
First Name	The student's first name. Reports the first name from the current Identity record. Legal First Name reports. If Legal First Name is null, the First Name reports. Alpha, 15 characters	Identities > Current Identity > Legal First Name or First Name

Element	Logic	Campus Interface
Middle Name	<p>The student's middle name. Reports the middle name from the current Identity record. Legal Middle Name reports. If the Legal Middle Name is null, the Middle Name reports.</p> <p>Alpha, 15 characters</p>	<p>Identities > Current Identity > Legal Middle Name or Middle Name</p>
Generational Suffix	<p>The suffix associated with the student's name. Reports the suffix from the current Identity record. Legal Suffix reports if the Legal First Name and Legal Name are not null. Suffix reports if the Legal First Name and Legal Middle Name are null.</p> <p>Alpha, 3 characters</p>	<p>Identities > Current Identity > Legal Suffix or Suffix</p>
Preferred Name	<p>An alternative first name preferred by the student.</p> <p>Alphanumeric, 15 characters</p>	<p>Identities > Current Identity > Preferred Name</p>
Date of Birth	<p>The student's date of birth.</p> <p>Date field, 8 characters YYYYMMDD</p>	<p>Identities > Current Identity > Date of Birth</p>
Grade	<p>The student's grade level.</p> <p>Numeric, 2 digits</p>	<p>Enrollments > Grade</p>
Gender	<p>The student's gender. 1 = Male 2 = Female X: Non-Binary Reports the gender from the current Identity record. Legal Gender reports. If Legal Gender is null, Gender reports.</p> <p>Numeric, 1 digit</p>	<p>Identities > Current Identity > Legal Gender or Gender</p>

Element	Logic	Campus Interface
Hispanic or Latino Ethnicity	<p>Indicates whether the student is considered Hispanic/Latino. If the Is the individual Hispanic/Latino? field = Yes, Y reports. Otherwise, N reports.</p> <p>Alpha, 1 character Y or N</p>	Demographics > Race Ethnicity > Is the individual Hispanic/Latino?
American Indian or Alaska Native	<p>Indicates whether the person has origins in any of original peoples of North and South America (including Central America) and who maintains cultural identification through tribal affiliation or community attachment.</p> <p>1 = Yes 0 = No or Null</p> <p>Alpha, 1 character</p>	Demographics > Race/Ethnicity > American Indian or Alaska Native
Asian	<p>Indicates whether the person has origins in any of original peoples of the Far East, Southeast Asia, or the Indian Subcontinent. This area includes Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, Philippine Islands, Thailand, and Vietnam.</p> <p>2 = Yes 0 = No or Null</p> <p>Alpha, 1 character</p>	Demographics > Race/Ethnicity > Asian
Black or African American	<p>Indicates whether the person has origins in any of the black racial groups of Africa.</p> <p>3 = Yes 0 = No or Null</p> <p>Alpha, 1 character</p>	Demographics > Race/Ethnicity > Black or African American
Native Hawaiian or Other Pacific Islander	<p>Indicates whether the person has origins in any of original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.</p> <p>4 = Yes 0 = No or Null</p> <p>Alpha, 1 character</p>	Demographics > Race/Ethnicity > Native Hawaiian or Other Pacific Islander

Element	Logic	Campus Interface										
White	<p>Indicates whether the person has origins in any of original peoples of Europe, Middle East, or North Africa.</p> <p>5 = Yes 0 = No or Null</p> <p>Alpha, 1 character</p>	<p>Demographics > Race Ethnicity > White</p>										
Homelessness Status	<p>Indicates whether the student lacks a fixed, regular, and adequate nighttime residence.</p> <p>Alpha, 1 character Y or N</p>	<p>Enrollments > State Reporting Fields > Homeless</p>										
Title I Indicator	<p>Indicates whether the student participated in a Title 1 program.</p> <p>See the Title I Determination Logic for more information.</p> <p>Alpha, 1 character</p>	<p>School Information > Title 1 and Enrollments > State Reporting Fields > Title 1 OR School Information > Title 1 = School wide program</p>										
Free/Reduced Price Meals	<p>Indicates if the student receives free/reduced price meals.</p> <p>If the Migrant element reports Y, then this field reports F.</p> <p>Otherwise, the field reports from the FRAM record as of the end date entered on the extract editor.</p> <table border="1" data-bbox="419 1310 839 1630"> <thead> <tr> <th data-bbox="419 1310 692 1379">Eligibility</th> <th data-bbox="692 1310 839 1379">Reports</th> </tr> </thead> <tbody> <tr> <td data-bbox="419 1379 692 1442">Free</td> <td data-bbox="692 1379 839 1442">F</td> </tr> <tr> <td data-bbox="419 1442 692 1505">Reduced</td> <td data-bbox="692 1442 839 1505">R</td> </tr> <tr> <td data-bbox="419 1505 692 1568">Non-Reimbursable</td> <td data-bbox="692 1505 839 1568">N</td> </tr> <tr> <td data-bbox="419 1568 692 1630">Paid</td> <td data-bbox="692 1568 839 1630">N</td> </tr> </tbody> </table> <p>Alpha, 1 character</p>	Eligibility	Reports	Free	F	Reduced	R	Non-Reimbursable	N	Paid	N	<p>Eligibility > Eligibility</p>
Eligibility	Reports											
Free	F											
Reduced	R											
Non-Reimbursable	N											
Paid	N											
Migrant	<p>Indicates whether the student is a migrant.</p> <p>Alpha, 1 character</p>	<p>Enrollment > State Reporting Fields > Migrant</p>										

Element	Logic	Campus Interface				
<p>Foreign Exchange Student</p>	<p>Indicates whether the student is a foreign exchange student.</p> <p>If the student is in grade 9-12 as of the end date selected on the extract editor, Y reports if the Foreign Exchange record is Y, J1, or F1. Otherwise, N reports.</p> <p>If the student is not in grades 9-12, N reports.</p> <p>Alpha, 1 character Y or N</p>	<p>Enrollment > State Reporting Fields > Foreign Exchange</p>				
<p>Special Education</p>	<p>Indicates the student's special education services.</p> <p>Values are reported as of the Effective Date entered on the extract editor.</p> <table border="1" data-bbox="419 840 1043 1433"> <thead> <tr> <th data-bbox="419 840 536 904">Value</th> <th data-bbox="536 840 1043 904">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="419 904 536 1433"> <p>2</p> </td> <td data-bbox="536 904 1043 1433"> <p>The student is in Code 504.</p> <p>2 reports when the student has an active 504 record with a Start Date before the extract editor End Date and one of the following:</p> <ul style="list-style-type: none"> • 504 End Date is NULL OR • 504 End Date is after the extract editor End Date <p>AND the student does not flag as E or 3</p> <p>Students do NOT need an IEP to report as a 2.</p> </td> </tr> </tbody> </table>	Value	Description	<p>2</p>	<p>The student is in Code 504.</p> <p>2 reports when the student has an active 504 record with a Start Date before the extract editor End Date and one of the following:</p> <ul style="list-style-type: none"> • 504 End Date is NULL OR • 504 End Date is after the extract editor End Date <p>AND the student does not flag as E or 3</p> <p>Students do NOT need an IEP to report as a 2.</p>	<p>Enrollment > Special Ed Fields > Special Ed Status</p>
Value	Description					
<p>2</p>	<p>The student is in Code 504.</p> <p>2 reports when the student has an active 504 record with a Start Date before the extract editor End Date and one of the following:</p> <ul style="list-style-type: none"> • 504 End Date is NULL OR • 504 End Date is after the extract editor End Date <p>AND the student does not flag as E or 3</p> <p>Students do NOT need an IEP to report as a 2.</p>					

Element	Logic	Description	Campus Interface
	3	<p>The student has exited special education services and has been placed in Code 504.</p> <p>3 reports when the student has a 504 flag that meets all of the following</p> <ul style="list-style-type: none"> • Active as of extract editor End Date • Start Date is after special ed exit Date <p>AND</p> <ul style="list-style-type: none"> • The most recent locked IEP meets ALL of the following. <ul style="list-style-type: none"> ◦ Special Ed Start Date that is prior to or equal to report extract editor End Date ◦ IEP Closed Date is less than or equal to the extract editor Run Date ◦ Exit code is A or J 	
	E	<p>The student has exited special education services and is not currently receiving special education services.</p> <p>E reports when</p> <ul style="list-style-type: none"> • the student's most recent IEP has a Special Ed Start Date that is prior to or equal to report extract editor End Date and the latest IEP Closed Date is less than or equal to the extract editor Run Date <p>AND</p> <ul style="list-style-type: none"> • the Exit code is A or J AND Special Ed Exit Date is before the incident date. <p>AND</p> <ul style="list-style-type: none"> • the student has no 504 record OR the student has a 504 record with a Start Date before the Special Ed Exit Date 	

Element	Logic Description	Campus Interface				
	<table border="1"> <tr> <td data-bbox="421 257 536 389">N</td> <td data-bbox="536 257 1043 389">The student does not have an IEP and is not receiving special education services.</td> </tr> <tr> <td data-bbox="421 389 536 1099">Y</td> <td data-bbox="536 389 1043 1099"> <p>The student has an IEP and is receiving special education services. Y reports when the most recent IEP has a Special Ed Start Date that is prior to or equal to the report extract editor End Date and the latest IEP Closed Date is less or equal to the extract editor Run Date AND meets one of the following:</p> <ul style="list-style-type: none"> • Exit code is null OR • Exit code is not Null and is not A or J Or • Exit code is A or J AND Special Ed Exit Date after the report End Date </td> </tr> </table> <p>Alphanumeric, 1 character</p>	N	The student does not have an IEP and is not receiving special education services.	Y	<p>The student has an IEP and is receiving special education services. Y reports when the most recent IEP has a Special Ed Start Date that is prior to or equal to the report extract editor End Date and the latest IEP Closed Date is less or equal to the extract editor Run Date AND meets one of the following:</p> <ul style="list-style-type: none"> • Exit code is null OR • Exit code is not Null and is not A or J Or • Exit code is A or J AND Special Ed Exit Date after the report End Date 	
N	The student does not have an IEP and is not receiving special education services.					
Y	<p>The student has an IEP and is receiving special education services. Y reports when the most recent IEP has a Special Ed Start Date that is prior to or equal to the report extract editor End Date and the latest IEP Closed Date is less or equal to the extract editor Run Date AND meets one of the following:</p> <ul style="list-style-type: none"> • Exit code is null OR • Exit code is not Null and is not A or J Or • Exit code is A or J AND Special Ed Exit Date after the report End Date 					
Special Education End Date	<p>The date on which special education services ended. This date reports from the most recent IEP as of the Effective Date entered on the extract editor.</p> <p>Date field, 8 characters YYYYMMDD</p>	Special Ed Documents > IEP > Special Ed Exit Date				

Element	Logic	Campus Interface
<p>Special Education Certificate</p>	<p>Indicates whether the student is on track to receive a Maryland High School Certificate of Completion. This is required if Special Education Services = Y.</p> <p>Y reports when</p> <ul style="list-style-type: none"> • the student's most recent IEP has a Special Ed Start Date before or equal to the report's End Date, AND • the IEP Closed Date is less than or equal to the report Run Date, AND • the Special Ed Certificate checkbox is selected, AND • one of the following requirements is met: <ul style="list-style-type: none"> ◦ Exit Reason is null, OR ◦ Exit Reason is not Null and is not A or J, OR ◦ Exit Code is A or J AND Special Ed Exit date equal to or after the report End Date. <p>Otherwise, N reports.</p> <p>Alphanumeric, 1 character</p>	<p>Flags</p> <p>Flags > State Program Type > State Reported (Flag is tied to state program type of certificate and State Reported checkbox is marked)</p>

Element	Logic	Campus Interface														
<p>ML Status</p>	<p>Indicates whether the student has a primary or home language other than English and has been assessed as having limited or no ability to understand, speak or read English.</p> <p>Reports the student’s most recent EL record where the Identified Date is on or before the End Date on the extract editor.</p> <table border="1" data-bbox="419 548 1042 1137"> <thead> <tr> <th data-bbox="419 548 580 651">EL Status</th> <th data-bbox="580 548 1042 651">Reports</th> </tr> </thead> <tbody> <tr> <td data-bbox="419 651 580 712">EL</td> <td data-bbox="580 651 1042 712">Y</td> </tr> <tr> <td data-bbox="419 712 580 815">Exited EL</td> <td data-bbox="580 712 1042 815">Y - (When incident date is on or before the EL Exited Date)</td> </tr> <tr> <td data-bbox="419 815 580 916">Exited EL</td> <td data-bbox="580 815 1042 916">N - (When incident date is after the EL Exited Date)</td> </tr> <tr> <td data-bbox="419 916 580 976">Not EL</td> <td data-bbox="580 916 1042 976">N</td> </tr> <tr> <td data-bbox="419 976 580 1037">Pending</td> <td data-bbox="580 976 1042 1037">N</td> </tr> <tr> <td data-bbox="419 1037 580 1137">No Record</td> <td data-bbox="580 1037 1042 1137">N</td> </tr> </tbody> </table> <p>Alpha, 1 character</p>	EL Status	Reports	EL	Y	Exited EL	Y - (When incident date is on or before the EL Exited Date)	Exited EL	N - (When incident date is after the EL Exited Date)	Not EL	N	Pending	N	No Record	N	<p>English Learners (EL) > EL > Program Status</p>
EL Status	Reports															
EL	Y															
Exited EL	Y - (When incident date is on or before the EL Exited Date)															
Exited EL	N - (When incident date is after the EL Exited Date)															
Not EL	N															
Pending	N															
No Record	N															
<p>ML Entry into the US Date</p>	<p>The date the student began EL services or entered the United States for the first time.</p> <p>If the Date Entered US field is null, the Date Entered US School reports.</p> <p>If the Date Entered US School field is null, the Identified Date from the earliest EL record reports.</p> <p>Date field, 8 characters YYYYMMDD</p>	<p>Demographics > Date Entered US School</p> <p>English Learners (EL) > EL > Identified Date</p>														
<p>ML Begin Date</p>	<p>The date when the student's ELL services started.</p> <p>Date field, 8 characters YYYYMMDD</p>	<p>English Learners (EL) > EL > Program Start Date</p>														

Element	Logic	Campus Interface
ML End Date	<p>The date when the student's ELL services ended.</p> <p>Date field, 8 characters YYYYMMDD</p>	<p>English Learners (EL) > EL > Program Exit Date</p>
ML ELA Assessment Exempt Status	<p>Indicates the student receiving ESOL services in their first year of enrollment in a U.S. school is exempt from the PARCC English/Language Arts assessment and may substitute the required state assessment with the English Language Proficiency Assessment (ACCESS for ELs 2.0). When EL Status = Y, Y reports for students in their first year of enrollment in a U.S. School, otherwise, N reports.</p> <p>Students are exempt if they are within 1 calendar year (365 days) of their first day enrolled in a US school.</p> <p>Alphanumeric, 1 character</p>	<p>English Learners (EL) > EL > Program Status</p>
Foster Care Status	<p>Indicates whether the student is in foster care.</p> <p>Y reports when the student has an active foster care record as of the report end date selected in the extract editor OR the student's enrollment end date.</p> <p>Otherwise, N reports.</p> <p>Alpha, 1 character Y or N</p>	<p>Foster Care</p>
Military Connected Indicator	<p>Indicates whether the student has a parent or guardian in the military.</p> <p>Reports the value populated:</p> <ul style="list-style-type: none"> • Reports Y for Yes. • Reports U for Unknown. • Reports N for No. <p>Otherwise, reports blank.</p> <p>Alpha, 1 character</p>	<p>Enrollments > Military Connected</p>
Filler	N/A	N/A

Element	Logic	Campus Interface
Submission Date	<p>The date the file was submitted to the MSDE. This is generated via the date entered in the Run Date field on extract editor.</p> <p>Date field, 8 characters YYYYMMDD</p>	<p>Not dynamically stored</p>
504 Indicator	<p>Indicates whether the student is 504.</p> <p>Y reports when the student has an active 504 record with a start date on or before the incident date AND has one of the following:</p> <ul style="list-style-type: none"> • 504 End Date is NULL OR • 504 End date is on or after the incident date <p>Alpha, 1 character Y or N</p>	<p>Flags > 504 with State Reported marked</p> <p>Flags > 504</p>
Disability Code	<p>Indicates the student's primary disability. The primary disability is the major category of disability under which the student needs special education services.</p> <p>The Disability Code reports from the latest IEP where the Special Ed Start Date is before or equal to the incident date and the latest IEP Closed Date for the IEP is less or equal to the extract editor run date AND meets one of the following:</p> <ul style="list-style-type: none"> • Exit code is null, OR • Exit code is not Null and is not A or J, OR • Exit code is A or J AND Special Ed Exit date after the incident date <p>Numeric, 2 digits</p>	<p>Special Ed Documents > IEP > Print Format is MD SPED Date > Detail Editor > Start Date, IEP Closed Date, Exit Code, Disability type</p>
Offense Code	<p>The code that best describes the incident in which the student was disciplined.</p> <p>The State Event Code reports. If the event is not associated with a State Event Code, the Event Code is reported. The first 3 digits of the event code report.</p> <p>Alphanumeric, 3 characters</p>	<p>Behavior > Event and Participant Details > Event Type (mapped to a State Event Code)</p>

Element	Logic	Campus Interface
Date of Offense	<p>The date on which the offense which required disciplinary action occurred.</p> <p>Date field, 8 digits YYYYMMDD</p>	<p>Behavior Management > Incident Detail Information > Date of Incident</p>
Disposition Code	<p>Indicates the action taken in response to the offense.</p> <p>The state resolution code reports if it's mapped to one of the following State Resolution Codes: 910-913, 920, 930, 940-942, 950, 960.</p> <p>If the resolution type is not mapped to a state resolution code, the local resolution code reports if the first 3 digits are 910-913, 920, 930, 940-942, 950, or 960.</p> <p>The first 3 digits of the resolution code report.</p> <p>Alphanumeric, 3 characters</p>	<p>Behavior Management > Resolution Details > Resolution Type (mapped to a State Event Code)</p>

Element	Logic	Campus Interface
<p>Length of Removal</p>	<p>The number of days the student was removed from their current placement at the time of the offense.</p> <p>The following logic applies when the Offense Code is not 001 or 002.</p> <ul style="list-style-type: none"> • The days absent report from the Duration in School Days field. • The student must be absent a minimum of a half day to report. Half-day absences report as 000.5. <p>When the Offense Code is 001 or 002 and the Disposition Code is 950, the following logic applies.</p> <ul style="list-style-type: none"> • When the student’s state attendance code is <ul style="list-style-type: none"> ◦ 17: Health Exclusion, OR ◦ 99: Immunization Absence ◦ Student’s absent minutes are calculated according to the Absent Calculation for 001 and 002 Offense Codes. • The student must be absent for 1 day to report as an offense. • 1 day absent reports as 001.0. • If the student does not have attendance tied to attendance codes 17 or 99 the event does not report. <p>Records for offense codes of 001 or 002 with a Disposition code of 950 entered in Behavior Management do not report.</p> <p>Numeric, 5 digits NNN.N</p>	<p>Behavior > Resolution Details > Duration in School Days OR Attendance Calculation</p>
<p>Physical Injury</p>	<p>Indicates if the offense resulted in physical injury.</p> <p>Alpha, 1 character</p>	<p>Behavior > Medical Services Provided</p>
<p>Type of Educational Services Provided</p>	<p>The code that best describes the type of educational services the suspended/expelled student is receiving.</p> <p>Numeric, 1 digit</p>	<p>Behavior Management > Resolution Details > Educational Services Provided</p>

