

Assessment Pre-ID Extract - DLM-AA Pre-ID Report Type (Illinois)

Last Modified on 12/14/2025 8:45 pm CST

[Report Logic](#) | [Report Editor Details](#) | [Generate the Report](#) | [Assessment Pre-ID Extract Examples](#) | [DLM-AA Pre-ID Extract Layout](#)

Tool Search: Assessment Pre-ID Extract

The DLM-AA Pre-ID Extract replaces the Illinois Alternate Assessment Extract. The DLM-AA is an adaptive computer-based assessment for students who have the most significant cognitive disabilities and is aligned to the Common Core Essential Elements in ELA and Math.

Assessment Pre-ID Extract ★

Reporting > IL State Reporting > Assessment Pre-ID Extract

IL Assessment Pre-ID Labels State Extract

This tool will extract data for the IL State-defined Assessment Pre-ID Label reports. To extract data for deprecated Pre-ID reports, select Assessment Pre-ID from the Report Type droplist, then select the desired Test ID. Choose state format to generate the file for upload to the State, otherwise choose one of the testing/debugging formats.

Extract Options

Report Type

DLM-AA Pre-ID

First Year in US School Date

07/30/2025

File Identifier

001

Effective Date

07/30/2025

Strip Apostrophes

☒

Report Protected Identities

☒

Format

Comma Separated (state format)

Choose Grades

All Grades

Kindergarten

Pre-K

1st Grade

2nd Grade

Ad Hoc Filter

CTRL-click and SHIFT-click for multiple

Generate Report

Submit to Batch

Select Calendars

Which calendar(s) would you like to include in the report?

☒ active year

☐ list by school

☐ list by year

24-25

24-25 Adams

24-25 Adams ALT SRV SCHL

24-25 Carter ALT SRV SCHL

24-25 Carter FRIDAY WALKINS

24-25 Carter Pre-K AM

24-25 Carter Pre-K Full Day

24-25 Carter Pre-K PM

24-25 Davis

24-25 Davis ALT SRV SCHL

24-25 Harrison

24-25 Harrison ALT SRV SCHL

CTRL-click or SHIFT-click to select multiple

Refresh

Show top 50

tasks submitted between

07/23/2025

and

07/30/2025

Batch Queue List

Queued Time	Report Title	Status	Download

DLM-AA Pre-ID Extract Editor

Report Logic

All students who have an active primary enrollment as of the effective date and who meet the following requirements are included in the report:

- Students must be enrolled in a State Grade of 03-12.
- The enrollment record must have the IL Alt Assessment checkbox marked.
- If more than one enrollment meets these requirements, the enrollment with the most recent start date is reported.
- Enrollments marked as No Show or State Exclude do not report.

Report Editor Details

The following fields are available for selection:

Field	Description
Report Type	Selection determines which Pre-ID Extract generates. Choose DLM-AA Pre-ID .
First Year in US School Date	Entered date returns students who were first enrolled in a US School on or after this date. It defaults to the current date, but can be modified by typing in <i>mmddyy</i> format or using the calendar icon to select a date.
File Identifier	This field is reported each time the district submits an extract. This number will default to 001 and increase sequentially.
Effective Date	The entered date is used to include students who are actively enrolled in the selected calendars as of that date.
Strip Apostrophes	When the checkbox is selected, apostrophes are removed from the first and last names in the generated report. Defaults to checked.
Report Protected Identities	When marked, student identity information (last name, first name, etc.) reports from the Protected Identity Information fields.
Format	This extract can be generated in the State Format (Comma Separated), HTML or XML. Use the State Format option after data has been reviewed for accuracy in one of the other formats.
Choose Grades	Selection indicates which grade level of enrollment will be returned in the extract. Choose All Grades to include enrollments from all grade levels.
Ad hoc Filter	Select an existing Ad hoc filter to further limit the students included. Only those students meeting the criteria of the selected Ad hoc filter and the report logic will be included in the report. If a grade level and an Ad hoc filter is selected, only students who are in the selected Grade Level and in the Ad hoc Filter will be included on the report.
Select Calendars	At least one calendar needs to be selected in order to generate the report. Calendars can be selected by the Active Year, by School or by Year. If a calendar is selected in the Campus toolbar, that calendar is automatically selected.

Field	Description
Report Generation	Use the Generate Extract button to immediately display the extract's results. For a larger data set, use the Submit to Batch button. This allows the selection of a specific time in which the extract generates (after school hours). See the Batch Queue article for more information.

Generate the Report

1. Select the **DLM-AA Pre-ID Report Type**.
2. Enter the **First Year in US School Date** in *mmddyy* format, or use the calendar icon to select a date.
3. Enter the appropriate **File Identifier**.
4. Enter an **Effective Date** in *mmddyy* format, or use the calendar icon to select a date.
5. The **Strip Apostrophes** checkbox is marked by default. It can be unmarked, but including apostrophes could negatively impact state reporting.
6. If desired, mark the **Report Protected Identities** checkbox.
7. Select the appropriate **Format** in which to generate the report.
8. Select the appropriate **Grade levels** to include on the report.
9. If necessary, select an **Ad hoc Filter**.
10. Select the appropriate **School Calendars** for which to generate this report.
11. Click the **Generate Report** button or the **Submit to Batch** button. The report will appear in a new window in the chosen format.

The report is sorted by Last Name, First Name, and State ID.

Assessment Pre-ID Extract Examples

	A	B	C	D	E	F	G	H	I
1	DLM-AA Pre-Id	13	DLMAA_310123	2/6/2015	3.10123E+14				
2	123456789	123456	Student	Allison	11/2/1996	310123000260002	310123000260002	310123000260002	1
3	234567890	234567	Student	Benson	10/12/1999	310123000260002	310123000260002	310123000260002	0
4	345678901	345678	Student	Cordelia	8/19/1998	310123000260002	310123000260002	310123000260002	0
5	456789012	456789	Student	Davis	6/21/1997	310123000260002	310123000260002	310123000260002	0
6	567890123	567890	Student	Emily	10/20/1995	310123000260002	310123000260002	310123000260002	0
7	678901234	678901	Student	Forrest	2/26/2000	310123000260002	310123000260002	310123000260002	0
8									
9									

DLM-AA Pre-ID Extract - State Format (Comma Separated)

Header Records:1

FileType	TotalRecords	FileName	FileDate	RCDTS
DLM-AA Pre-Id	13	DLMAA_31012300026_02062015_001.html	02/06/2015	310123000260000

Pre-ID Labels Record Layout Records:13

Student ID	SAP ID	Student Last Name	Student First Name	Birth Date	Home RCDTS	Serving School
123456789	123456	Student	Allison	11/02/1996	310123000260002	310123000260000
234567890	234567	Student	Benson	10/12/1999	310123000260002	310123000260000
345678901	345678	Student	Cordelia	08/19/1998	310123000260002	310123000260000
456789012	456789	Student	Davis	06/21/1997	310123000260002	310123000260000
567890123	567890	Student	Emily	10/20/1995	310123000260002	310123000260000
678901234	678901	Student	Forrest	02/26/2000	310123000260002	310123000260000
789012345	789012	Student	Gabby	11/27/1997	310123000260002	310123000260000

Assessment Pre-ID Extract - HTML

```
<?xml version="1.0" encoding="UTF-8"?>
- <campusRoot>
+ <Header autoFilterDropListThreshold="50" g3PushNotificationEnabled="false" lepTab="true" accountability
  ldapAuthenticationEnabled="false" taskScheduler="false" dataImportToolEnabled="false" financeEnabled=
  refreshMinutes="5" appletGZip="false" clientIP="/10.200.20.251" isSafari="false" isGecko="true" isFF=
  campusIDEnabled="false" shoutpointEnabled="false" messengerEnabled="true" userAgent="Mozilla/5.0
  state="IL" appServer="ieApp2" appName="ieil" yearScope="2015" structureScope="473" districtScope=
  baseUrl="https://ie.infinitecampus.com/ie/">
- <ExtractStudentPreID>
  - <Extract name="Header">
    <recordd RCDTS="310083000260000" FileDate="02/18/2015" FileName="DLMAA_310083000260000">
    </Extract>
  - <Extract name="Pre-ID Labels Record Layout">
    <recordd ESOLParticipationCode="00" TestingSchoolRCDTS="310453000262001" ServingSchoolR
      SAPID="123456" StudentID="123456789" />
    <recordd ESOLParticipationCode="00" TestingSchoolRCDTS="310453000262001" ServingSchoolR
      SAPID="234567" StudentID="234567890" />
    <recordd ESOLParticipationCode="00" TestingSchoolRCDTS="310453000262001" ServingSchoolR
      SAPID="345678" StudentID="234567890" />
    <recordd ESOLParticipationCode="00" TestingSchoolRCDTS="310453000262001" ServingSchoolR
```

Assessment Pre-ID Extract - XML

DLM-AA Pre-ID Extract Layout

Data Element	Description	Type, Format, and Length	Database Location	Path
Student ID	Student ISBE-assigned student number.	Numeric, 9 digits	Person.stateID	Census > People > Demographics > Person Identifiers > State ID

Data Element	Description	Type, Format, and Length	Database Location	Path
SAP ID	Student ID number used by the school.	Numeric, 9 digits	Person.studentNumber	Census > People > Demographics > Person Identifiers > Student Number
Student Last Name	<p>Student's last name.</p> <p>When the Report Protected Identities checkbox is marked on the report editor, the student's last name reports from the Legal Last Name field if populated.</p>	Alphanumeric, 50 characters	Identity.lastName Identity.legalLastName	Census > People > Identity Information > Last Name Census > People > Identities > Protected Identity Information > Legal Last Name
Student First Name	<p>Student's first name.</p> <p>When the Report Protected Identities checkbox is marked on the report editor, the student's first name reports from the Legal First Name field if populated.</p>	Alphanumeric, 50 characters	Identity.firstName Identity.LegalFirstName	Census > People > Identity Information > First Name Census > People > Identities > Protected Identity Information > Legal First Name

Data Element	Description	Type, Format, and Length	Database Location	Path
Birth Date	Student's birthday.	Date, 10 characters mm/dd/yyyy	Identity.birthDate	Census > People > Demographics > Person Information > Birth Date
RCDTS For Home School	Combination of student's resident school and resident district numbers.	Numeric, 15 digits	Enrollment.residentSchool Enrollment.residentDistrict	System Administration > Resources > District Information > District Info System Administration > Resources > School > School Editor > School Detail Student Information > General > Enrollments > State Reporting Fields > Home District and Home School

Data Element	Description	Type, Format, and Length	Database Location	Path
RCDTS For Serving School	Combination of student's serving school and serving district numbers.	Numeric, 15 digits	Enrollment.servingSchool Enrollment.servingRCDTS	System Administration > Resources > District Information > District Info System Administration > Resources > School>School Editor > School Detail Student Information > General > Enrollments > State Reporting Fields > Serving District and Serving School

Data Element	Description	Type, Format, and Length	Database Location	Path
RCDTS Testing School	Combination of student's testing school and testing district number.	Numeric, 15 digits	Enrollment.testingSchool Enrollment.testingRCDTS	System Administration > Resources > District Information > District Info System Administration > Resources > School > School Editor > School Detail Student Information > General > Enrollments > State Reporting Fields > Testing District and Testing School

Data Element	Description	Type, Format, and Length	Database Location	Path
ESOL Participation Code	Reports the student's ESOL Participation Code as entered on their EL Services tab. Reports the assigned code when the student has an active EL service (no end date) within the date range entered on the extract editor. Otherwise, reports 00. If there are multiple active EL services, the service with the most recent start date reports.	Numeric, 2 digits	LepServiceType.code	Student Information > Program > Participation > English Learners (EL) > EL Services Program Admin > English Learners (EL) > EL Setup

Data Element	Description	Type, Format, and Length	Database Location	Path
Enrolled in Home School On or Before May 1	Identifies a student enrolled continuously in their home school on or before May 1 of the previous school year. When the School Enrolled May 1 checkbox is marked, reports a value of 01; if not marked, reports a value of 02.	Numeric, 2 digits	Enrollment. schoolEnrolled	Student Information > General > Enrollments > State Reporting Fields > School Enrolled May 1
Enrollment in Home District On or Before May 1	Identifies a student enrolled continuously in their home district on or before May 1 of the previous school year. When the School Enrolled May 1 checkbox is marked, reports a value of 01; if not marked, reports a value of 02.	Numeric, 2 digits	Enrollment. districtEnrolled	Student Information > General > Enrollments > State Reporting Fields > District Enrolled May 1
First Year In US	If the student has the Date First Entered US School field	Numeric, 2 digits	Calculated value	Census > People > Demographics > Date Entered US

Data Element	Description	Type, Format, and Length	Database Location	Path
	<p>populated on their Demographics tab, the following calculation is used:</p> <ul style="list-style-type: none"> • If the difference of the current date and the date entered on the extract editor is 365 days or less, a value of 01 reports. • If the difference of the current date and the date entered on the extract editor is 366 or more, a value of 02 reports. • If a student does NOT have a date entered in this field, a value of 02 reports. 			

