

Safe Schools (Kentucky)

Last Modified on 04/04/2025 10:13 am CDT

Tool Search: Safe Schools

The Safe Schools Report provides a summary of behavior events and resolutions for the selected calendar(s). It also includes information on violence, weapons, controlled substances, and bullying data. This information will allow evaluations of prevention programs.

The aggregate reports provide schools and districts with aggregate counts of behavior incidents by type, location, and context, count of behavior resolutions, and legal sanctions.

This report is used to verify district Safe School data. After district verification, the Kentucky Department of Education (KDE) pulls the data from the state data warehouse on July 1st. This data is then provided to the Kentucky Center for School Safety (KCSS) and the Office of Education Accountability.

Safe Schools ☆

Reporting > KY State Reporting > Safe Schools

Safe Schools Report

The Safe Schools Report outputs as CSV (Comma Separated Value) file. The report contains behavioral information on students collected from schools and districts in Kentucky.

Enter dates to find incident which occurred during a date range, leaving the date range blank will find all incidents which occurred during the date range of the selected calendar(s).

Extract Options

Extract Type: Detail

Format: State Format(CSV)

Date Range: 07/01/2024 - 06/30/2025

☒ Exclude Cross-Site Data

Report Selection

☒ All Reports

☒ SS1: Assault or Violence
☒ SS2: Possession of Guns or Other Deadly Weapons
☒ SS3A: Possession/Use or Distribution of Drugs
☒ SS3B: Possession/Use or Distribution of Alcohol
☒ SS3C: Possession/Use or Distribution of Tobacco Products
☒ SS4: Bullying or Harassment
☒ SS5: Other Events Resulting in State Resolutions

Select Students

☒ Grade

All Students

00, 01, 02, 03, 04, 05, 06, 07, 08

☐ Ad Hoc Filter

☐ Active Special Ed at Time of Incident

The selection of Run Extract will produce a validation report to identify potential data issues. Submit to Batch will bypass the validation report.

Run Extract

Submit to Batch

Refresh

Show top: 50

tasks submitted between: 01/23/2025 and 01/30/2025

Select Calendars

Which calendar(s) would you like to include in the report?

☒ active year
☐ list by school
☐ list by year

24-25 Central High Magnel Care

24-25 Chancey Elementary

24-25 Chenoweth Elementary

24-25 Choice Zone (processing)

24-25 Churchill Park School

24-25 Cochran Elementary

24-25 Cochran Elementary

24-25 Coleridge-Taylor Montess

24-25 Conway Middle

24-25 Coral Ridge Elementary

24-25 Crosby Middle

24-25 Crums Lane Elementary

24-25 Diagnostic Center 5-21

24-25 Diagnostic Center ECH

24-25 Dixie Elementary

24-25 Doss High

24-25 Dr. J. Blaine Hudson Mid

24-25 Dr. William H. Perry Ele

24-25 Dunn Elementary

24-25 Dupont Manual High

24-25 Eastern High

24-25 Echo Trail Middle School

24-25 Eisenhower Elementary

24-25 Engelhard Elementary

24-25 Fairdale Elementary

24-25 Fairdale High

24-25 Farmer Elementary

24-25 Farnsley Middle

24-25 Fern Creek Elementary

24-25 Fern Creek High

CTRL-click or SHIFT-click to select multiple

Safe Schools Report Editor

Selection Criteria

Student data is reported when the following criteria are met:

- Behavior data for student offenders and participants when the event is associated with select State Event codes, regardless of the resolution OR
- Behavior data for student offenders and participants assigned a state-coded resolution (SSP1, SSP2, SSP3, SSP5, SSP7, SSP8, INSR).
- A behavior referral must be submitted and in a status of "In Progress" or "Complete" in order to be included in the extract and the error/warning report.
- A qualifying behavior incident must have a current student designated as the Offender or Participant.

When the **Exclude Cross-Site Data** checkbox is marked, the report does not include cross-site homeroom data. Cross-site must be enabled at the district level for this checkbox to display. This checkbox defaults to marked.

Report Logic

The Safe Schools Report includes student data based on behavior information. The [Behavior Management](#) and [Student Behavior](#) articles provide specific details on how to enter behavior information.

- Students who are marked as State Exclude via enrollment, calendar, or grade level do not report.
- The report will pull incidents that match the selection criteria when they have a status of 'In Progress' or 'Complete' in the Behavior Management tool.
- The report will report incidents/events associated with Unknown Persons. These individuals will be identifiable by the word "Unknown" in their names. It is up to districts to name the unknown persons consistently.

Copyright © 2010-2025 Infinite Campus. All rights reserved.

Page 1

- Resolutions with one of these State Resolution Codes must contain a Start Date, Start Time, End Date, End Time, and End Date in order to report.
 - SSP1: Expelled, Receiving Services
 - SSP2: Expelled, Not Receiving Services
 - SSP3: Out of School Suspension
 - SSP5: Corporal Punishment
 - SSP7: Restraint
 - SSP8: Seclusion
 - IAES 1: IAES Unilateral Removal by School Personnel
 - IAES 2: IAES Removal by Hearing Officer
 - INDR: In-District Removal
 - INSR: In-School Removal
- For the Aggregate Reports - If no qualifying data exists, produce a row with zero counts at all levels.
 - Do not report a row for schools without a calendar in the reporting year.
 - Do not report a row for grade levels not offered in the school's calendars.
- When run in the State Edition, the aggregate report output file excludes the Kentucky Tech System district (#777).
- A Behavior Response of Restraint or Seclusion must include a State Mapped Resolution of **SSP7: Restraint** or **SSP8: Seclusion** to appear in the extract.
- The Details Extended Report is only available for State Edition users in the UI.

Generate the Report

1. Select the **Extract Type**:
 - **Detail** - This report provides a summary of behavior events and resolutions for the selected calendar(s).
 - **Details Extended (DEE)** - This report provides a more detailed summary of behavior events and resolutions for the selected calendar(s). Note: This option is only available in the Kentucky State Edition of Infinite Campus.
 - **Aggregate School Level** - This report details aggregate Safe Schools data for the entire school.
 - **Aggregate District Level** - This report details aggregate Safe Schools data for the entire district.
 - **Aggregate State Level** - This report details aggregate Safe Schools data for the entire state. Note: This option is only available in the Kentucky State Edition of Infinite Campus.
2. Select the **Format** in which the report should be generated. The State Format (CSV) is the only available option.
3. Enter the **Date Range**. Only data within this date range within the selected calendar(s) is reported.
4. When applicable, mark the **Exclude Cross-Site Data** checkbox. This checkbox defaults to marked. When marked, the report does not include cross-site homeroom data. Cross-site must be enabled at the district level for this checkbox to display.
5. To generate all sub-reports, mark the **All Reports** checkbox. To generate specific sub-reports, mark each sub-report checkbox (SS1, SS2, SS3A, SS3B, SS3C, SS4, SS5). See the [Understand Safe Schools Sub-Reports](#) section for more information.
6. Mark the **Active Special Ed at Time of Incident** checkbox to only report students with a qualifying safe schools event who were considered active Special Education at the time of the incident (optional).
7. Select which **Grade(s)** will report data OR select an **Ad Hoc Filter**.
8. Select the **Calendar(s)** to include in the extract.
9. To generate the extract immediately, select the **Run Extract** button. Once the report has been generated and opened, users will be presented with an HTML Validation Report detailing any **Warnings** and **Errors** within the extract. **Errors** indicate problematic data that will not pull on the report. **Warnings** indicate potentially problematic data that will pull in the extract. After addressing any errors or warnings select the **Click Here** button to generate the State Format (CSV) file.
10. To schedule when the report will generate and reduce the performance impact generating the report may have on your system, select the **Submit to Batch** button. You can access the State Format (CSV) report in the Batch Queue List at the bottom of the Safe Schools editor.

Submit to Batch will bypass the HTML Validation Report, which contains any [Warnings](#) or [Errors](#) that may be present in the data.

DistrictNumber	DistrictName	SchoolNumber	SchoolName	StateID	StateGrade	LastName	FirstName	Gender_ID	DOB	RaceID	EconomicStatus	ActiveSpEd	IncidentID
275	JEFFERSON CO	7	Eastern High	1111111111	11	Tester	Bradly	1	4/15/1994	7	4103	1	447227
275	JEFFERSON CO	7	Eastern High	1111111112	9	Tester	Cody	1	9/4/1995	6	4198	1	523626
275	JEFFERSON CO	7	Eastern High	1111111113	9	Tester	Gloreshia	2	6/2/1996	4	4103	2	499923
275	JEFFERSON CO	7	Eastern High	1111111114	9	Tester	Troy	1	2/12/1997	4	4103	2	479547
275	JEFFERSON CO	7	Eastern High	1111111115	9	Tester	Asia	2	7/25/1997	4	4103	2	502049
275	JEFFERSON CO	7	Eastern High	1111111116	9	Tester	Breonca	2	8/17/1997	4	4103	2	478748
275	JEFFERSON CO	7	Eastern High	1111111117	9	Tester	Breonca	2	8/17/1997	4	4103	2	444727
275	JEFFERSON CO	7	Eastern High	1111111118	9	Tester	Tiffany	2	12/25/1995	6	4103	2	483033
275	JEFFERSON CO	7	Eastern High	1111111119	9	Tester	Talik	1	5/18/1996	4	4198	2	515029
275	JEFFERSON CO	7	Eastern High	1111111199	9	Tester	Charles	1	7/12/1996	4	4103	2	467990

Example of the Safe School Report - CSV Format

Understand Safe School Sub-Reports

The following describes each Safe School sub-report option. See the [State Event Codes](#) table below for a complete list of which codes initiate which sub-report:

When all or multiple sub-reports are generated together, the report will be sorted by district, then school, then

State Event Codes for sub-reports SS1, SS2, SS3A, SS3B, SS3C, SS4, and finally SS5.

- SS1: Assault or Violence
- SS2: Possession of Guns or other Deadly Weapons
- SS3A: Possession/Use or Distribution of Drugs
- SS3B: Possession/Use or Distribution of Alcohol
- SS3C: Possession/Use or Distribution of Tobacco Products
- SS4: Bullying or Harassment
- SS5: Other Events Resulting in State Resolutions

SS1: Assault or Violence

This sub-report indicates all behavior events where the student committed a State Event code Mapping related to assault or violence (regardless of resolution).

- Only behavior events with one of the following State Event Code Mappings is reported:
 - V01: 1st Degree Assault
 - V02: 2nd Degree Assault
 - V03: 3rd Degree Assault
 - V04: 4th Degree Assault
 - V05: Abuse of a Teacher
 - V06: Arson
 - V07: Criminal Abuse
 - V08: Homicide
 - V09: Kidnapping
 - V10: Menacing
 - V11: Rape
 - V12: Robbery/Theft
 - V13: Sexual Assault
 - V14: Sexual Offense (non-touch)
 - V15: Terroristic - Bomb
 - V16: Terroristic Threat
 - V17: Terroristic-Chem/Bio/Nuc
 - V18: Wanton Endangerment
 - V19: Hazing 1st Degree
 - V20: Hazing 2nd Degree

SS2: Possession of Guns or other Deadly Weapons

This sub-report indicates all behavior events where the student committed a State Event Code related to the possession of a deadly weapon (regardless of resolution).

- Only behavior events with one of the following State Event Code Mappings is reported:
 - W01: Weapon Possession
 - W02: Weapon Distribution
 - W03: Weapon Use

SS3A: Possession/Use or Distribution of Drugs

This sub-report indicates all behavior events where the student committed a State Event Code related to the possession, use, or distribution of a drug (regardless of resolution).

- Only behavior events with one of the following State Event Code Mappings is reported:
 - D01: Drug Distribution
 - D02: Drug Possession
 - D03: Drug Use

SS3B: Possession/Use or Distribution of Alcohol

This sub-report indicates all behavior events where the student committed a State Event Code related to the possession, use, or distribution of alcohol (regardless of resolution).

- Only behavior events with one of the following State Event Code Mappings is reported:
 - A01: Alcohol Distribution
 - A02: Alcohol Possession
 - A03: Alcohol Use

SS3C: Possession/Use or Distribution of Tobacco Products

This sub-report indicates all behavior events where the student committed a State Event Code related to the possession, use, or distribution of tobacco products.

- Only behavior events with one of the following State Event Code Mappings is reported:
 - T01: Tobacco Distribution
 - T02: Tobacco Possession
 - T03: Tobacco Use

SS4: Bullying or Harassment

This sub-report indicates all behavior events where the student committed a State Event Code related to bullying or harassment.

- Only behavior events with one of the following State Event Code Mappings is reported:
 - H01: Bullying
 - H02: Harassing Communications
 - H03: Harassment
 - H04: Stalking
 - H05: Threatening another Student
 - H06: Threatening Staff
 - H07: Verbal Abuse

SS5: Other Events Resulting in State Resolutions

This sub-report indicates all behavior events not reported in sub-reports SS1-SS4 and have a State Resolution of SSP1, SSP2, SSP3, SSP5, SSP7, SSP8, INDR, INSR, IAES1 or IAES2.

- Only behavior events with one of the following State Event Code Mappings is reported:
 - N01: Academic Cheating/Plagiarism
 - N02: Attendance Policy Violation
 - N03: Burglary
 - N04: Bus Rule Violation
 - N05: Dangerous Instrument Possession
 - N06: Destruction of Property
 - N07: Disorderly Conduct
 - N08: Disrespectful Behavior
 - N09: Disruptive Behavior
 - N10: Dress Code Incident
 - N11: Drug Paraphernalia Violation
 - N12: Failure to Attend Detention
 - N13: Fighting - Student to Other (physical aggression)
 - N14: Fighting - Student to Staff (physical aggression)
 - N15: Fighting - Student to Student (physical aggression)
 - N16: Forgery
 - N17: Fraud
 - N18: Gambling
 - N19: Insubordination
 - N20: Leaving Campus
 - N21: Loitering
 - N22: Motor Vehicle Theft
 - N99: No State Violation
 - N23: Out of Area Violation
 - N24: Possession of Stolen Property
 - N25: Profanity or Vulgarity
 - N26: Self-Endangerment
 - N27: Skipping Class
 - N28: Skipping School
 - N29: Tardy to Class
 - N30: Theft/Stealing
 - N31: Trespassing
 - N32: Truancy
 - N33: Vandalism
 - N34: Violation of District Acceptable Use Policy
 - N35: Violation of Personal Electronic/Telecommunication Device Policy

Validation Checks

Validations are included when users generate the report.

The report will generate in the State Format (CSV). An HTML validation page listing [errors](#) and [warnings](#) will appear first, with the option of selecting a **Click Here** button to display the actual report.

- **Errors** - Indicate problematic data that will not pull on the report.
- **Warnings** - Indicate potentially problematic data that will pull in the extract.

Submit to Batch will bypass the HTML Validation Report detailing the [Errors](#) and [Warnings](#) within the extract.

To go directly to a specific error or warning, select the hyperlink within the Error/Warning Table of Contents (see Image 3).

To generate all error/warning information into a CSV file, click the **Export to CSV** button.

There are errors and/or warnings in the extract (See below) [Click Here](#) to generate the Safe School Extract.

To view the errors and warnings in a CSV format click [Export to CSV](#)

Error/Warning Table of Contents: (If warning/error count is 0, there are no warnings/errors to report.)

ER01: The following students have state resolutions without a start/end date and/or time. These behavior events will not pull on the report. (Number of Records: 0)

ER02: The following students have a state resolution and the event does not have a law or board violation selected. These behavior events will not pull on the report. (Number of Records: 0)

ER03: The following events do not have a participant selected. These behavior events will not pull on the report. (Number of Records: 0)

ER04: Behavior Incident Date outside of District Enrollment. (Number of Records: 0)

WA01: Suspension Attendance Dates and/or Times are Inconsistent. These events will pull on the report. (Number of Records: 2)

WA02: The following students have a behavior resolution of SSP7: Restraint or SSP8: Seclusion without a corresponding Behavior Response of Restraint or Seclusion. These behavior events will pull on the report. (Number of Records: 1)

WA03: Student behavior resolution date is not within enrollment. These events will pull on the report. (Number of Records: 0)

WA04: The following students have overlapping state resolutions. These behavior events will pull on the report. (Number of Records: 0)

WA05: The following students have a behavior response of Restraint or Seclusion without a corresponding State Resolution of SSP7: Restraint or SSP8: Seclusion. These behavior events will pull on the report. (Number of Records: 0)

Error/Warning Table of Contents

Understand Safe School Errors

The following is a list of errors that can appear when generating the report:

- Error 1: Resolutions - Missing End Dates and/or End Times
- Error 3: Events without a Participant
- Error 4: Behavior Incident Date outside of Selected Calendar(s) Enrollments(s)
- Error 5: Suspension Attendance without a Corresponding SSP3 Resolution
- Error 6: Restraint or Seclusion Behavior Response without a Corresponding Resolution
- Error 7: Exceeds Maximum Interim Resolution Length

Error 1: Resolutions - Missing Start/End Dates and/or Start/End Times

ER01: The following students have state resolutions without a start/end date and/or time. These behavior events will not pull on the report.

This error will appear any time a student has a State Resolution (SSP1, SSP2, SSP3, SSP5, SSP7, SSP8, INDR, INSR, IAES1 or IAES2) without a resolution start date/end date and/or start time/end time. Below is an example of reported error data.

school	incidentTitle	incidentDate	referralName	status	statelD	lastName	firstName	grade
Bluegrass High	Disorderly Conduct	02/11/2013	Admin, System	IP	2121131114	Tucky	Ken	10

eventID	resolutionID	resStartDate	resStartTime	resEndDate	resEndTime	resolutionStateCode
555792	579777	02/12/2013	8:01 AM			INSR

Ex. Error 1

Error 3: Events without a Participant

ER03: The following behavior events do not have a participant selected, so they will not appear on the report.

This error will appear any time an event with a qualifying Law or Board Violation exists without a participant.

Below is an example of reported error data.

school	incidentTitle	incidentDate	referralName	status	eventID	eventType
Bluegrass High	Disorderly Conduct	02/11/2013	Admin, System	IP	555792	09L Mooning

Ex. Error 3

Error 4: Behavior Incident Date outside of Selected Calendar(s) Enrollments(s)

ER04: The following students have a resolution for a behavior event that occurred outside of the selected calendar(s) enrollment(s).

This error will appear for students with a qualifying behavior event, outside of any active selected calendar(s) enrollment, that had a resolution within their enrollment.

This error is expected if the school the student was enrolled in as of the incident date was not selected in the extract editor. If the error persists after running the report against the entire district, the error should be investigated.

A Safe School qualifying behavior event is one that meets the following logic:

- The Incident Date is not within an enrollment and the event has a Law or Board Violation Code which reports in sub-reports SS1-SS4 OR
- The Incident Date is not within an enrollment, the event has a Law or Board Violation Code not reported in sub-reports SS1-SS4 and a State Resolution of IAES1, IAES2, INDR, INSR, SSP1, SSP2, SSP3, SSP5, SSP7 or SSP8.

school	incidentTitle	incidentDate	submittedBy	status	stateID	lastName	firstName	grade
Bluegrass High	Disorderly Conduct	02/11/2013	Admin, System	IP	2121131114	Tucky	Ken	10

eventID	eventType	resolutionID	resolutionType	resStartDate	resEndDate	resolutionStateCode
555792	09L Mooning	579777	SSP3: Suspension	03/12/2013	03/13/2013	SSP3

Ex. Error 4

Error 5: Suspension Attendance without a Corresponding SSP3 Resolution

ER05: Critical Error 5: Suspension Attendance without a corresponding Resolution of SSP3 Out of Schools Suspension. These events will not pull on the report.

This error will appear for students with Suspension Attendance records outside of an SSP3 resolution time period.

- This includes a list of students who have a state attendance code of 'S: Suspension' in their attendance record and do not have a corresponding SSP3 Resolution for the entire time of their suspension attendance.
- This error will appear if the student has an 'S: Suspension' attendance outside of an SSP3 resolution time period.

school	stateID	lastName	firstName	grade	sAttnStartDate	sAttnStartTime	sAttnEndDate	sAttnEndTime
Bluegrass High	2121131114	Tucky	Ken	10	02/12/2013	8:01 AM	02/13/2013	3:00 PM

Ex. Error 5

Error 6: Restraint or Seclusion Behavior Response of SSP7 or SSP8 without a Corresponding Resolution

ER06: The following students have a Behavior Response of Restraint or Seclusion of SSP7 or SSP8 and no corresponding State Resolutions of SSP7 or SSP8. These behavior events will not pull on the report.

This error will appear any time a student has a Behavior Response of Restraint or Seclusion without a Corresponding State Resolution of SSP7: Restraint or SSP8: Seclusion.

- Incidents must have a Response Type mapped to a state code of SSP7 or SSP8 to trigger this error.
 - If the Response Type is mapped to a state code of SSP7, the incident must not have a Resolution Type mapped to the state code of SSP7 to appear in this error.
 - If the Response Type is mapped to a state code of SSP8, the incident must not have a Resolution Type mapped to the state code of SSP8 to appear in this error.

school	incidentTitle	incidentDate	submittedBy	status	lastName	firstName	eventID	eventType	resolutionStateCode	responseStateCode
Bluegrass High	Disorderly Conduct	2/11/2013	Admin, System	IP	Smith	Ken	555792	09L Mooning	SSP3	SSP7

Ex. Error 6

Error 7: Exceeds Maximum Interim Resolution Length

ER07: The following students have an Interim Alternative Education Setting (IAES) state resolution that exceeds the maximum resolution length of 45 days. These behavior events will not pull on the report.

This error will appear when students have a Safe Schools qualifying behavior incident where the duration in school days resolution of IAES1 or IAES2 exceeds 45 days.

school	incidentTitle	incidentDate	submittedBy	status	stateID	lastName	firstName	grade
Bluegrass High	Disorderly Conduct	02/11/2013	Admin, System	IP	2121131114	Tucky	Ken	10

eventID	eventType	resolutionID	resolutionType	resStartDate	resEndDate	Resolution Length	resolutionStateCode
555792	09L Mooning	579777	IAES1: Removal by School Personnel	12/12/2022	03/13/2023	46.5	IAES1

Ex. Error 7

Understand Safe School Warnings

The following is a list of warnings that can appear when generating the report:

- [Warning 1: Out of School Suspension/Attendance Dates and/or Times Inconsistent](#)
- [Warning 2: Restraint or Seclusion Resolution without a Corresponding Behavior Response](#)
- [Warning 3: Student Behavior Resolution Date Not Within a District Enrollment](#)

Warning 1: Out of School Suspension/Attendance Dates and/or Times Inconsistent

WA01: Suspension/Attendance Dates and/or Times are Inconsistent. These events will pull on the report.

This warning will appear for students who received a state resolution of Out of School Suspension (SSP3) and are not marked absent using the 'S' state attendance code for every minute of the SSP3 behavior resolution and the resolution time period does not overlap a shortened day in the calendar.

Days not marked as both Instructional and Attendance are ignored.

Below is an example of reported warning data.

This warning will not appear for State Editions of Campus because Attendance data is not synced to the State Edition. Events that appear within Warning 1 at the District level will pull on the Safe Schools CSV report in State Edition.

School	Incident Title	Incident Date	Referral Name	Status	State ID	Last Name	First Name	Grade	Event ID	Event Type	Resolution ID	Resolution Type
Middle School	Disorderly Conduct	9/11/2013	Admin, System	IP	1212121212	Bluegrass	Kenny	06	555874	01B Skipping Class	579849	SSP3 Out of School Suspension

Warning 2: Restraint or Seclusion Resolution without a Corresponding Behavior Response

WA02: The following students have a behavior resolution of SSP7: Restraint or SSP8: Seclusion without a corresponding Behavior Response of Restraint or Seclusion. These behavior events will pull on the report.

This warning will appear for students who have a Behavior Resolution of SSP7: Restraint or SSP8: Seclusion without a Corresponding Behavior Response of Restraint or Seclusion.

- Only Resolution Types mapped to a state code of SSP7 or SSP8 can trigger this warning.
 - The event cannot also have a Response Type mapped to a state code of SSP7 or SSP8 in order to trigger the error.
- Response State Code can return blank

School	Incident Title	Incident Date	Referral Name	Status	State ID	Last Name	First Name	Event ID	Event Type	Resolution ID	Resolution State Code	Resolution State Code
Middle School	Disorderly Conduct	2/11/2013	Admin, System	IP	1212121212	Bluegrass	Kenny	555876	09L: Mooning	579777	SSP8	

Issue 4: Add State Student ID (W2.DE6) to WA02 – not complete in staging; state SSID is not included in the warning detail.

Warning 3: Student Behavior Resolution Date Not Within a District Enrollment

WA03: Student behavior resolution start date is not within a district enrollment. These events will pull on the report.

This warning will appear for students who have a behavior event within the current enrollment that is linked to a behavior resolution outside of their enrollment start and end dates within the district. Resolutions that are not state-mapped will not trigger a warning.

Below is an example of reported warning data.

School	Incident Title	Incident Date	Referral Name	Status	State ID	Last Name	First Name	Grade	Event ID	Event Type	Resolution ID	Resolution Type
Middle School	Disorderly Conduct	2/11/2013	Admin, System	IP	1212121212	Bluegrass	Kenny	06	555876	08B Chewing Tobacco	579850	Office Time Out

Detail Report Layout

The extract is sorted by district number, school number, sub-report, law violation code, board violation code, and student ID.

Element Name	Description	Location
--------------	-------------	----------

Element Name	Description	Location
School Year	The academic year of the reporting behavior data. Logic concatenates the calendar start year and end year.	Calendar.StartYear Calendar.EndYear
District Number	Identifies the district's unique identification number.	School & District Settings > District > District Information > State District Number District.number
District Name	The reporting student's district name.	School & District Settings > District > District Information > Name District.name
School Number	Identifies the school's unique identification number.	School & District Settings > Schools > School Information > Location Number School.number
School Name	The reporting student's school name.	School & District Settings > Schools > School Information > Name School.name
State Classification	The school's classification.	School & District Settings > Schools > School Information > State Classification School.stateClassification
State Student ID	Identifies the ten-digit state-assigned student identification number of the offender/participant connected with the event.	Demographics > Person Identifiers > State ID Person.statelD
State Grade	Identifies the student's State Grade code of enrollment.	Census > People > Enrollments > Grade Student Information > General > Enrollments > Grade Gradelevel.stateGrade
Last Name	Identifies the student's last name.	Demographics > Person Information > Last Name Identity.lastName
First Name	Identifies the student's first name.	Demographics > Person Information > First Name Identity.firstName
Gender ID	Indicates the student's gender. M = Male F = Female	Demographics > Person Information > Gender Identity.gender
Race ID	Indicates the student's federally designated race/ethnicity. <ul style="list-style-type: none"> 1: Hispanic/Latino 2: American Indian or Alaskan Native 3: Asian 4: Black or African American 5: Native Hawaiian or Other Pacific Islander 6: White 7: Two or More Races If Race ID is blank/null, report blank.	Identity > Race/Ethnicity Identity.raceEthnicityFed
Economic Status	Identifies whether the student is approved to receive free or reduced meals on the day of the reported incident. <ul style="list-style-type: none"> A = Non-reimbursable F = Free R = Reduced S = Paid If no FRAM Eligibility record exists with a date range which includes the incident date, a value of S is reported. 	FRAM > Eligibility > Eligibility POSEligibility.eligibility

Element Name	Description	Location
Active Special Education	<p>Indicates whether the student had an active, locked IEP as of the day of the incident.</p> <p>1 = Yes 2 = No (default value)</p> <p>A student is considered active in Special Education in this report if they have an active, locked IEP as of the date of the incident.</p>	<p>Special Education > Documents > IEP > Education Plan > Start Date, End Date</p> <p>Calculated field</p> <p>Logic checks for a locked, active IEP record, not a particular field.</p> <p>Eligible SPED Records If...Person has at least one record in the Plan table where typeId has planType.module = 'special' AND plan.locked = 1</p> <p>AND (plan.startDate <= incident date AND (plan.endDate >= incident date OR plan.endDate is NULL))</p> <p>AND Plan.disability1 is NOT NULL AND</p> <p>PlanState.specialEdStatus is NOT NULL AND</p> <p>PlanState.specialEdSetting is NOT NULL</p>
Primary Disability	<p>Reports students Primary Disability as indicated on student's active, locked IEP on the date the incident occurred.</p> <p>If Active Special Education = Yes; populate Primary Disability based on the value selected on their IEP:</p> <ul style="list-style-type: none"> 1: Mild Mental Disability = MMD 2: Functional Mental Disability = FMD 4: Hearing Impaired = HI 5: Speech Language = SL 6: Visually Impaired = VI 7: Emotional Behavior Disability = EBD 8: Orthopedically Impaired = OI 9 Other Health Impaired = OHI 10: Specific Learning Disability = SLD 11: Deaf Blind = DB 12: Multiple Disabilities = MD 13: Autism = AUT 14: Traumatic Brain Injury = TBI 15: Developmentally Delayed = DD 	<p>Special Ed > Documents Student Information > Special Ed > Documents > IEP > Enrollment Status > Primary Disability</p> <p>Calculated Field Logic checks for a locked, active IEP record as of December 1st of the reporting year. Primary Disability is reported from that IEP.</p>
English Learner (EL)	<p>Reports students EL status of the offender/participant.</p> <p>Eligible EL records must meet the following criteria:</p> <ul style="list-style-type: none"> Home Primary Language <> 0400 OR <> NULL AND Person has at least one record in the LEP table where programStatus = 'LEP' AND exitDate = NULL OR >= 'incident date' AND Person has at least one record in the LepService table where lepServiceTypeID <> NULL AND LepService startDate <= 'incident date' AND LepService endDate = NULL OR >= 'incident date' AND Person has at least one record in the LepAccommodationType table where type = 'I' AND LepAccommodation.startDate <= 'incident' AND LepAccommodation.endDate = NULL OR >= 'incident date' 	<p>Program Participation > English Learners (EL) > EL > Program Status Student Information > Program Participation > English Learners (EL) > EL Accommodations > Type</p> <p>Calculated Field</p>
Program 504	<p>Reports students indicated as Program 504.</p>	<p>Enrollment > State Reporting Fields > 504</p> <p>Enrollment.section504</p>

Element Name	Description	Location
Homeless Status	Indicates if the student is identified as homeless. Report Y , if any homeless record from the same district overlaps the incident date, Else report N	Program Participation > Homeless Homeless.StartDate Homeless.EndDate Homeless.DistrictID
Foster Care	Reports if student was in Foster Care at the time of the incident. Report Y , if any foster care record from the same district overlaps the incident date, Else report N	Program Participation > Foster Care FosterCare.StartDate FosterCare.EndDate FosterCare.DistrictID
Gifted and Talented	Reports if student was Gifted & Talented at the time of the incident. Primary Talent Pool (Category = 12) is only valid for grades 00-03. <ul style="list-style-type: none"> Report Y, if any gifted record from the same district overlaps the incident date AND (State Grade (DE.7) is 00-03 and Category = 12) OR <ul style="list-style-type: none"> (State Grade (DE.7) is 04-12 and Category <> 12), Else report N 	Program Participation > Gifted & Talented giftedstatusKY.StartDate giftedstatusKY.EndDate giftedstatusKY.Category giftedstatusKY.DistrictID
Migrant	Reports if student was Migrant at the time of the incident. <ul style="list-style-type: none"> Report Y, if any migrant record from the same district overlaps the incident date, Else report N 	Program Participation > Migrant Migrant. lastQualifyingArrivalDate Migrant. eligibilityExpirationDate Migrant.DistrictID
Military Connected	Reports if student was Military Connected at the time of the incident. <ul style="list-style-type: none"> Report Y, If the student has at least one record in the v_StudentMilitaryConnectionsSummary table overlaps the incident date AND Status like '%active duty.%', Else report N 	Census > People > Military Connections V_StudentMilitaryConnectionsSummary.StartDate V_StudentMilitaryConnectionsSummary.EndDate V_StudentMilitaryConnectionsSummary.DistrictID
Incident ID	Identifies the unique ID associated with the behavior incident.	Behavior Management > Incident BehaviorIncident.incidentID
Incident Date	Identifies the date of the behavior incident.	Behavior Management > Date BehaviorIncident.incidentDate
Incident Time	Identifies the time the incident occurred.	Behavior Management > Incident > Time BehaviorIncident.timestamp
Context	The context for the behavior incident. The Context code is reported: <ul style="list-style-type: none"> SS: School sponsored event, during school hours SN: School sponsored event, not during school hours NS: Non-school sponsored event, during school hours NN: Non-school sponsored event, not during school hours 	Behavior Management > Incident > Context BehaviorIncident.context

Element Name	Description	Location
Event Location	The location of the behavior incident. The Location code is reported: <ul style="list-style-type: none"> • SSL1: Classroom • SSL2: Bus • SSL3: Hallway/Stairwell • SSL4: Cafeteria • SSL5: Campus Grounds • SSL6: Off-Campus • SSL7: Restroom • SSL8: Gymnasium • SSL9: Office • SSL10: Athletic Field • SSL11: Playground • SSL12: Field Trip • SSL13: Other 	Behavior Management > Incident > Location BehaviorIncident.location
Event ID	Identifies the unique behavior event ID.	Behavior Management > Incident > Event ID BehaviorEvent.eventID
Role	Reports the role assigned to the student in the behavior event. O = Offender P = Participant	Behavior Management > Incident > Event > Role BehaviorRole.role
State Event Code Mapping	Indicates the State Event Code (Mapping) aligned to the behavior event.	Behavior Management > > Event > Event Type > State Event Code (Mapping) Behavior.stateEventCode
Call to Police	Indicates police were called as a result of the event. 1: Yes 0: No or Null	Behavior Management > Incident > Event > Call to Police BehaviorEvent.policeNotified
Arrest	Indicates an arrest was made as a result of the event. 1: Yes 0: No or Null	Behavior Management > Incident > Event > Participant > Arrest BehaviorRole.arrest
Charges	Indicates charges were filed as a result of the event. 1: Yes 0: No or Null	Behavior Management > Incident > Event > Charges Filed BehaviorRole.charge
Gang Related	Indicates the event was gang-related. 1: Yes 0: No or Null	Behavior Management > Incident > Event > Gang Related BehaviorEvent.gangRelated
Civil Proceedings	Indicates the event caused a civil proceeding to occur. 1: Yes 0: No or Null	Behavior Management > Incident > Event > Participant > Civil Proceedings BehaviorRole.civilProceedings
School Resource Office	Indicates whether or not a School Resource Office (SRO) was involved in the behavior event. 1 : Yes 0 : No or Null	Behavior Management > Incident > Event > School Resource Officer BehaviorEvent.schoolResourceOfficer
Court Designated Worker	Indicates whether or not a Court Designed Worker reported the behavior event. <ul style="list-style-type: none"> • 1: Yes • 0: Not checked or Null 	Behavior Management > Incident Event > Court Designated Worker BehaviorEvent.courtDesignatedWorker
Medical Services Provided	Indicates whether or not the incident resulted in medical services. Reports as 1 when the Event Type (State Code) is D01, D02, D03, T01, T02, or T03 AND Medical Services Provided checkbox is marked. Otherwise, this reports as 0.	Behavior Management > Incident > Event > Participants Detail > Medical Service Provided

Element Name	Description	Location
Harassment Type	<p>Reports the type of harassment for events where the law or board violation is classified as harassment.</p> <ul style="list-style-type: none"> • 01: Color • 02: Disability • 03: National Origin • 04: Race • 05: Religion • 06: Sex • 07: Sexual Orientation • 08: Other 	<p>Behavior Management > Incident > Event > Participant > Harassment Type</p> <p>BehaviorHarassment.harassmentType</p>
Drug, Alcohol, or Tobacco Type	<p>Indicates the type of drug associated with the event when the State Event Code (Mapping) is classified as Drug.</p> <p>Logic reports the selected Drug Type description:</p> <ul style="list-style-type: none"> • 01: Alcohol • 17: Amphetamines • 20: Barbiturate • 04: Cocaine/Crack • 05: Hallucinogens • 06: Heroin (Opioids) • 07: Inhalant • 09: Marijuana/Hashish • 11: Methamphetamine • 23: Nicotine Vapor Products • 12: Prescription Drugs • 14: Steroids (Anabolic) • 22: Synthetic Drug • 15: Tobacco/Nicotine Product • 16: Over-the-Counter Drugs • 21: Look alike Drug • 19: None (for participants w/o drug) • 24: Non-Nicotine Vapor Product • 25: THC Electronic Vapor Device 	<p>Behavior Management > Incident > Event > Participant > Drug Type</p> <p>BehaviorDrug.drugType</p>
Weapon Type	<p>Indicates the type of weapon associated with the event when the State Event Code (Mapping) is classified as Weapon.</p> <p>Logic reports the selected Weapon Type description:</p> <ul style="list-style-type: none"> • 01: Handgun • 02: Shotgun/Rifle • 03: Pellet/BB/Air Gun • 04: Paintball Gun • 05: Replica/Toy Gun • 07: Stun Gun/Taser Gun • 08: Knife: blade length less than 2.5 inches • 09: Knife: blade length 2.5 inches or greater • 11: Blunt object • 12: Other object • 13: Noxious substance • 14: Substance used as weapon • 15: Destructive device (e.g. bomb, grenade, etc...) • 18: None (for participants w/o weapon) 	<p>Behavior Management > Incident > Event > Participant > Weapon Type</p> <p>BehaviorWeapon.weaponType</p>
Resolution State Code	<p>Indicates the code associated with the resolution. The event will only be reported if resolution is one of the following:</p> <ul style="list-style-type: none"> • SSP1 : Expelled, Receiving Services • SSP2: Expelled, Not Receiving Services • SSP3: Out of School Suspension • SSP5: Corporal Punishment • SSP7: Restraint • SSP8: Seclusion • IAES1: IAES Unilateral Removal by School Personnel • IAES2: IAES Removal by Hearing Officer • INSR: In School Removal <p>Reports blank if State Resolution Code is null.</p> <p>If a student has multiple state resolution codes for a single event, report a row for each state resolution.</p>	<p>Behavior Management > Incident > Resolution > State Resolution Code Mapping</p> <p>BehaviorResType.stateResCode</p>

Element Name	Description	Location
Resolution Type	The local district resolution type. If Resolution Type is blank/null, a blank value is reported.	Behavior > Behavior Management Tool > Incident > Resolution > Resolution Type BehaviorResType. resolutionName
Resolution Start Date	Identifies the date the resolution began.	Behavior Management > Incident > Resolution > Resolution Start Date BehaviorResolution. timestamp
Resolution Start Time	Identifies the time the resolution began.	Behavior Management > Incident > Resolution > Resolution Start Time BehaviorResolution. timestamp
Resolution End Date	Identifies the date the resolution ended and the student returned to school (if applicable).	Behavior Management > Incident > Resolution > Resolution End Date BehaviorResolution. endtimestamp
Resolution End Time	Identifies the time the resolution ended and the student returned to school (if applicable).	Behavior Management > Incident > Resolution > Resolution End Time BehaviorResolution. endtimestamp
Resolution Length	<p>The length of the behavior resolution tied to a state code, based on the start and end dates as compared to school days in the calendar.</p> <p>The Resolution Length is calculated by comparing each day of the behavior resolution to the corresponding day in the calendar and determining how much of the day was missed during the resolution to a 10th of a day.</p> <p>Multi-day resolutions are summed together and displayed as the resolution length to a tenth of a day.</p> <p>The calendar day must be marked as both School Day and Instructional in order to be counted.</p> <p>A number entered in the Duration in School Days field does NOT overrule the calculated value reported in this field.</p> <p>State Resolutions that will calculated Resolution Length include:</p> <ul style="list-style-type: none"> • INSR • SSP1 • SSP2 • SSP3 • SSP5 • IAES1 • IAES2 • SSP7 • SSP8 	Not dynamically stored
IAES Removal Reason	<p>The reason for the student's removal.</p> <p>Display description only.</p> <ul style="list-style-type: none"> • Drug Offenses • Dangerous Weapons • Serious Bodily Injury <p>Report 'Serious Bodily Injury' for resolutions with a Resolution State Code of IAES2.</p>	<p>Behavior Management > Incident > Resolution > IAES Removal Reason</p> <p>BehaviorResolution.removalReason</p>

Element Name	Description	Location
Sub-Report	<p>Indicates which Safe Schools sub-report the event qualifies for.</p> <ul style="list-style-type: none"> • SS1: Assault or Violence • SS2: Possession of Guns or other Deadly Weapons • SS3A: Possession/Use or Distribution of Drugs • SS3B: Possession/Use or Distribution of Alcohol • SS3C: Possession/Use or Distribution of Tobacco Products • SS4: Bullying or Harassment • SS5: Other Events Resulting in State Resolutions 	Calculated field based on Safe Schools selection criteria.
Distinct Count	<p>This field reports a value of 1 for first row where the State ID/Event ID combination is unique. Subsequent rows where State ID/Event ID combination is duplicated reports a value of 0.</p>	Calculated

Details Extended (DEE)

This report option is only available for State Edition users.

Element Name	Description	Location
School Year	<p>The academic year of the reporting behavior data.</p> <p>Logic concatenates the calendar start year and end year.</p> <p><i>Numeric, 8 digits, XXXXXXXX (for example, 20242025)</i></p>	<p>Calendar Information > Start Date/End Date</p> <p>Calendar.startYear Calendar.endYear</p>
District Number	<p>Reports the district's unique identification number.</p> <p><i>Numeric, 3 digits, leading zero(es) do not display in the CSV</i></p>	<p>District Information > State District Number</p> <p>District.number</p>
District Name	<p>The reporting student's district name.</p> <p><i>Alphanumeric</i></p>	<p>District Information > Name</p> <p>District.name</p>
School Number	<p>The school's unique identification number.</p> <p><i>Numeric, 3 digits, leading zero(es) do not display in the CSV</i></p>	<p>School Information > Location Number</p> <p>School.number</p>
State LEA Number	<p>The numeric or alphanumeric code assigned to the county, parish, borough, or comparable unit (within a state) in which the student's address is located.</p> <p>This is the County Number plus the District Number with three trailing zeroes, such as 123123000.</p> <p><i>Numeric, 9 digits</i></p>	<p>District Information > State District Number</p> <p>County.number District.number</p>
County	<p>The name of the county, parish, borough, or comparable unit (within a state) in which the student's address is located.</p> <p>This uses the District Number to find the county name in the county table.</p> <p><i>Alphanumeric</i></p>	<p>District Information > State District Number</p> <p>County.name</p>

Element Name	Description	Location
State Sch ID	<p>The identifier assigned to a school by the state education agency (SEA). Also known as the State School ID.</p> <p>This is the County Number plus the District Number plus the School Number, such as 123123123.</p> <p><i>Numeric, 9 digits</i></p>	<p>District Information > State District Number School Information > Location Number</p> <p>County.Number District.Number School.Number</p>
School Name	<p>The reporting student's school name.</p> <p><i>Alphanumeric</i></p>	<p>School Information > Name</p> <p>School.name</p>
State Classification	<p>The school's classification.</p> <p><i>Alphanumeric</i></p>	<p>School Information > State Classification</p> <p>School.stateClassification</p>
State ID	<p>The ten-digit state-assigned student identification number of the offender/participant connected with the event.</p> <p><i>Numeric, 10 digits</i></p>	<p>Demographics > Student State ID</p> <p>Person.stateID</p>
State Grade	<p>The student's State Grade code of enrollment.</p> <p><i>Numeric, 2 digits, leading zero(es) do not display in the CSV</i></p>	<p>Enrollments > Grade</p> <p>GradeLevel.stateGrade</p>
Last Name	<p>The student's last name.</p> <p><i>Alphanumeric</i></p>	<p>Demographics > Last Name</p> <p>Identity.lastName</p>
First Name	<p>The student's first name.</p> <p><i>Alphanumeric</i></p>	<p>Demographics > First Name</p> <p>Identity.firstName</p>
Middle Name	<p>The student's middle name.</p> <p><i>Alphanumeric</i></p>	<p>Demographics > Middle Name</p> <p>Identity.middleName</p>
Gender ID	<p>The student's gender.</p> <p><i>Alphanumeric, 1 character, M or F</i></p>	<p>Demographics > Gender</p> <p>Identity.gender</p>
Race ID	<p>The student's federally designated race/ethnicity.</p> <ul style="list-style-type: none"> 1: Hispanic/Latino 2: American Indian or Alaskan Native 3: Asian 4: Black or African American 5: Native Hawaiian or Other Pacific Islander 6: White 7: Two or More Races <p><i>Alphanumeric, reports the code and description</i></p>	<p>Demographics > Race/Ethnicity</p> <p>Identity.raceEthnicityFed</p>
Economic Status	<p>The student's FRAM Eligibility status.</p> <ul style="list-style-type: none"> A: Non-reimbursable F: Free R: Reduced S: Paid <p>When no FRAM Eligibility Record exists with a date range that includes the incident date, reports as S.</p> <p><i>Alphanumeric, reports the code and description</i></p>	<p>FRAM > Eligibility</p> <p>POSEligibility.eligibility</p>

Element Name	Description	Location
Active SPED	<p>Indicates whether the student had an active, locked IEP as of the day of the incident.</p> <ul style="list-style-type: none"> Y = Yes N = No (default value) <p>A student is considered active in Special Education when they have an active, locked IEP as of the date of the incident.</p> <p><i>Alphanumeric, 1 character, Y or N</i></p>	<p>Special Ed Documents > IEP > Education Plan > Start Date, End Date</p> <p>Calculated field</p> <p>Logic checks for a locked, active IEP record, not a particular field.</p> <p>Eligible SPED Records: When the Person has at least one record in the Plan table where typeID has planType.module = 'special' AND plan.locked = 1</p> <p>AND (plan.startDate <= incident date AND (plan.endDate >= incident date OR plan.endDate is NULL))</p> <p>AND Plan.disability1 is NOT NULL AND</p> <p>PlanState.specialEdStatus is NOT NULL AND</p> <p>PlanState.specialEdSetting is NOT NULL</p>
Primary Disability	<p>The student's Primary Disability as indicated on their active, locked IEP on the date the incident occurred.</p> <p>When the Active SPED data element is Yes, this reports based on the value selected on the student's IEP.</p> <ul style="list-style-type: none"> 1: Mild Mental Disability = MMD 2: Functional Mental Disability = FMD 4: Hearing Impaired = HI 5: Speech Language = SL 6: Visually Impaired = VI 7: Emotional Behavior Disability = EBD 8: Orthopedically Impaired = OI 9 Other Health Impaired = OHI 10: Specific Learning Disability = SLD 11: Deaf Blind = DB 12: Multiple Disabilities = MD 13: Autism = AUT 14: Traumatic Brain Injury = TBI 15: Developmentally Delayed = DD <p>Reports the alphanumeric code associated with the disability, such as TBI or SLD.</p> <p><i>Alphanumeric, 3 characters</i></p>	<p>Special Ed Documents > IEP > Enrollment Status > Primary Disability</p> <p>Calculated Field</p> <p>Logic checks for a locked, active IEP record as of December 1st of the reporting year. Primary Disability is reported from that IEP.</p>

Element Name	Description	Location
English Learner (EL)	<p>The student's EL status.</p> <p>Eligible EL records include:</p> <ul style="list-style-type: none"> • Home Primary Language <> 0400 OR <> NULL AND • Person has at least one record in the LEP table where programStatus = 'LEP' AND exitDate = NULL OR >= 'incident date' AND • Person has at least one record in the LepService table where lepServiceTypeID <> NULL AND • LepService startDate <= 'incident date' AND • LepService endDate = NULL OR >= 'incident date' AND • Person has at least one record in the LepAccommodationType table where type = 'I' AND • LepAccommodation.startDate <= 'incident' AND • LepAccommodation.endDate = NULL OR >= 'incident date' <p><i>Alphanumeric, 1 character, Y or N</i></p>	<p>LEP > Program Status, Accommodation Type</p> <p>Calculated</p>
Program 504	<p>Reports students indicated as Program 504.</p> <p><i>Alphanumeric, 1 character, Y or N</i></p>	<p>Enrollments > 504</p> <p>Enrollment.section504</p>
Homeless Status	<p>The student's homeless status.</p> <p><i>Alphanumeric, 1 character, Y or N</i></p>	<p>Homeless > Start Date, End Date, District ID</p> <p>Homeless.StartDate Homeless.EndDate Homeless.DistrictID</p>
Foster Care	<p>The student's foster care status.</p> <p><i>Alphanumeric, 1 character, Y or N</i></p>	<p>Foster Care > State Date, End Date, District ID</p> <p>FosterCare.StartDate FosterCare.EndDate FosterCare.DistrictID</p>
Gifted Talented	<p>The gifted and talented status of the student.</p> <p>Reports Y when any gifted record from the same district overlaps the incident date, and the State Grade is 00-03, and the Category is 12, OR the State Grade is 04-12, and the Category is NOT 12.</p> <p>Otherwise, N reports.</p> <p><i>Alphanumeric, 1 character, Y or N</i></p>	<p>Gifted and Talented > Start Date, End Date, Category, District ID</p> <p>giftedstatusKY.StartDate giftedstatusKY.EndDate giftedstatusKY.Category giftedstatusKY.DistrictID</p>
Migrant	<p>The student's migrant status</p> <p><i>Alphanumeric, 1 character, Y or N</i></p>	<p>Migrant > Last Qualifying Arrival Date, Eligibility Expiration Date, District ID</p> <p>Migrant.lastQualifyingArrivalDate Migrant.eligibilityExpirationDate Migrant.DistrictID</p>
Military Connected	<p>The student's military-connected status.</p> <p>Reports as Y when the student has at least one Military Connections record that overlaps the incident date and the status is "Active Duty."</p> <p>Otherwise, reports as N.</p> <p><i>Alphanumeric, 1 character, Y or N</i></p>	<p>Military Connections > Start Date, End Date, District ID</p> <p>V_StudentMilitaryConnectionsSummary.StartDate V_StudentMilitaryConnectionsSummary.EndDate V_StudentMilitaryConnectionsSummary.DistrictID</p>

Element Name	Description	Location
Incident ID	The unique behavior incident ID number. <i>Numeric</i>	Behavior Management > Incident BehaviorIncident.incidentID
Incident Date	The day of the behavior incident. <i>Date field, MM/DD/YYYY, leading zero(es) do not display in the CSV</i>	Behavior Management > Date BehaviorIncident.incidentDate
Incident Time	The time of the behavior incident. <i>Alphanumeric, HH:MM AA, leading zero(es) for the hour do not display in the CSV (such as 9:15 AM)</i>	Behavior Management > Incident > Time BehaviorIncident.timestamp
Context	The context for the behavior incident. The code reports: <ul style="list-style-type: none"> SS: School sponsored event, during school hours SN: School sponsored event, not during school hours NS: Non-school sponsored event, during school hours NN: Non-school sponsored event, not during school hours <i>Alphanumeric, 2 characters (such as SS)</i>	Behavior Management > Incident > Context BehaviorIncident.context
Event Location	The location of the behavior incident: <ul style="list-style-type: none"> SSL1: Classroom SSL2: Bus SSL3: Hallway/Stairwell SSL4: Cafeteria SSL5: Campus Grounds SSL6: Off-Campus SSL7: Restroom SSL8: Gymnasium SSL9: Office SSL10: Athletic Field SSL11: Playground SSL12: Field Trip SSL13: Other <i>Alphanumeric, reports the code and description</i>	Behavior Management > Incident > Location BehaviorIncident.location
Event ID	The unique behavior event ID. <i>Numeric</i>	Behavior Management > Incident > Event ID BehaviorEvent.eventID
Role	The role assigned to the student. <ul style="list-style-type: none"> O: Offender P: Participant <i>Alphanumeric, 1 character</i>	Behavior Management > Incident > Event > Role BehaviorRole.role
State Event Code Mapping	The state event code aligned with the behavior event. <i>Alphanumeric, reports the code and description</i>	Behavior Management > > Event > Event Type > State Event Code (Mapping) Behavior.stateEventCode
Call to Police	Indicates the police were called as a result of the incident. <ul style="list-style-type: none"> 1: Yes 0: No <i>Numeric, 1 digit</i>	Behavior Management > Incident > Event > Call to Police BehaviorEvent.policeNotified
Arrest	Indicates an arrest was made as a result of the event. <ul style="list-style-type: none"> 1: Yes 0: No <i>Numeric, 1 digit</i>	Behavior Management > Incident > Event > Participant > Arrest BehaviorRole.arrest

Element Name	Description	Location
Charges	<p>Indicates charges were filed as a result of the event.</p> <ul style="list-style-type: none"> 1: Yes 0: No <p><i>Numeric, 1 digit</i></p>	<p>Behavior Management > Incident > Event > Charges Filed</p> <p>BehaviorRole.charge</p>
Gang Related	<p>Indicates the event was gang-related.</p> <ul style="list-style-type: none"> 1: Yes 0: No <p><i>Numeric, 1 digit</i></p>	<p>Behavior Management > Incident > Event > Gang Related</p> <p>BehaviorEvent.gangRelated</p>
Civil Proceedings	<p>Indicates the event caused a civil proceeding to occur.</p> <ul style="list-style-type: none"> 1: Yes 0: No <p><i>Numeric, 1 digit</i></p>	<p>Behavior Management > Incident > Event > Participant > Civil Proceedings</p> <p>BehaviorRole.civilProceedings</p>
School Resource Officer	<p>Indicates a School Resource Officer (SRO) was involved in the behavior event.</p> <ul style="list-style-type: none"> 1: Yes 0: No <p><i>Numeric, 1 digit</i></p>	<p>Behavior Management > Incident > Event > School Resource Officer</p> <p>BehaviorEvent.schoolResourceOfficer</p>
Court Designated Worker	<p>Indicates a Court Designated Worker reported the behavior event.</p> <ul style="list-style-type: none"> 1: Yes 0: No <p><i>Numeric, 1 digit</i></p>	<p>Behavior Management > Incident Event > Court Designated Worker</p> <p>BehaviorEvent.courtDesignatedWorker</p>
Medical Services Provided	<p>Indicates the incident resulted in medical services.</p> <p>Reports as 1 when the State Event Code is D01, D02, D03, T01, T02, or T03 AND the Medical Services Provided checkbox is marked. Otherwise, this reports as 0.</p> <p><i>Numeric, 1 digit</i></p>	<p>Behavior Management > Incident > Event > Participants Detail > Medical Service Provided</p> <p>BehaviorEvent.medicalTreatmentProvided</p>
Harassment Type	<p>The type of harassment for events where the State Event Code Mapping is Harassment.</p> <p>All selected Harassment Type descriptions report for the event:</p> <ul style="list-style-type: none"> 01: Color 02: Disability 03: National Origin 04: Race 05: Religion 06: Sex 07: Sexual Orientation 08: Other <p><i>Alphanumeric, reports a concatenated list of descriptions separated by a semicolon (such as Race; Color; etc.)</i></p>	<p>Behavior Management > Incident > Event > Participant > Harassment Type</p> <p>BehaviorHarassment.harassmentType</p>

Element Name	Description	Location
Drug Type	<p>The type of drug associated with the event when the State Event Code Mapping is classified as Drug.</p> <p>All selected Drug Type descriptions report for the event:</p> <ul style="list-style-type: none"> • 01: Alcohol • 17: Amphetamines • 20: Barbiturate • 04: Cocaine/Crack • 05: Hallucinogens • 06: Heroin (Opioids) • 07: Inhalant • 09: Marijuana/Hashish • 11: Methamphetamine • 23: Nicotine Vapor Products • 12: Prescription Drugs • 14: Steroids (Anabolic) • 22: Synthetic Drug • 15: Tobacco/Nicotine Product • 16: Over-the-Counter Drugs • 21: Look alike Drug • 19: None (for participants w/o drug) <p><i>Alphanumeric, reports a concatenated list of descriptions separated by a semicolon (such as Barbiturate; Inhalant; etc.)</i></p>	<p>Behavior Management > Incident > Event > Participant > Drug Type</p> <p>BehaviorDrug.drugType</p>
Weapon Type	<p>The type of weapon associated with the event when the State Event Code Mapping is classified as Weapon.</p> <p>All selected Weapon Type descriptions report for the event:</p> <ul style="list-style-type: none"> • 01: Handgun • 02: Shotgun/Rifle • 03: Pellet/BB/Air Gun • 04: Paintball Gun • 05: Replica/Toy Gun • 07: Stun Gun/Taser Gun • 08: Knife: blade length less than 2.5 inches • 09: Knife: blade length 2.5 inches or greater • 11: Blunt object • 12: Other object • 13: Noxious substance • 14: Substance used as weapon • 15: Destructive device (e.g. bomb, grenade, etc...) • 18: None (for participants w/o weapon) <p><i>Alphanumeric, reports a concatenated list of descriptions separated by a semicolon (such as Handgun; Blunt object; etc.)</i></p>	<p>Behavior Management > Incident > Event > Participant > Weapon Type</p> <p>BehaviorWeapon.weaponType</p>

Element Name	Description	Location
Resolution State Code	<p>The resolutions tied to the state resolution code.</p> <p>State Resolutions mapped to SSP4 and SSP6 are ignored.</p> <p>When a student has multiple state resolution codes for a single event, a row is reported for each state resolution.</p> <ul style="list-style-type: none"> • SSP1: Expelled Receiving Services • SSP2: Expelled Not Receiving Services • SSP3: Out of School Suspension • SSP5: Corporal Punishment • INDR: In-District Removal • INSR: In-School Removal • SSP7: Restraint • SSP8: Seclusion • IAES1: IAES Unilateral Removal by School Personnel • IAES2: IAES Removal by Hearing Officer <p>Reports blank when the State Resolution Code is null.</p> <p><i>Alphanumeric, reports the code and description</i></p>	<p>Behavior Management > Incident > Resolution > State Resolution Code Mapping</p> <p>BehaviorResType.stateResCode</p>
Resolution Type	<p>The local district resolution type.</p> <p>Reports the description only. Reports as blank when the Resolution type is null.</p> <p><i>Alphanumeric</i></p>	<p>Behavior > Behavior Management Tool > Incident > Resolution > Resolution Type</p> <p>BehaviorResType.resolutionName</p>
Res Start Date	<p>The start date of the resolution.</p> <p><i>Date Field, MM/DD/YYYY, leading zero(es) do not display on the CSV</i></p>	<p>Behavior Management > Incident > Resolution > Resolution Start Date</p> <p>BehaviorResolution.timestamp</p>
Res Start Time	<p>The start time of the resolution.</p> <p><i>Alphanumeric, HH:MM AA, leading zero(es) for the hour do not display in the CSV (such as 9:15 AM)</i></p>	<p>Behavior Management > Incident > Resolution > Resolution Start Time</p> <p>BehaviorResolution.timestamp</p>
Res End Date	<p>The end date of the resolution.</p> <p><i>Date Field, MM/DD/YYYY, leading zero(es) do not display on the CSV</i></p>	<p>Behavior Management > Incident > Resolution > Resolution End Date</p> <p>BehaviorResolution.endtimestamp</p>
Res End Time	<p>The end time of the resolution.</p> <p><i>Alphanumeric, HH:MM AA, leading zero(es) for the hour do not display in the CSV (such as 9:15 AM)</i></p>	<p>Behavior Management > Incident > Resolution > Resolution End Time</p> <p>BehaviorResolution.endtimestamp</p>
Resolution Length	<p>The length of the resolution to the hundredth of a day.</p> <p>Resolution Length is calculated to the hundredth of the day compared to the Standard Day minutes for that day in the calendar. This calculation is stored in the Duration in School Days field on the resolution.</p> <p>Reports the value from Duration in School Days for the resolution.</p> <p><i>Numeric, up to 2 spaces after the decimal</i></p>	<p>Behavior Management > Incident > Resolution > Duration in School Days</p> <p>BehaviorResolution.SchoolDaysDuration</p> <p>Calculated</p>

Element Name	Description	Location
Removal Reason	<p>The reason for the student's removal. Reports the description:</p> <ul style="list-style-type: none"> • Drug Offenses • Dangerous Weapons • Serious Bodily Injury <p>Reports as blank when the Removal Reason is null.</p> <p><i>Alphanumeric</i></p>	<p>Behavior Management > Incident > Resolution > Removal Reason</p> <p>BehaviorResolution.removalReason</p>
Birth Date	<p>The day, month, and year on which the student was born.</p> <p><i>Date field, MM/DD/YYYY</i></p>	<p>Demographics > Birth Date</p> <p>Identity.birthDate</p>
IDEA Start	<p>The start date of the IEP used to determine whether the student has an active SPED record.</p> <p><i>Date field, MM/DD/YYYY</i></p>	<p>Special Ed Documents > IEP > Start Date</p> <p>Plan.startDate</p>
IDEA End	<p>The end date of the IEP used to determine whether the student has an active SPED record.</p> <p><i>Date field, MM/DD/YYYY</i></p>	<p>Special Ed Documents > IEP > End Date</p> <p>Plan.endDate</p>
Enroll Start	<p>The first day of the student's enrollment at the school.</p> <p><i>Date field, MM/DD/YYYY</i></p>	<p>Enrollments > Start Date</p> <p>Enrollment.startDate</p>
Enroll End	<p>The last day of the student's enrollment at the school.</p> <p><i>Date field, MM/DD/YYYY</i></p>	<p>Enrollments > End Date</p> <p>Enrollment.endDate</p>
Enroll End Status	<p>The enrollment end code for the student. Reports the code.</p> <p><i>Alphanumeric</i></p>	<p>Enrollments > State End Status</p> <p>Enrollment.endStatus</p>
Loaded Date	<p>The day the table was populated.</p> <p><i>Date field, MM/DD/YYYY</i></p>	<p>Calculated</p>
Sub-Report	<p>Indicates which safe schools sub-report for which the event qualifies. Reports an abbreviated sub-report description.</p> <ul style="list-style-type: none"> • SS1: Violence • SS2: Weapons • SS3A: Drugs • SS3B: Alcohol • SS3C: Tobacco • SS4: Harassment • SS5: State Resolution <p><i>Alphanumeric</i></p>	<p>Calculated field based on Safe Schools selection criteria.</p>
Distinct Count	<p>Reports a 1 for the first row with a State Student ID/Event ID combination. Reports a 0 for every subsequent duplicated State Student ID/Event ID combination.</p> <p><i>Numeric, 1 digit</i></p>	<p>Calculated</p>

Aggregate Report Layout (School, District, and State Level)

The Aggregate Report details aggregate Safe Schools data for an entire school, district, or state and only includes schools with state classifications of A1-A6, A8, B1, B2, C2, and D1.

State-level aggregation is only available in the Kentucky State Edition of Infinite Campus.

Element Name	Description	Location
SCH_YR	The academic year of reporting behavior data. Logic concatenates the calendar start year and end year.	Calendar.startYear Calendar.endYear
SCH_CODE	The district and school reporting data, represented by their District and School Number concatenated into a 6 digit number. The first 3 digits represent the school number, the last 3 digits represent the district number. A value of 999000 represents the state aggregation.	District.number School.number District Information > Number System Administration > Resources > School > Number
DIST_NAME	Name of the district where the behavior data was recorded. This field reports blank for the state aggregation.	District.name District Information > Name
SCH_NAME	Name of the school where the behavior data was recorded. This field reports blank for the state aggregation.	School.name School > Name
TABLE	Table name for method by which data is being reported. Options include: <ul style="list-style-type: none"> • Behavior Events • Discipline-Resolutions • Legal Sanctions • Behavior Events by Grade Level • Behavior Events by Location • Behavior Events by Context 	N/A
CATEGORY	Category names specific to the table of data. See the Categories section for a detailed list and description of all available categories.	N/A
TOTAL_STUDENTS	Reports a count by table/category for offender/participants. Counts 1 for each student.	Calculated
TOTAL_EVENTS	Reports a count by table/category for offender/participants. Count 1 for each event or resolution.	Calculated
ETH_WHITE	Reports a count by table/category of white offender/participants. Counts 1 for each offender/participant with a Race of 6.	Calculated Census > People > Identity > Race/Ethnicity
ETH_BLACK	Reports a count by table/category of black/african american offender/participants. Counts 1 for each offender/participant with a Race of 4.	Calculated Census > People > Identity > Race/Ethnicity
ETH_HISPANIC	Reports a count by table/category of white non-Hispanic offender/participants. Counts 1 for each offender/participant with a Race of 1.	Calculated Census > People > Identity > Race/Ethnicity
ETH_ASIAN	Reports a count by table/category of asian offender/participants. Counts 1 for each offender/participant with a Race of 3.	Calculated Census > People > Identity > Race/Ethnicity
ETH_ALASKAN	Reports a count by table/category of alaskan offender/participants. Counts 1 for each offender/participant with a Race of 2.	Calculated Census > People > Identity > Race/Ethnicity
ETH_PACIFIC	Reports a count by table/category of pacific islander offender/participants. Counts 1 for each offender/participant with a Race of 5.	Calculated Census > People > Identity > Race/Ethnicity

Element Name	Description	Location
ETH_MULTI	Reports a count by table/category of multi-race offender/participants. Counts 1 for each offender/participant with a Race of 7.	Calculated Census > People > Identity > Race/Ethnicity
GEN_MALE	Reports a count by table/category of male offender/participants.	Calculated Census > People > Identity > Race/Ethnicity
GEN_FEMALE	Reports a count by table/category of female offender/participants.	Census > People > Demographics > Gender
ECONOMIC_DISADVANTAGED	Reports a count by table/category of socially economically disadvantaged offender/participants. Logic counts 1 for each student with an Economic Status of F or R.	Calculated FRAM > Eligibility > Eligibility
STUDENT_WITH_DISABILITIES	Reports a count by table/category of active special education disability offender/participants with locked, active IEP. Logic counts 1 for each student with an active Special Ed of Y.	Calculated Student Information > Special Ed > Documents Student Information > Special Ed > Documents > IEP > Education Plan > Start Date & End Date
ENGLISH_LEARNER	Reports a count by table/category of English Learner offender/participants. Logic counts 1 for each student with an English Learner (EL) of Y.	Calculated Student Information > Program Participation > LEP > LEP > Program Status Student Information > Program Participation > LEP > LEP Accommodations > Type
FOSTER	Reports a count by table/category of Foster offender/participants. Logic counts 1 for each student with a Foster Care Status of Y.	Calculated Student Information > General > Program Participation > Foster Care
GIFTED_AND_TALENTED	Reports a count by table/category of Gifted and Talented offender/participants. Logic counts 1 for each student with a Gifted and Talented Status of Y.	Calculated Student Information > General > Program Participation > Gifted and Talented
HOMELESS	Reports a count by table/category of homeless offender/participants. Logic counts 1 for each student with a Homeless Status of Y.	Calculated Student Information > General > Program Participation > Homeless
MIGRANT	Reports a count by table/category of Migrant offender/participants Logic counts 1 for each student with a Migrant Status of Y.	Calculated Student Information > General > Program Participation > Migrant
MILITARY_CONNECTED	Reports a count by table/category of Military Connected offender/participants. Logic counts 1 for each student with a Military Connected Status of Y.	Calculated Student Information > General > Program Participation > Military Connected

State Event Codes

[Click here to expand...](#)

Sub-report colors only serve to help users easily identify which codes apply to which sub-reports.

Color Key	Sub-Report
	SS1: Assault and Violence
	SS2: Possession of Guns or other Deadly Weapons
	SS3A: Possession/Use or Distribution of Drugs SS3B: Possession/Use or Distribution of Alcohol SS3C: Possession/Use or Distribution of Tobacco
	SS4: Bullying or Harassment
	SS5: Other Events Resulting in State Resolutions

Code	Description	Sub-Report
V01	1st Degree Assault	SS1
V02	2nd Degree Assault	SS1
V03	3rd Degree Assault	SS1
V04	4th Degree Assault	SS1
V05	Abuse of a Teacher	SS1
N01	Academic Cheating/Plagiarism	SS5
A01	Alcohol Distribution	SS3B
A02	Alcohol Possession	SS3B
A03	Alcohol Use	SS3B
V06	Arson	SS1
N02	Attendance Policy Violation	SS5
H01	Bullying	SS4
N03	Burglary	SS5
N04	Bus Rule Violation	SS5
V07	Criminal Abuse	SS1
N05	Dangerous Instrument Possession	SS5
N06	Destruction of Property	SS5
N07	Disorderly Conduct	SS5
N08	Disrespectful Behavior	SS5
N09	Disruptive Behavior	SS5
N10	Dress Code Incident	SS5
D01	Drug Distribution	SS3A
N11	Drug Paraphernalia Violation	SS5
D02	Drug Possession	SS3A
D03	Drug Use	SS3A
N12	Failure to Attend Detention	SS5
N13	Fighting - Student to Other (physical aggression)	SS5
N14	Fighting - Student to Staff (physical aggression)	SS5
N15	Fighting - Student to Student (physical aggression)	SS5
N16	Forgery	SS5
N17	Fraud	SS5
N18	Gambling	SS5
H02	Harassing Communications	SS4
H03	Harassment	SS4
V19	Hazing 1st Degree	SS1
V20	Hazing 2nd Degree	SS1

Code	Description	Sub-Report
V08	Homicide	SS1
N19	Insubordination	SS5
V09	Kidnapping	SS1
N20	Leaving Campus	SS5
N21	Loitering	SS5
V10	Menacing	SS1
N22	Motor Vehicle Theft	SS5
N99	No State Violation	SS5
N23	Out of Area Violation	SS5
N24	Possession of Stolen Property	SS5
N25	Profanity or Vulgarity	SS5
V11	Rape	SS1
V12	Robbery/Theft	SS1
N26	Self-Endangerment	SS5
V13	Sexual Assault	SS1
V14	Sexual Offense (non-touch)	SS1
N27	Skippping Class	SS5
N28	Skippping School	SS5
H04	Stalking	SS4
N29	Tardy to Class	SS5
V15	Terroristic - Bomb	SS1
V16	Terroristic Threat	SS1
V17	Terroristic-Chem/Bio/Nuc	SS1
N30	Theft/Stealing	SS5
H05	Threatening another Student	SS4
H06	Threatening Staff	SS4
T01	Tobacco Distribution	SS3C
T02	Tobacco Possession	SS3C
T03	Tobacco Use	SS3C
N31	Trespassing	SS5
N32	Truancy	SS5
N33	Vandalism	SS5
H07	Verbal Abuse	SS4
N34	Violation of District Acceptable Use Policy	SS5
N35	Violation of Personal Electronic/Telecommunication Device Policy	SS5
V18	Wanton Endangerment	SS1
W01	Weapon Possession	SS2
W02	Weapon Distribution	SS2
W03	Weapon Use	SS2

Categories

[Click here to expand...](#)

Behavior Event Categories

Category	Description and Logic	Location
Assault, 1st degree	Reports a sum of distinct Assault, 1st Degree related behavior events by student group. Sum of distinct count of events with State Event Code of V01	Behavior > Behavior Incident Manager Tool > Incident > Event > State Code Calculated

Category	Description and Logic	Location
Other Assault or Violence	Reports a sum of distinct of assault or violence excluding 1st degree related assault behavior events by student group. Sum of distinct count of all events in Sub Report SS1 except for events with State Event Code of V01	Behavior > Behavior Incident Manager Tool > Incident > Event > State Code Calculated
Weapons	Reports a sum of distinct of weapons related behavior events by student group. Sum of distinct count of all events in Sub Report SS2	Behavior > Behavior Incident Manager Tool > Incident > Event > State Code Calculated
Harassment (includes bullying)	Reports a sum of distinct of harassment related behavior events by student group. Sum of distinct count of all events in Sub Report SS4	Behavior > Behavior Incident Manager Tool > Incident > Event > State Code Calculated
Drugs	Reports a sum of distinct of drugs related behavior events by student group. Sum of distinct count of all events in Sub Report SS3A	Behavior > Behavior Incident Manager Tool > Incident > Event > State Code Calculated
Alcohol	Reports a sum of distinct of alcohol related behavior events by student group. Sum of distinct count of all events in Sub Report SS3B	Behavior > Behavior Incident Manager Tool > Incident > Event > State Code Calculated
Tobacco	Reports a sum of distinct of tobacco behavior events by student group. Sum of distinct count of all events in Sub Report SS3C	Behavior > Behavior Incident Manager Tool > Incident > Event > State Code Calculated
Other Events Resulting in State Resolutions	Reports a sum of distinct state event codes not related to assault, violence, deadly weapons, controlled substances, bullying or harassment must have a state resolution of suspension, expulsion, corporal punishment, restraint or seclusion (SSP1, SSP2, SSP3, SSP5, SSP7, SSP8, INSR, IAES1, IAES2). Sum of distinct count of all events in Sub Report SS5 (SS5.R1)	Behavior > Behavior Incident Manager Tool > Incident > Event > State Code Calculated
Total	Reports a sum of distinct behavior events by student group. Sum of distinct count of all events.	Behavior > Behavior Incident Manager Tool > Incident > Event > State Code Calculated

Discipline Resolution Categories

Category	Description and Logic	Location
Expelled, receiving services (SSP1)	Reports a sum of distinct Expelled, receiving services (SSP1) resolutions by student group. Counts 1 for each Resolution State Code of SSP1	Behavior > Behavior Incident Manager Tool > Incident > Resolution > State Code
Expelled, not receiving services (SSP2)	Reports a sum of distinct Expelled, not receiving services (SSP2) resolutions by student group. Counts 1 for each Resolution State Code of SSP2	Behavior > Behavior Incident Manager Tool > Incident > Resolution > State Code
Out-of-School suspensions (SSP3)	Reports a sum of distinct Out-of-School suspensions (SSP3) resolutions by student group. Counts 1 for each Resolution State Code of SSP3	Behavior > Behavior Incident Manager Tool > Incident > Resolution > State Code
Corporal Punishment (SSP5)	Reports a sum of distinct Corporal Punishment (SSP5) resolutions by student group. Counts 1 for each Resolution State Code of SSP5	Behavior > Behavior Incident Manager Tool > Incident > Resolution > State Code

Category	Description and Logic	Location
In-School Removal (INSR) or In-District Removal (INDR) >.5	Reports a sum of distinct In-School Removal (INSR) and In-District Removal (INDR) resolutions by student group.	Behavior > Behavior Incident Manager Tool > Incident > Resolution > State Code
	Only INSR/INDR resolutions with a resolution length of at least a .5 day are included. Counts 1 for each Resolution State Code of INSR	Behavior > Behavior Incident Manager Tool > Incident > Resolution > Duration in School Days
Restraint (SSP7)	Reports a sum of distinct Restraint (SSP7) resolutions by student group. Counts 1 for each Resolution State Code of SSP7	Behavior > Behavior Incident Manager Tool > Incident > Resolution > State Code
Seclusion (SSP8)	Reports a sum of distinct Seclusion (SSP8) resolutions by student group. Counts 1 for each Resolution State Code of SSP8	Behavior > Behavior Incident Manager Tool > Incident > Resolution > State Code
Unilateral Removal by School Personnel (IAES1)	Reports a sum of distinct Unilateral Removal by School Personnel (IAES1) resolutions by student group. Counts 1 for each Resolution State Code of IAES1	Behavior > Behavior Incident Manager Tool > Incident > Resolution > State Code
Removal by Hearing Officer (IAES2)	Reports a sum of distinct Removal by Hearing Officer (IAES2) resolutions by student group. Counts 1 for each Resolution State Code of IAES2	Behavior > Behavior Incident Manager Tool > Incident > Resolution > State Code
Total	Reports a sum of all distinct state resolutions by student group. Counts 1 for each Resolution State Code that is not null	Behavior > Behavior Incident Manager Tool > Incident > Resolution > State Code

Legal Sanction Categories

Category	Description and Logic	Location
Arrests	Reports a sum of distinct behavior events resulting in arrests by student group. Sum of distinct count of events with Arrest = 1.	Behavior > Behavior Management Tool > Incident > Event > Participant > Arrest
Charges	Reports a sum of distinct behavior events resulting in charges by student group. Sum of distinct count of events with Charges = 1.	Behavior > Behavior Management Tool > Incident > Event > Charges Filed
Civil Proceedings	Reports a sum of distinct behavior events resulting in civil proceedings by student group. Sum of distinct count of events with Civil Proceedings = 1.	Behavior > Behavior Management Tool > Incident > Event > Participant > Civil Proceedings
School Resource Officer Involvement	Reports a sum of distinct behavior events involving a School Resource Officer by student group. Sum of distinct count of events with School Resource Officer = 1.	Behavior > Behavior Management Tool > Incident > Event > School Resource Officer
Court Designated Worker Involvement	Reports a sum of distinct behavior events involving notification of a Court Designated Worker by student group. Sum of distinct count of events with Court Designated Worker = 1.	Behavior > Behavior Management Tool > Incident > Event > Court Designate Worker
Total	Reports a sum of distinct behavior events resulting in legal sanctions by student group. An event only counts once per offender/participant even if multiple legal sanctions occurred. Sum of distinct count of events with Arrest = 1, Charges = 1, Civil Proceedings = 1, School Resource Officer = 1, or Court Designated Worker = 1.	

Behavior Events by Grade Level Categories

Category	Description and Logic	Location
----------	-----------------------	----------

Category	Description and Logic	Location
Grade Preschool	Reports a sum of Grade Preschool offender/participant connected with the event. Sum of distinct count of events with state grade = 97,98,99	Census > People > Enrollments > Grade OR Student Information > Enrollments > Grade
Grade K	Reports a sum of Grade K offender/participant connected with the event. Sum of distinct count of events with state grade = 00	Census > People > Enrollments > Grade OR Student Information > Enrollments > Grade
Grade 01	Reports a sum of Grade 01 offender/participant connected with the event. Sum of distinct count of events with state grade = 01	Census > People > Enrollments > Grade OR Student Information > Enrollments > Grade
Grade 02	Reports a sum of Grade 02 offender/participant connected with the event. Sum of distinct count of events with state grade = 02	Census > People > Enrollments > Grade OR Student Information > Enrollments > Grade
Grade 03	Reports a sum of Grade 03 offender/participant connected with the event. Sum of distinct count of events with state grade = 03	Census > People > Enrollments > Grade OR Student Information > Enrollments > Grade
Grade 04	Reports a sum of Grade 04 offender/participant connected with the event. Sum of distinct count of events with state grade = 04	Census > People > Enrollments > Grade OR Student Information > Enrollments > Grade
Grade 05	Reports a sum of Grade 05 offender/participant connected with the event. Sum of distinct count of events with state grade = 05	Census > People > Enrollments > Grade OR Student Information > Enrollments > Grade
Grade 06	Reports a sum of Grade 06 offender/participant connected with the event. Sum of distinct count of events with state grade = 06	Census > People > Enrollments > Grade OR Student Information > Enrollments > Grade
Grade 07	Reports a sum of Grade 07 offender/participant connected with the event. Sum of distinct count of events with state grade = 07	Census > People > Enrollments > Grade OR Student Information > Enrollments > Grade
Grade 08	Reports a sum of Grade 08 offender/participant connected with the event. Sum of distinct count (DE.48) of events with state grade (DE.7) = 08	Census > People > Enrollments > Grade OR Student Information > Enrollments > Grade
Grade 09	Reports a sum of Grade 09 offender/participant connected with the event. Sum of distinct count of events with state grade = 09	Census > People > Enrollments > Grade OR Student Information > Enrollments > Grade
Grade 10	Reports a sum of Grade 10 offender/participant connected with the event. Sum of distinct count of events with state grade = 10	Census > People > Enrollments > Grade OR Student Information > Enrollments > Grade
Grade 11	Reports a sum of Grade 11 offender/participant connected with the event. Sum of distinct count of events with state grade = 11	Census > People > Enrollments > Grade OR Student Information > Enrollments > Grade

Category	Description and Logic	Location
Grade 12	Reports a sum of Grade 12 offender/participant connected with the event. Sum of distinct count of events with state grade = 12	Census > People > Enrollments > Grade OR Student Information > Enrollments > Grade
Grade 14	Reports a sum of Grade 14 offender/participant connected with the event. Sum of distinct count of events with state grade = 14	Census > People > Enrollments > Grade OR Student Information > Enrollments > Grade
Total	Reports a sum of distinct behavior events by state grade Sum of distinct counts of events with state grade	

Behavior Events by Location Categories

Category	Description and Logic	Location
Classroom	Reports a sum of distinct behavior events occurring in the classroom by student group. Sum of distinct count of events with Event Location = SSL1.	Behavior > Behavior Management Tool > Incident > Location
Bus	Reports a sum of distinct behavior events occurring on the bus by student group. Sum of distinct count of events with Event Location = SSL2.	Behavior > Behavior Management Tool > Incident > Location
Hallway/Stairwell	Reports a sum of distinct behavior events occurring in the hallway/stairwell by student group. Sum of distinct count of events with Event Location = SSL3.	Behavior > Behavior Management Tool > Incident > Location
Cafeteria	Reports a sum of distinct behavior events occurring in the cafeteria by student group. Sum of distinct count of events with Event Location = SSL4.	Behavior > Behavior Management Tool > Incident > Location
Campus Grounds	Reports a sum of distinct behavior events occurring on campus grounds by student group. Sum of distinct count of events with Event Location = SSL5.	Behavior > Behavior Management Tool > Incident > Location
Restroom	Reports a sum of distinct behavior events occurring in the restroom by student group. Sum of distinct count of events with Event Location = SSL7.	Behavior > Behavior Management Tool > Incident > Location
Gymnasium	Reports a sum of distinct behavior events occurring in the gymnasium by student group. Sum of distinct count of events with Event Location = SSL8.	Behavior > Behavior Management Tool > Incident > Location
Playground	Reports a sum of distinct behavior events occurring on the playground by student group. Sum of distinct count of events with Event Location = SSL11.	Behavior > Behavior Management Tool > Incident > Location
Other	Reports a sum of distinct behavior events occurring off campus (SSL6), in the office (SSL9), on an athletic field (SSL10), during a field trip (SSL12), or at a location that is not named (other) (SSL13) by student group. Sum of distinct count of events when Event Location is one of SSL6, SSL9, SSL10, SSL12, SSL13.	Behavior > Behavior Management Tool > Incident > Location
Total	Reports a sum of distinct behavior events occurring in all locations by student group. Sum of distinct count of events with an Event Location.	Behavior > Behavior Management Tool > Incident > Location

Behavior Events by Context Categories

Category	Description and Logic	Location
School Sponsored Event; During School Hours	Reports a sum of distinct behavior events resulting in school sponsored event during school hours Sum of distinct count of events with context = SS	Behavior > Behavior Management Tool > Incident > Context
School Sponsored Event; Not During School Hours	Reports a sum of distinct behavior events resulting in school sponsored event not during school hours Sum of distinct count of events with context = SN	Behavior > Behavior Management Tool > Incident > Context
Non School Sponsored Event; During School Hours	Reports a sum of distinct behavior events resulting in non-school sponsored event during school hours Sum of distinct count of events with context = NS	Behavior > Behavior Management Tool > Incident > Context
Non School Sponsored Event; Not During School Hours	Reports a sum of distinct behavior events resulting in non-school sponsored event not during school hours Sum of distinct count of events with context = NN	Behavior > Behavior Management Tool > Incident > Context
Total	Reports a sum of distinct behavior events resulting in legal sanctions by student group. An event only counts once per offender/participant even if multiple legal sanctions occurred. Sum of distinct count of events where context is SS, SN, NS, or NN	