# CRDC - ARRS - Student Discipline (Referrals to Law Enforcement & School-Related Arrests) Ad Hoc Filters

Last Modified on 03/15/2024 11:38 am CDT

Tool Search: Civil Rights Data Collection (CRDC) > Maintain Survey Results

This article covers basic ways to use the Campus Ad hoc Reporting tools to design Ad hoc filters that can produce the school mappings needed to identify data sets for the Civil Rights Data Collection (CRDC). If the required information is not entered into Campus, a filter will not be able to produce the data. The filters used within this document utilize the Filter Designer's Query Wizard. Ad hoc fields vary by state; therefore, examples within this article may need to use different data elements from what appears in the examples.

Also note, the Query Wizard returns data based on AND. For most of the examples, logical expressions should be entered to indicate an AND or OR is required. This is not represented in all of the captured images, but should be incorporated into your queries.

Ad Hoc filters will not report any student or course that is not enrolled or assigned to the school the filter is being run.  Any students or courses that need to be added to a school's mapping will need to be manually added using the Quick Search feature in the school's mapping tool.

The CRDC is run for previous years' data, not current years' data.

Use these links to navigate between examples:

- ARRS-1 Instances of Referrals to Law Enforcement; AARS-2: Students Without Disabilities - Referred to Law Enforcement
- ARRS-3: Students With Disabilities - Referred to Law Enforcement
- ARRS-4: Incidences of School-Related Arrests; ARRS-5: Students Without Disabilities - School-Related Arrest
- ARRS-6: Students With Disabilities - School-Related Arrest

Images may display reference to a particular year. Users should update the year as needed for reporting. Information noted in each of the queries is current with CRDC requirements, regardless of the year displayed.

## ARRS-1 Instances of Referrals to Law Enforcement; AARS-2: Students Without Disabilities - Referred to Law Enforcement

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

**\*Query Name:** ARRS-1a: Discipline of Students without Disabiliti

**Short Description:**

**Long Description:** ⊞

---

**Filter the data**

| | ID | *Field | Operator | Value |
|---|---|---|---|---|
| ✕ | 1 | student.personID | | |
| ✕ | 2 | student.gender | | |
| ✕ | 3 | student.raceEthnicityFed | | |
| ✕ | 4 | histEnrollment.startDate | | |
| ✕ | 5 | histEnrollment.endDate | | |
| ✕ | 6 | histEnrollment.specialEdStatus | <> | Y |
| ✕ | 7 | behaviorDetail.policeNotified | = TRUE | |

Add

**Logical Expression (Optional):**

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT ( ) IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

---

**\*Query Name:** ARRS-1a: Discipline of Students without Disabiliti

**Short Description:**

**Long Description:** ⊞

---

**Group the data into sections that can have aggregates/sub-totals**

| Grouping | Group by | Group Order |
|---|---|---|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|---|---|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| student.personID | Distinct Count |
| | |

*Filter Identifying Students Referred to Law Enforcement Agency*

## ARRS-3: Students With Disabilities - Referred to Law Enforcement

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.



**\*Query Name:** ARRS-2a: Discipline of Students with Disabilities

**Short Description:**

**Long Description:** ⊞

**Filter the data**

| | ID | *Field | Operator | Value |
|---|---|---|---|---|
| ✕ | 1 | student.personID | | |
| ✕ | 2 | student.gender | | |
| ✕ | 3 | student.raceEthnicityFed | | |
| ✕ | 4 | histEnrollment.startDate | | |
| ✕ | 5 | histEnrollment.endDate | | |
| ✕ | 6 | histEnrollment.specialEdStatus | = | Y |
| ✕ | 7 | behaviorDetail.policeNotified | = TRUE | |

Add

**Logical Expression (Optional):**

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT ( ) IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

**\*Query Name:** ARRS-2a: Discipline of Students with Disabilities

**Short Description:**

**Long Description:** ⊞

**Group the data into sections that can have aggregates/sub-totals**

| Grouping | Group by | Group Order |
|---|---|---|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|---|---|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| student.personID | Distinct Count |
| | |

*Filter Identifying Students with Disabilities Referred to Law Enforcement Agency*

## ARRS-4: Incidences of School-Related Arrests; ARRS-5: Students Without Disabilities - School-Related Arrest

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

**\*Query Name:** ARRS-1b: Discipline of Students without Disabiliti

**Short Description:**

**Long Description:** [+]

**Filter the data**

| | ID | \*Field | Operator | Value |
|---|---|---|---|---|
| ✕ | 1 | student.personID | | |
| ✕ | 2 | student.gender | | |
| ✕ | 3 | student.raceEthnicityFed | | |
| ✕ | 4 | histEnrollment.startDate | | |
| ✕ | 5 | histEnrollment.endDate | | |
| ✕ | 6 | histEnrollment.specialEdStatus | <> | Y |
| ✕ | 7 | behaviorDetail.lawEnforcement | = | Y |

Add

**Logical Expression (Optional):**

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT ( ) IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Filter Identifying Students With School-Related Arrest*

## ARRS-6: Students With Disabilities - School-Related Arrest

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

**\*Query Name:** ARRS-2b: Discipline of Students with Disabilities

**Short Description:**

**Long Description:** ⊞

**Filter the data**

| | ID | \*Field | Operator | Value |
|---|---|---|---|---|
| ✕ | 1 | student.personID | | |
| ✕ | 2 | student.gender | | |
| ✕ | 3 | student.raceEthnicityFed | | |
| ✕ | 4 | histEnrollment.startDate | | |
| ✕ | 5 | histEnrollment.endDate | | |
| ✕ | 6 | histEnrollment.specialEdStatus | = | Y |
| ✕ | 7 | behaviorDetail.lawEnforcement | = | Y |

Add

**Logical Expression (Optional):**

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT ( ) IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

---

**\*Query Name:** ARRS-2b: Discipline of Students with Disabilities

**Short Description:**

**Long Description:** ⊞

**Group the data into sections that can have aggregates/sub-totals**

| Grouping | Group by | Group Order |
|---|---|---|
| Tier 1 | student.gender | Ascending |
| Tier 2 | student.raceEthnicityFed | Ascending |
| Tier 3 | | Ascending |
| Tier 4 | | Ascending |
| Tier 5 | | Ascending |

| Aggregate/Sub Total by | Aggregate Type |
|---|---|
| student.gender | Record Count |
| student.raceEthnicityFed | Record Count |
| student.personID | Distinct Count |
| | |

*Filter Identifying Students With Disabilities With School-Related Arrest*