

CRDC - RSTR - Restraint & Seclusion Ad Hoc Filters

Last Modified on 10/21/2024 8:22 am CDT

Tool Search: Maintain CRDC Survey Results

This article covers basic ways to use the Campus [Ad hoc Reporting tools](#) to design Ad hoc filters that can produce the school mappings needed to identify data sets for the Civil Rights Data Collection (CRDC). If the required information is not entered into Campus, a filter will not be able to produce the data. The filters used within this document utilize the Filter Designer's [Query Wizard](#). Ad hoc fields vary by state; therefore, examples within this article may need to use different data elements from what appears in the examples. Ad hoc filter examples shown within this document utilize the following Query Wizard functions:

- [Logical Expressions](#)
- [Filter Functions](#)

Also note, the Query Wizard returns data based on AND. For most of the examples, logical expressions should be entered to indicate an AND or OR is required. This is not represented in all of the captured images, but should be incorporated into your queries.

Ad Hoc filters will not report any student or course that is not enrolled or assigned to the school the filter is being run. Any students or courses that need to be added to a school's mapping will need to be manually added using the Quick Search feature in the school's mapping tool.

The CRDC is run for previous years' data, not current years' data.

- [RSTR-1a, 1b, & 1c: Non-IDEA Students Subjected to Restraint or Seclusion](#)
- [RSTR-2a, 2b, & 2c: IDEA Students Subjected to Restraint or Seclusion](#)
- [RSTR-3: Instances of Restraint or Seclusion](#)

Images may display reference to a particular year. Users should update the year as needed for reporting. Information noted in each of the queries is current with CRDC requirements, regardless of the year displayed.

RSTR-1a, 1b, & 1c: Non-IDEA Students Subjected to Restraint or Seclusion

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name: RSTR-1a, 1b & 1c: Non-IDEA Subjected to Restraint

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	sch.name		
2	student.personID		
3	student.gender		
4	student.raceEthnicity		
5	behaviorDetail.role	=	Offender
6	behaviorDetail.responseCode	IS NOT NULL	
7	behaviorDetail.responseType		
8	histEnrollment.startDate	<=	10/01/2017
9	histEnrollment.endDate	>=	10/01/2017
10	histEnrollment.specialEdStatus	<>	Y

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying Non-IDEA Students Subjected to Restraint or Seclusion

RSTR-2a, 2b, & 2c: IDEA Students Subjected to Restraint or Seclusion

IDEA Students Subjected to Restraint or Seclusion

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name: RSTR-2a, 2b & 2c: IDEA Students Subjected to Restr

Short Description:

Long Description: +

Filter the data

	ID *Field	Operator	Value
X	1 sch.name		
X	2 student.personID		
X	3 student.gender		
X	4 student.raceEthnicity		
X	5 behaviorDetail.role	=	Offender
X	6 behaviorDetail.responseCode	IS NOT NULL	
X	7 behaviorDetail.responseType		
X	8 histEnrollment.startDate	<=	10/01/2017
X	9 histEnrollment.endDate	>=	10/01/2017
X	10 histEnrollment.specialEdStatus	=	Y

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description: +

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	<input type="text" value="sch.name"/>	<input type="text" value="Ascending"/>
Tier 2	<input type="text" value="behaviorDetail.responseType"/>	<input type="text" value="Ascending"/>
Tier 3	<input type="text" value="student.gender"/>	<input type="text" value="Ascending"/>
Tier 4	<input type="text" value="student.raceEthnicity"/>	<input type="text" value="Ascending"/>
Tier 5	<input type="text"/>	<input type="text" value="Ascending"/>

Aggregate/Sub Total by	Aggregate Type
<input type="text" value="student.gender"/>	<input type="text" value="Record Count"/>
<input type="text" value="student.raceEthnicity"/>	<input type="text" value="Record Count"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>

Filter Identifying IDEA Students Subjected to Restraint or Seclusion

RSTR-3: Instances of Restraint or Seclusion

Number of Instances of Restraint for 504 Students

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** RSTR-3: Num of Instances Restraint-504 Only

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	sch.name		
2	student.personID		
3	histEnrollment.startDate	<=	10/01/2017
4	histEnrollment.endDate	>=	10/01/2017
5	behaviorDetail.responseCode	IS NOT NULL	
6	behaviorDetail.responseType		
7	spProgram.code	=	504

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** RSTR-3: Num of Instances Restraint-504 Only

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	sch.name	Ascending
Tier 2	behaviorDetail.responseType	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.responseCode	Distinct Count

Filter Identifying Number of Instances of Restraint for 504 Students

Number of Instances of Restraint for IDEA Students

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:**

Short Description:

Long Description: +

Filter the data

	ID	*Field	Operator	Value
✕	1	<input type="text" value="sch.name"/>	<input type="text"/>	<input type="text"/>
✕	2	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
✕	3	<input type="text" value="histEnrollment.startDate"/>	<=	<input type="text" value="10/01/2017"/>
✕	4	<input type="text" value="histEnrollment.endDate"/>	>=	<input type="text" value="10/01/2017"/>
✕	5	<input type="text" value="histEnrollment.specialEdStatus"/>	=	<input type="text" value="Y"/>
✕	6	<input type="text" value="behaviorDetail.responseCode"/>	IS NOT NULL	<input type="text"/>
✕	7	<input type="text" value="behaviorDetail.responseType"/>	<input type="text"/>	<input type="text"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying Number of Instances of Restraint for IDEA Students

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	<input type="text" value="sch.name"/>	<input type="text" value="Ascending"/>
Tier 2	<input type="text" value="behaviorDetail.responseType"/>	<input type="text" value="Ascending"/>
Tier 3	<input type="text" value=""/>	<input type="text" value="Ascending"/>
Tier 4	<input type="text" value=""/>	<input type="text" value="Ascending"/>
Tier 5	<input type="text" value=""/>	<input type="text" value="Ascending"/>

Aggregate/Sub Total by	Aggregate Type
<input type="text" value="behaviorDetail.responseCode"/>	<input type="text" value="Distinct Count"/>
<input type="text" value=""/>	<input type="text" value=""/>
<input type="text" value=""/>	<input type="text" value=""/>
<input type="text" value=""/>	<input type="text" value=""/>

Filter Identifying Number of Instances of Restraint for IDEA Students

Number of Instances of Restraint for Non-IDEA Students

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** RSTR-3: Num of Instances Restraint-non IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	sch.name		
X 2	student.personID		
X 3	histEnrollment.startDate	<=	10/01/2017
X 4	histEnrollment.endDate	>=	10/01/2017
X 5	histEnrollment.specialEdStatus	<>	Y
X 6	behaviorDetail.responseCode	IS NOT NULL	
X 7	behaviorDetail.responseType		

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter for Non-IDEA Students

***Query Name:** RSTR-3: Num of Instances Restraint-non IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	sch.name	Ascending
Tier 2	behaviorDetail.responseType	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.responseCode	Distinct Count

Filter for Non-IDEA students

