

Account Letter Designer

Last Modified on 10/21/2024 8:20 am CDT

Creating a New Letter Format | Understanding Campus Field Options | Best Practices for Designing Account Letters | Preferred Language Setup | Account Letter Examples and Scenarios

Tool Search: User Account Letter Designer

The User Account Letter Designer allows you to create custom letters using a WYSIWYG editor. Letter formats created within the Account Letter Designer can be used by the Account Letter Builder to print and send Campus Portal and user account information, including username, and Portal account activation URLs.

User Account Letter Designer 🏠	User Management $>$ User Account Administration $>$ User Account Letter Designer
Account Letter Designer	
This wizard will walk you through the creation of a new letter format intended for	User Security notifications.
Saved Account Activation Letters	
G Administrators	
Edit Delete Copy	
New Format	

Image 1: Account Letter Designer Editor

Creating a New Letter Format

To create a new letter format, click the **New Format** button (Image 2). You will be directed to the WYSIWYG editor.

count Letter Designer This wizard will walk you through th	e creation of a new let	er format intended for User Security	notifications.
aved Account Activation Letters			
AH test FCKTestLetter IETest JMM Guardian GUID Letter JMM Mensage (guid) JMM Mensaje (enlace) JMM Username and Link Letter QA4bTest QALetter QALetterURL			
Edit Delete		,	

Image 2: Creating a New Letter Format

Use the WYSIWYG editor to build the letter format. This editor behaves similarly to other text editors, allowing you to format text, insert URL links, insert pictures and tables, and modify font properties. An important aspect of the WYSIWYG editor is its ability to insert Campus fields within the text. These fields will dynamically insert information for each letter recipient.

Please review the Understanding Campus Field Options section for more information about inserting Campus fields.

Please review the Best Practices for Designing Account Letters and Account Letter Examples/Scenario sections for help in designing account letters.

Name												
ormat ¶		7 U	 		_		62	_	_	•	E	
	Б.	<u>I</u>	 1	-	*=	==	co.	-	-	A	F	

Image 3: Letter Format Editor

Infinite **Campus**

Inserting an Image into a Letter

Images in any of the approved formats can be added to letters. If you have trouble with a .JPEG image in FOP, try opening it with an image processing program (such as Photoshop or Gimp) and then save it. Specifying 24-bit color output may also help.

For the PDF and PostScript renderers, most .JPEG images can be passed through without decompression. Grayscale, RGB, and CMYK color spaces render properly; however, for other output formats, the .JPEG images have to be decompressed.

Refer to the WYSIWYG Editors article for more information.

Creating a New Account Letter



- 1. Enter a **Name**. This will identify the letter within the Account Letter Designer and Account Letter Builder tools.
- 2. Select the **Font**, **Size**, **Font Color**, and any other formatting options within the text format bar.
- 3. Begin writing the letter within the text field. To include dynamic Campus Field options and subreports, select the two buttons on the far right side of the text format bar. For more information, see the **Understanding Campus Field Options** section below.
- 4. Select a user group in the **Organized To** field. This field allows users to designate which user group has rights to view and generate this letter format.
- 5. Select the **Save Format** button. The report format is now saved and available for use in the Letter Builder tool.

Understanding Campus Field Options

One important aspect of the Letter Designer tool is its ability to include Campus fields within letter formats. These options allow reports to dynamically pull and display specific student and person data for each letter recipient.

Any fields displaying in red text have been deactivated. Use the Element Replacement tool to replace them with updated fields.

To include Campus fields within a letter, select the small icon on the right-hand side of the text format bar (Image 4).

This wizard will walk you through the creation of a new letter format intended for User Security notifications. *Name Guardian GUID Letter Format															
¶	В	I	U	:=	;=	æ	F	*	▦	œ	F	_	A	F	
Hello individual.firstName Please take note of the below URL to log on to your new Infinite Campus portal account: http://mvcampus.k12.portal.com/campus/portal/logmeon.isp Once you have reached this page, please enter the following key to unlock your account and set up your username and password: individual.personGUID Thank you and good luck!															
Organi User A		:	Aun	ninistr											

Image 4: Inserting Campus Field Options

Once the Campus field options icon is selected, users are presented with the Insert/Edit Campus Field editor (Image 5). Much like other Ad hoc field editors, users are able to select Campus fields related to student/person data.

Select the field from the editor to insert the field within the letter. The selected field will appear within a dotted blue-lined box in the text field (see Image 6).

See the Best Practices for Designing Account Letters and Account Letter Examples/Scenario sections for useful examples of inserted Campus fields.

This wizard will walk you through the creation of a new letter format intervine notifications. *Name Guardian GUID Letter Format ¶ B I III <iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii< th=""><th></th></iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii<>	
Organized To: User Account ▼ Save Format	

Image 5: Selecting Campus Fields

In the example below (Image 6), a letter was created that began with the letter recipient's first name (**individual.firstName**) and explained that they need to unlock their account following the URL provided and enter their personGUID (**individual.personGUID**).

Once this letter is built within the Account Letter Builder, the **individual.firstName** field will generate the first name for each individual letter recipient as well as their personGUID in the **individual.personGUID** field.

Account Letter Designer	
This wizard will walk you through the creation of a notifications.	w letter format intended for User Security
*Name	
Guardian GUID Letter	
Format	
¶ B I <u>U</u> :≡ :≡ ≂≡ ≓≡	
Hello individual.firstName Please take note of the below URL to account:	on to your new Infinite Campus portal
	e enter the following key to unlock your
account and set up your username ar	Inserted Campus Fields
Thank you and good luck! Your Campus Administrator	
Organized To: User Account ▼ Save Format	Suzanne How they appear in a built St Louis Park, MN 55426 How they appear in a built Hello Suzanne Letter. Please take note of the below URL to logon to your new Infinite Campus portal account: http:// http:// ''''''''''''''''''''''''''''''''''''

Image 6: Identifying Inserted Campus Fields

Infinite Campus

A letter is still generated for students who do not have a mailing address. Like in the Preview of the attendance letters, the student's name is listed on the summary of who receives a letter, but instead of an address, the words NO MAILING ADDRESS display where the address would otherwise display. Letters print for the student with the same NO MAILING ADDRESS indication.

High School 4321 Campus Way Any Town, MN 55555 (612) 555-1234	Report generated: 09/21/2018 Student # ¹²³⁴⁵⁶
	Grade: 10 Birthdate: 06/10/2003
Parent/Guardian of: ^{Student, Carly} NO MAILING ADDRESS	

No Mailing Address Displayed on Letter Print

No Mailing Address is determined by the Mailing checkbox marked on the Related Household associated with the Address.

Related Households ☆ View in Google Map	S	Census > Addresses > Related Household Related Tools ^
Save Oelete Find New H Address Location Editor Household Start Date End I Benson 06/24/2013		
Address Location Detail Household Benson Start Date 06/24/2013	End Date	
Mailing Secondary	Private Physical - Modified by: Unknown	

Address Location Detail - Mailing Checkbox

Best Practices for Designing Account Letters

Whenever you include the uniqueLinkActivationURL field within a letter, you should include the **UniqueLinkExpirationDate** field. By default, Unique Activation URLs expire after 48 hours of being created (for security reasons), thus it is important to include the Unique Link Expiration Date field to indicate to the user when the Unique Activation URL will expire (Image 7).

nat			
₿ ӏ ⊻ ;≡ ;≡ ≂≡ ⊑ 🖬	≣ ∞ = —	AF	
Hello individual.firstName			
Your new username is: accountManagement.uniq	ueLinkUsername		
Your URL link is: accountManagement.uniqueLinkA]	
Please log into Campus by: accountManagement.uniqueLinkExpirationDate			
Thank you for using the Infinite Campus Portal!			
Your Campus Administrator			
ganized To: ser Account ▼			
ave Format			
1			
Dylan			
Dylan Crystal, MN 55427-1553			
AND THE REPORT OF A			
Crystal, MN 55427-1553			
Crystal, MN 55427-1553 Hello Dylan Your new username is: Dabboud	ık/T0WvagwpxX5W8	ltCj?appName=S	IS-55898iemn

Infinite Campus

Image 7: Example Letter Defining URL and Activation Expiration Date

The 48-hour Unique Activation URL expiration window can be modified via the **Account Activation URL Expiration Date** field found on the Account Letter Builder. The **UniqueLinkExpirationDate** field will display the value set in this field.



Whenever you include the **uniqueLinkActivationURL** field within a letter, you should include a line informing users what to do if they let the URL expire and can no longer activate their account (Image 8).

The Unique Link Activation URL will only work for a user the first time they select it. If they select the URL and do not complete the process, they will require a new URL to be sent to them via a new letter or email using the User Account Messenger tool.

Dylan Crystal, MN 55427-1553
Hello Dylan
Your new username is: Da
Your URL link is: http:// appName=SIS-55898iemn
Please logon by 09/04/2014
If the URL link is expired, please contact the district at 555-111-2222 to request a new URL link.
Thank you for using the Infinite Campus portal!
You local administrator

Image 8: Example Letter Informing User of What to do if URL is Expired

You can provide these users a new Activation URL by running the same filter within the Account Letter Builder. Original recipients who have activated their account via the URL will not reappear within filter results.

Preferred Language Setup

This format screen allows the input of the actual body of a letter. Letters can be created in several languages (see the Preferred Language Letter Setup section below). A school can create an Attendance letter in however many languages are needed, but it must first be entered in the selected Default Value.

Infinite Campus does not provide translation services . Districts must use their own resources when communicating in another language with parents/guardians, students, staff, etc.

Letters must exist in the assigned default language (see Step 1). Text can be entered for additional



languages for the district's population. Two things must be done:

- A language must exist in the Attribute/Dictionary and be marked active in the Attribute/Dictionary tool.
- A language must be assigned as the Preferred Language on the Personal Contact Information editor on the Demographics tab.

Existing language codes should not be modified. Access to letters is lost until the original code is recreated. If that language code is assigned to any person, that assignment is lost as well.

Step 1. Enter the Preferred Language Default Value

Tool Search: Attribute Dictionary

Enter the desired **Default Value** for the Preferred Language. This value shows the Default Language Preview when creating letters in other languages. If no Preferred Language has been assigned to an individual (Step 3), letters are generated in this default language.

- 1. Expand the **Contact** object.
- 2. Click on the **Preferred Language** element. A **Campus Attribute Detail** editor displays.
- 3. Enter the appropriate **Default Value**. This could be en_US, es_MX, or another abbreviation that matches the Code assigned to the Languages entered in the Dictionary list. The entered value must match the Dictionary Code for that language.

Core Attribute/Dictionary ☆	System Settings \rightarrow Custom Data and Links \rightarrow Core Attribute/Dictionary
Save	
Compus Attributes/Dktionary Editor	
Cempus Attribute Detail "Display Name "Screen Location "Prefered Language "Contact "Field Name "Data Type "CommunicationLanguage Hide Required Default Value en_US Prefered Language when receiving communications.	

Preferred Language Default Value

Step 2. Add Language To Attribute/Dictionary

Languages available here are used in the Preferred Language Selector to control the list of languages.

1. Expand the **Preferred Language** attribute and select **Dictionary**. A **Preferred Language Dictionary Detail** editor displays.




- 2. Click the **Add Row** button in the far right corner of the Detail editor.
- 3. Enter a **Code**, **Name**, and **Sequence** for the language.
- 4. Mark the language as **Active**.
- 5. To add more languages, click the **Add Row** in the right-hand corner and repeat steps 3 and 4.
- 6. Click the **Save** icon when finished.

The Language Code can be up to 15 characters in length.

Core	e Attribut	te/Dictio	nary ☆			System Set	tings > Cust	tom Data and Lir	nks > Core Attribute/Dictionary
🕒 S									
	CampusToolP CareerReadin CareerTechnic Contact Preferred	ness icalEducation I Language onary (2 Entries)							Î
Prefe	rred Language	Dictionary Deta	il					Add Row	
		Code	Name	Seq	Value	Standard Code	Ed-Fi Code	Active	
×	en_US		US English	1				x	
×	es_MX		Spanish (Mexico)	2				x	

Attribute Dictionary - Preferred Language

All languages **except** *en_US* and the language identified in the **Default Value** field can be added or removed. When an individual does not have a Preferred Language assigned, the default preferred language is assumed. If this language is removed, letters do not generate at all. The Code entered in the Dictionary must match the Default Value.



Default Value Matches Dictionary Code

Because of a configuration with Email Messenger settings, **en_US** should never be removed from the Preferred Language Dictionary.

Step 3. Assign Preferred Language to Parent/Guardian

Tool Search: Demographics

Assign the **Preferred Language** to the parent/guardian who receives an attendance letter. This field can also be assigned to all people in Infinite Campus. It's used to send other messages to parents/guardians, staff, and students.

Parents/guardians can also select the Preferred Contact Language on the Contact Preferences editor in the Campus Portal.


Save Delete	🖶 Person	Summa	ry Report	🖶 Dei	nographics	Data	Docume	nts	
mail:			Email	0	0				
econdary			Cillai	U	U	U	U		
mail:			Email						
ell Phone:			Voice						
	×		Text						
ther Phone:			Voice						
)	×		Text						
ork Phone:			Voice						
	×		Text						
ager:									
	×								

Preferred Language Assignment

Campus

Step 4. Create the Letter in the Default Language

Create the letter in the Default Language.



Preferred Language Display

Default Language: English

In the following example, **en_US: US English** is the Default Language. The Attribute/Dictionary has been entered as follows:

- Preferred Language Default Value: en_US
- Preferred Language Dictionary Value Code: en_US



The English version displays as the Preview when the same letter is created in another language.

*Name Course Term Letter												
Preferred Language Active en_US: US English es_MX: Spanish (Mexico) zh_CHI: Chinese zh_ZHO: Chinese so: Somali hmn: Hmong ja: Japanese	۹ ۲	b lola! i	I Aguí h	i≡ :≡			63	=	-	A	F	5
Organized To: User Account				6 English)								

Default Language: es_MX

In the following example, **es_MX: Spanish (Mexico)** is the Default Language. The Attribute/Dictionary has been entered as follows:

- Preferred Language Default Value: es_MX
- Preferred Language Dictionary Value Code: es:_MX

Contact Contac	Attribu	te/Dictionary ave s AttributesIDi behaviorRespoi BehaviorRespoi BehaviorRole BehaviorRole BehaviorType BehaviorVeap CampusTooPub Contact Preferred Li	nseType pe in lishedTab						^
		-							~
	Preter		Dictionary Detail			C	Malua	Chandrad Cada	Add Row
			Code		lame	Seq	Value	Standard Code	Active
	×	en_US		US English		1			x
	×	es_MX		Spanish (Mexico)		2			x
	~	ab CHI		Chinoso		2			v



Spanish Default Language Setup

When the same letter is created in another language, the Spanish version displays as the Preview.

*Name Course Term Letter																
Preferred Language 😮 Active	9	в	I	U	:=	:=	-	F		m	œ	-	_	А	F	S
en_US: US English 🗹	-			-										-		
es_MX: Spanish (Mexico) 🖂																
zh_CHI: Chinese	н	ere's a	an exa	ample	ofa	letter	!									
zh_ZHO: Chinese																
so: Somali																
hmn: Hmong																
ja: Japanese																
Organized To:	Defau	ılt langı	lage le	etter (S	Spanis	h (Me)	(ico):									
User Account																
Save Format(s)	Ιн	ola! ¡/	Aquí h	nav ur	n eiem	b olar	le una	a cart	a!							
Save Format(s)	"	olai p	.q	,												
		_														


Preferred Language in Spanish Letter Preview

When finished, choose the applicable **Organized To:** option and click the **Save Format** button. Follow your district's standard procedure to print and generate attendance letters. Letters in English and letters in non-English generate in the same collection of letters. When a parent/guardian is assigned a Preferred Contact Language that is not English, the letter prints in that language.

Step 5. Create the Letter in Additional Languages

After creating the letter in the Default Language, enter text for this same letter in a different language by selecting the language in the Preferred Language list and type/paste the translated text into the WYSIWYG editor. That language becomes bold, and an Active checkbox becomes available. A language version of the letter is only a draft until the Active checkbox is marked.

When it is determined that the draft letter can be sent, mark the Active checkbox, indicating the letter is now ready to print for those individuals assigned that Preferred Language.



Letter in Spanish

amous

Repeat these steps for the other languages where letters must be available.

Please adhere to any district policy that may exist for what needs to be included in the letters.

Step 6. Send the Letters

A letter is sent for each distinct Preferred Language associated with the parents/guardians in the household marked to receive mailings. In the example below, one of the student's guardians receives a letter in Spanish, because that is the Preferred Contact Language for that guardian, and another of the student's guardians at a different mailing address receives the same letter in English. If there are two parent/guardians in the household assigned the same Preferred Language, one letter generates for the household.

Parent/Guardian of: Student, 550 NORTH DRIVE ANY TOWN, MN 55555	Andrew
Hola, Esta carta es para informarle que Andre del distrito, debe reunirse con el Decano e	w ha perdido 5 o más días escolares en lo que va de año. Según la política de Estudiantes cuando su estudiante alcance este nivel de ausentismo.
Nuestro objetivo en Infinite Campus es correlación entre la buena asistencia y estudiante pierde la escuela; sin embar ausencia.	Parent/Guardian of: Student, Andrew 2520 RANNOT AVE N ANY TOWN, MN 55555
Por favor, póngase en contacto con la c Sr. Johnson.	 Hello, This letter is to inform you that Andrew has missed 5 or more school days so far this year. Per district policy, you must be meet with the Dean of Students when your student reaches this level of absenteeism. Our goal at Infinite Campus is to ensure that all our students are successful. Because the correlation between good attendance and achievement in school is quite strong, we are concerned when a student misses school; yet we do understand that occasionally circumstances arise that cause an absence. Please contact the High School office at 483-555-1873 to schedule an appointment with Mr. Johnson. Thank you, District Office



Letters in Multiple Languages

Certain foreign language characters may not line up properly with other text when using the Campus Fields or when fonts are mixed (like using phone numbers alongside non-English characters). Try adding additional returns between lines.

Account Letter Examples and Scenarios

The following are some examples of ways to use the Account Letter Designer to build useful letters.

Sending Portal Activation Letters to Parents/Students

Using Account Management fields, you can create a letter that will provide each parent and student (identified in the Ad hoc filter selected in the Account Letter Builder) with a unique Portal account activation URL. This URL is unique for each letter recipient and, once entered into a web browser, will guide each user through the steps necessary for activating their new Campus Portal account.

ername and Link Letter Example	
ormat	
¶ B I ⊻ :≡ :≡ र≡ म्≡ म्⊒	⊞ ∞ = — <u>A</u> [F]
Hello individual.firstName	
Your new username is: accountManagement	uniqueLinkUsername
Your URL link is: accountManagement.uniquel	LinkActivationURL
Please log into Campus by:	
accountManagement.uniqueLinkExpirationDate	
Thank you for using the Infinite Campus Po	tall
Finance you for using the minite output for	
Your Campus Administrator	
rganized To:	
User Account V	
Save Format	
Dylan	
Crystal, MN 55427-1553	
Crystal, MN 55427-1553	
Crystal, MN 55427-1553 Hello Dylan Your new username is: Dabboud	ue-link/T0WvagwpxX5W8tCj?appName=SIS-55898ien

Image 9: Activation Letter Example

Infinite Campus

Reminding Parents/Students of their Campus Portal Account Expiration Date

Using User Account/Summary fields, you can create a letter that can be sent to all Portal users informing them when their Campus Portal account will expire.

lame Portal /	Account	ns.			gh the d	creation	n of a n	ew lette	er forma	at inten	ded for	User S	Security	/	
ormat ¶	t B	I	U	:=	;=	Ē	F=		Ħ	œ	Ŧ	_	Α	F	-1
the Us Da	e date sernar ate Po	e india me: [] ortal A	cated usage Accou	ndly re below userna int will e distri	/. ame Expir	e: us	sage.e	xpires	Date		I acc	ount v	vill ex	xpire on	
Jser A	zed To Account	•													
			_					_		_	_		_		
				ter, MN				us Por	tal acc	ount w	ill exp	ire on t	he da	te indicat	ed belo

Image 10: Account Expiration Date Example

Infinite Contractor