

# Student Infraction & Student Infraction Response Templates (New Mexico)

Last Modified on 09/17/2025 11:51 am CDT

[Report Logic](#) | [Report Editor](#) | [Report Examples](#) | [Student Infraction Template](#) | [Student Infraction Response Template](#)

Article Archived as of Campus.2539

Tool Search: Student Infraction & Student Infraction Response Template

The Student Infraction & Student Infraction Response Templates are used to track student disciplinary infractions and a school's response(s) to the infractions for USDE Safe Schools reporting.

STUD\_INFRACTION & STUD\_INFRA\_RESP ☆ Reporting > NM State Reporting > STUD\_INFRACTION & STUD\_INFRA\_RESP

**Student Infraction & Student Infraction Response Templates**

These templates are used to track student infraction incidents and responses. All reporting Event Types and Resolution Types must map to a State Code to report. Student Infraction reports one record per student offender when the incident occurs on or between the reporting range. Only the most serious event reports. To report an Unknown Offender, districts must add an unknown record manually to the file or create a dummy student enrollment flagged State Exclude with Student State ID #825881329. Student Infraction Response reports the most serious resolution entered on a reporting student's event.

**Extract Options**

Extract Type: STUD\_INFRACTION  
Submission Start Date: [ ]  
Submission End Date: [ ]  
Which students would you like to include in the report?  
 Grade: All Grades, 2U, PK, KN, KF  
 Ad Hoc Filter: [ ]  
Format: State Format(CSV)  
Generate Extract  
Submit to Batch

**Select Calendars**

Which calendar(s) would you like to include in the report?  
 active year  
 list by school  
 list by year

23-24  
23-24 Bataan Elementary  
23-24 Bell Elementary  
23-24 Chaparral Elementary  
23-24 Columbus Elementary  
23-24 Deming Cesar Chavez Char  
23-24 Deming High School  
23-24 Deming Intermediate  
23-24 Early College High  
23-24 Memorial Elementary  
23-24 Mimbres Valley High  
23-24 Misc Preschool Program  
23-24 My Little School  
23-24 Red Mountain Middle  
23-24 Ruben S Torres ES  
23-24 Summer Camp-CO  
23-24 Summer Camp-DHS

CTRL-click or SHIFT-click to select multiple

Refresh Show top 50 tasks submitted between 06/03/2024 [ ] and 06/10/2024 [ ]

**Batch Queue List**

Queued Time	Report Title	Status	Download

Student Infraction & Student Infraction Response Template Editor

## Report Logic

- All reporting Event Types and Resolution Types must map to a State Code to report.
- To report an Unknown Offender, districts must add an unknown record manually to the file or create a mock student enrollment marked as State Exclude with Student State ID #825881329.

## Student Infraction

- The Student Infraction reports an offender's most severe event per incident based on the Most Severe flag on the Event Editor.
- When the incident date falls on/between the reporting range and the offender has only one event mapped to a state event code, that event reports.
- When the incident date falls on/between the reporting range and the offender has multiple events mapped to a state event code, only events flagged Most Severe report.

If the student's State ID...	Then...
is <b>NOT</b> = 825881329	<p>ONLY one record reports per offender per infraction in this report.</p> <ul style="list-style-type: none"> <li>• If multiple State Code events are flagged Most Severe, multiple records report.</li> <li>• If multiple State Code events are flagged Most Severe on a multiple event incident, no records report.</li> <li>• If only one State Code event exists on a reportable incident, the record <b>MUST</b> report.</li> </ul>
<b>IS</b> 825881329 (i.e., Unknown Offender/s)	<p>there are no restrictions on how many records an Unknown Offender may have.</p> <ul style="list-style-type: none"> <li>• Districts must add an "unknown" record manually to the file or create a "generic student" with the Student State ID 825881329 to report.</li> <li>• Campus recommends the "generic student" be state excluded.</li> </ul>

## Student Infraction Response

- The Student Infraction Response reports the most severe resolution mapped to a state resolution code from reporting events in the Student Infraction Template.
- If no reportable response exist, no record reports.
- If multiple resolutions exist on the offender/event of record, the resolution with the lowest value reports.
- A response record reports for each infraction record submitted unless the unknown perpetrator ID reports (student state ID #825881329).

## Report Editor

Field	Description
<b>Extract Type</b>	<ul style="list-style-type: none"> <li>• <b>STUD_INFRACTION</b> (Student Infraction)</li> <li>• <b>STUD_INFR_RESP</b> (Student Infraction Response Template)</li> </ul>
<b>Submission Start Date</b>	The Start Date of the reporting range.
<b>Submission End Date</b>	The End Date of the reporting range.
<b>Ad Hoc Filter</b>	Ad Hoc Filters allow you to limit report results to those included in the filter. This option is useful for troubleshooting.
<b>Format</b>	The format in which the report will generate. Options include HTML, Comma Separated and XML.
<b>Select Calendars</b>	The calendar(s) from which data is pulled for the report.

Field	Description
<b>Generate Extract/</b>	Users have the option of submitting a report request to the batch queue by clicking <b>Submit to Batch</b> instead of immediately generating the report by clicking <b>Generate Extract</b> . The batch process allows larger reports to generate in the background without disrupting the use of Campus. For more information about submitting a report to the batch queue, see the <a href="#">Batch Queue</a> article.
<b>Submit to Batch</b>	

## Report Examples

Student Infraction Records:19						
DistrictCode	LocationCode	SchoolYearDate	StudentID	InfractionDate	Filler6	InfractionCode
012	345	2016-06-30	123456789	2016-04-22		51
012	345	2016-06-30	234567891	2016-04-22		51
012	678	2016-06-30	567891234	2015-08-31		4
012	678	2016-06-30	456789123	2015-09-04		4
012	678	2016-06-30	567891234	2015-09-04		4
012	678	2016-06-30	567891234	2015-09-11		4

*Student Infraction Records Example*

Student Response Records:9								
DistrictCode	LocationCode	SchoolYearDate	StudentID	ResponseDate	Filler6	ResponseCode	Fi	
012	345	2016-06-30	123456789	2015-09-01		8		
012	678	2016-06-30	234567891	2015-09-01		3		
012	678	2016-06-30	345678912	2015-09-11		3		
012	678	2016-06-30	456789123	2015-09-11		3		
012	678	2016-06-30	567891234	2015-09-10		3		
012	678	2016-06-30	678912345	2015-09-10		3		
012	678	2016-06-30	789123456	2015-09-10		3		
012	678	2016-06-30	891234567	2015-09-11		3		
012	678	2016-06-30	912345678	2015-09-17		3		

*Student Response Records Example*

## Student Infraction Template

Element	Logic	Type, Format, & Length	Campus Database	Campus Location
<b>District Code</b>	A three character district code.	Numeric, 3 digits	District.number	District Information > District Number

Element	Logic	Type, Format, & Length	Campus Database	Campus Location
<b>Location Code</b>	The State School Number based on the active enrollment/s on the incident date. Reports 998 If a NM Exceptionality Plan is active on the infraction date for this offender where Location Code = 998. Otherwise, the State School Number reports.	Numeric, 3 digits	School.number Enrollment. specialEdStatus Enrollment. specialEdSetting	School Information > State School Number  Enrollment > Special Ed Fields > Special Ed Status  Enrollment > Special Ed Fields > Setting
<b>School Year Date</b>	The end year value based on the Year selected in the Campus Toolbar. Report as YYYY-06-30 all records, where YYYY is the year value based on Calendar > End Date.	Date field, 10 characters YYYY-MM-DD	Calendar.endDate	N/A
<b>Student ID</b>	The state-assigned identifier for the student.	Numeric, 9 digits	Person.stateID	Demographics > State ID
<b>Infraction Date</b>	The date of the incident.	Date field, 10 characters YYYY-MM-DD	BehaviorIncident. incidentDate	Behavior Management > Incident Management Editor > Incident Detail Information > Date of Incident
<b>Filler 6</b>	N/A	N/A	N/A	N/A

Element	Logic	Type, Format, & Length	Campus Database	Campus Location
<b>Infraction Code</b>	<p>The Infraction Code on the reporting incident.</p> <p>State Event Codes 54c and 54m report as 54, all remaining State Event Codes report the value selected.</p> <p>If there is only one resolution mapped to a state resolution code on the student's reporting Event of Record, that resolution's mapped state code value reports.</p> <p>If there is more than one resolution mapped to a state resolution code on the student's Event of Record, the most serious mapped State Event Code on the reporting incident for the reporting offender of record based on the value set on the data dictionary reports.</p>	Numeric, 3 digits	Behavior.stateEventCode	Behavior Management > Event Details > State Code Behavior > Admin > Event Type > State Event Code Mapping Behavior Management > Event Details > Most Severe
<b>Filler 8 - 13</b>	N/A	N/A	N/A	N/A
<b>Event Identifier</b>	Campus generated Incident ID.			Behavior Management > Incident ID
<b>Infraction Comment</b>	Reports blank for all records.	N/A	N/A	N/A
<b>Filler 16 - 18</b>	N/A	N/A	N/A	N/A

Element	Logic	Type, Format, & Length	Campus Database	Campus Location
<b>Weapon Type</b>	Indicates whether the offender had a weapon. If the offender had a weapon, <b>Y</b> reports. Otherwise, <b>N</b> reports.	Alphanumeric, 1 character Y or N	BehaviorWeapon.weaponType	Behavior Management > Event Types > Behavior Event Type Editor > Behavior Event Type Detail > Classification = Weapon Behavior Management > Incident Management Editor > Events and Participants > Event and Participant Details > Participant(s) Details > Weapon Type

Element	Logic	Type, Format, & Length	Campus Database	Campus Location															
<b>Victim 1 Type</b>	<p>Indicates the type of victim based on their relationship to the school.-</p> <p>If multiple victims are present on the reporting event, the value reports from the first victim entered.</p> <p>If there is at least one victim present on the reporting event of record and the victim has a relationship to the assigned school, the state code reports based on the following table. Otherwise, this column reports blank.</p> <table border="1" data-bbox="333 718 786 1179"> <thead> <tr> <th data-bbox="333 718 516 808">Relationship to School</th><th data-bbox="516 718 643 808">Reports as</th><th data-bbox="643 718 786 808">State Definition</th></tr> </thead> <tbody> <tr> <td data-bbox="333 808 516 887">1 = Current Student</td><td data-bbox="516 808 643 887">10</td><td data-bbox="643 808 786 887">Student</td></tr> <tr> <td data-bbox="333 887 516 965">2 = Former Student</td><td data-bbox="516 887 643 965">10</td><td data-bbox="643 887 786 965">Student</td></tr> <tr> <td data-bbox="333 965 516 1089">3 = Enrolled in another School</td><td data-bbox="516 965 643 1089">10</td><td data-bbox="643 965 786 1089">Student</td></tr> <tr> <td data-bbox="333 1089 516 1179">4 = Student Expelled</td><td data-bbox="516 1089 643 1179">10</td><td data-bbox="643 1089 786 1179">Student</td></tr> </tbody> </table>	Relationship to School	Reports as	State Definition	1 = Current Student	10	Student	2 = Former Student	10	Student	3 = Enrolled in another School	10	Student	4 = Student Expelled	10	Student	Numeric, 2 digits	BehaviorRole.relationshipToSchool BehaviorRole.role	Behavior Management > Participant(s) Details > Role; Relationship to School
Relationship to School	Reports as	State Definition																	
1 = Current Student	10	Student																	
2 = Former Student	10	Student																	
3 = Enrolled in another School	10	Student																	
4 = Student Expelled	10	Student																	
<b>Filler 21 - 25</b>	N/A	N/A	N/A	N/A															
<b>Criminal Charge Code</b>	If the Police Reported checkbox is marked, <b>Y</b> reports. Otherwise, <b>N</b> reports.	Alphanumeric, 1 character Y or N	Behavior.lawEnforcement	Behavior Management > Event Details > Police Reported															
<b>Filler 27</b>	N/A	N/A	N/A	N/A															
<b>Infraction Cost</b>	The cost of the damages caused by the behavior incident.	Numeric, 8 digits	BehaviorIncident.damages	Behavior Management > Incident Detail Information > Damages															

Element	Logic	Type, Format, & Length	Campus Database	Campus Location
<b>Drug Related Indicator</b>	<p>Indicates whether the incident is drug related.</p> <ul style="list-style-type: none"> <li>• Y reports if the participant has a drug type other than blank or 01 selected.</li> <li>• Otherwise reports as N</li> </ul>	Alphanumeric, 1 character Y or N	BehaviorEvent.drugsrelated	Behavior Management > Event Types > Behavior Event Type Editor > Behavior Event Type Detail > Classification = Drug Behavior Management > Incident Management Editor > Events and Participants > Event and Participant Details > Participant(s) Details > Drug Type
<b>Alcohol Related Indicator</b>	<p>Indicates whether the incident is alcohol related.</p> <ul style="list-style-type: none"> <li>• Y reports if the participant has a drug type of 01 selected.</li> <li>• Otherwise reports as N</li> </ul>	Alphanumeric, 1 character Y or N	BehaviorEvent.alcoholrelated	Behavior Management > Event Types > Behavior Event Type Editor > Behavior Event Type Detail > Classification = Drug Behavior Management > Incident Management Editor > Events and Participants > Event and Participant Details > Participant(s) Details > Drug Type

Element	Logic	Type, Format, & Length	Campus Database	Campus Location
<b>Gang Related Indicator</b>	Indicates whether the incident is gang related. If the Gang Related checkbox is marked, <b>Y</b> reports. Otherwise, <b>N</b> reports.	Alphanumeric, 1 character Y or N	BehaviorEvent.gangrelated	Behavior Management > Event Details > Gang Related
<b>Hate Crime Indicator</b>	Indicates whether the incident is a hate crime. If the Hate Crime checkbox is marked, <b>Y</b> reports. Otherwise, <b>N</b> reports.	Alphanumeric, 1 character Y or N	BehaviorEvent.hateCrime	Behavior Management > Event Details > Hate Crime
<b>Serious Bodily Injury Indicator</b>	Indicates whether the incident resulted in serious bodily injury. If the Serious Bodily Injury checkbox is marked, <b>Y</b> reports. Otherwise, <b>N</b> reports.	Alphanumeric, 1 character Y or N	BehaviorRole.injury	Behavior Management > Event Details > Serious Bodily Injury

## Student Infraction Response Template

Element	Logic		Campus Database	Campus Location
<b>District Code</b>	A three character district code.	Numeric, 3 digits	District.number	District Information > District Number
<b>Location Code</b>	The State School Number based on the active enrollment/s on the incident date. Reports 998 If a NM Exceptionality Plan is active on the infraction date for this offender where Location Code = 998. Otherwise, the State School Number reports.	Numeric, 3 digits	School.number Enrollment.homeSchooled Enrollment.specialEdStatus Enrollment.specialEdSetting	School Information > State School Number Enrollment > Home Schooled Enrollment > Special Ed Fields > Special Ed Status Enrollment > Special Ed Fields > Setting
<b>School Year Date</b>	The end year value based on the Year selected in the Campus Toolbar. Report as YYYY-06-30 all records, where YYYY is the year value based on Calendar > End Date.	Date field, 10 characters YYYY-MM-DD	Calendar.endDate	N/A
<b>Student ID</b>	The state-assigned identifier for the student.	Numeric, 9 digits	Person.stateID	Demographics > State ID

Element	Logic		Campus Database	Campus Location
<b>Response Date</b>	The start date of the behavior resolution	Date field, 10 characters YYYY-MM-DD	BehaviorResolution.timestamp	Behavior Management > Resolution Details > Resolution Start Date
<b>Filler 6</b>	N/A	N/A	N/A	N/A
<b>Response Code</b>	<p>The state code for the resolution.</p> <ul style="list-style-type: none"> <li>• If there is ONLY 1 resolution mapped to a state resolution code on the student's reporting Event of Record, that resolution's mapped state code value reports.</li> <li>• If there is more than one resolution mapped to a state resolution code on the student's reporting Event of Record, this field reports the most serious mapped State Resolution Code on the reporting incident for the reporting offender of record based on the value set on the data dictionary.</li> <li>• A value of 1.0 is MOST serious.</li> </ul>	Numeric	Behavior.stateResCode	Behavior Management > Resolution Details > State Code
<b>Administrator ID</b>	If the Response Code field (#7) reports a state resolution code of 10, 11, or 12, then this field reports the SSN of the staff selected in the <i>Behavior Admin Staff Name</i> dropdown list on the Resolution Editor from the resolution of record.	Numeric	N/A	Demographics > Person Information > Soc Sec Number Behavior Management > Incident Manager Editor > Events and Participation > Resolution > Resolution Details > Behavior Admin Staff Name
<b>Filler 9 - 10</b>	N/A	N/A	N/A	N/A

Element	Logic		Campus Database	Campus Location
<b>Event Identifier</b>	The Campus-generated Incident ID for the reporting infraction response.	Numeric	BehaviorIncident. incidentID	Behavior Management > Incident Management Editor > Incident Detail Information > Incident ID
<b>Response Comment</b>	The first 255 characters entered in the <b>Detail</b> field on the Behavior Resolution ONLY when the resolution maps to a State Resolution Code of 8, 10, 11, or 12.	Alphanumeric	N/A	Behavior Management > Resolution Details > Detail
<b>Response Duration</b>	<p>The value entered in the Duration in School Days on the reporting resolution.</p> <p>If the Duration in School Days field is null, the duration is calculated based on Start and End Dates.</p> <ul style="list-style-type: none"> <li>• If the Resolution Start Date or Resolution End Date is null, report as null.</li> <li>• If Both Resolution Start Date and Resolution End Date are NOT null, the system counts the number of School Days on/between the Resolution Start Date and Resolution End Date.</li> </ul>	Numeric, 5 digits xxx.xx	BehaviorResolution. durationUnits BehaviorResolution. endTimeStamp Day.schoolDay	Behavior Management > Resolution Details > Duration in School Days; Resolution Start Date; Resolution Start Time; Resolution End Date; Resolution End Time Calendar > Calendar > Days > Day Detail > School Day
<b>Filler 14 - 33</b>	N/A	N/A	N/A	N/A