

# Restraint and Isolation (S) Extract

Last Modified on 05/14/2025 10:09 am CDT

[Report Logic](#) | [Generating the Extract](#) | [Report Layout](#)

**PATH:** *WA State Reporting > Restraint and Isolation (S)*

The Restraint and Isolation Extract includes detailed information about unique student behavior response records (restraint and isolation) which occurred on or between the designated reporting range. This report also includes information about any students/staff injured during reported responses.




Image 1: Restraint and Isolation (S) Editor

## Report Logic

The following logic is used when reporting:

- Report 1 record per Reportable Student per Reportable Behavior Response.
  - A Reportable Student is defined as:
    - The student must have a Student State ID.
    - The student must be actively enrolled at the time the Reportable Behavior Response occurred.
  - A Reportable Behavior Response is defined as:
    - The response must be mapped to a State Response Code.
    - Should multiple responses exist on a single behavior event/incident, multiple records are reported.
    - The response must occur on or between the Start and End Dates entered on the extract editor.

Please note the following when creating Behavior Responses/Resolutions.

To add a Behavior Response:

- Alignment **MUST** be discipline.
- Status of the Event cannot be complete
- There **MUST** be active Response Types.
- The Incident cannot be locked.

For more information about adding a Behavior Response, please [see this article](#).

To add a Behavior Resolution:

- The Incident cannot be locked.
- Behavior > Admin > Preferences > BEH Preference Options > "Lock behavior discipline incidents that have a status of complete"

For more information about adding Behavior Resolutions, please [see this article](#).

## Generating the Extract

1. Enter the **Start Date**. This is the first day in the reporting window.
2. Enter the **End Date**. This is the last day in the reporting window. Only students and responses active during this reporting window are reported.
3. Select which **Grades** will be included in the report  
OR
4. Choose an **Ad Hoc Filter**.
5. Select a **Format** in which the report will generate from the dropdown options. Available formats include: Tab Delimited, CSV, and HTML.
6. Select the **Calendars** to include in this report.
7. Click **Generate Extract** to generate the report in the indicated format or **Submit to Batch** to schedule when the report will generate.

Users have the option of submitting report request to the batch queue by clicking **Submit to Batch** instead of Generate Extract. This process will allow larger reports to generate in the background, without disrupting the use of Campus. The generated extract is available in the Process Inbox. For more information about submitting a report to the batch queue, see the [Batch Queue](#) article.

Only the header row will report if there are no records reported in the extract.

Restraint and Isolation File S Records:1										
SchoolYear	CountyDistrictCode	DistrictStudentId	SSID	LocationID	ActionId	ActionDate	ActionDuration	Type	StudentInjured	StaffInjured
2019	270	131200	395529	4110	3	04/12/2019	60	11	Y	0

Image 2: Restraint and Isolation (S) - HTML Example

# Report Layout

Element	Description	Type, Format, and Length	Campus Database	Campus Location
<b>School Year</b>	The four digit year in which the current school year ends (i.e., 2019 if the school year is 2018-2019).	Char, 4 characters  YYYY	Calendar.endDate	System Administration > Calendar > Calendar > End Date
<b>County District Code</b>	The County-District code for the district reporting the record.	Char, 5 characters	District.number	System Administration > Resources> District Information> State District Number
<b>District Student ID</b>	The student identifier assigned by the district to the student.	Varchar, 50 characters	Person.studentNumber	Census> People > Demographics > Person Identifiers > Local Student Number
<b>SSID</b>	The unique student identifier for each WA school student.	Numeric, 10 digits	Person.stateID	Census> People > Demographics > Person Identifiers> Student State ID
<b>Location ID</b>	The location ID for the school as generated by the district's SIS.	Varchar, 4 characters	School.number	System Administration > Resources > School > State School Number
<b>Action ID</b>	A unique identifier assigned to the response.	???	BehaviorDetail.responseID	Behavior > Behavior Management/Behavior Referral > Events and Participants > Response Details > Response ID
<b>Action Date</b>	The date of the student's restraint or isolation. Logic reports the Date of Incident value.	Date field, 10 digits MM/DD/YYYY	BehaviorDetail.responseDate	Behavior > Behavior Management/Behavior Referral > Date of Incident

Element	Description	Type, Format, and Length	Campus Database	Campus Location
<b>Action Duration</b>	<p>Indicates the approximate length of time in minutes the student was restrained or isolated. Logic reports as follows:</p> <ul style="list-style-type: none"> <li>Value is calculated based on the Response Start Time and Response End Time values entered. <ul style="list-style-type: none"> <li>Reported as a whole number only.</li> <li>Normal rounding rules apply with an exception: <ul style="list-style-type: none"> <li>Must report as 0 if the time &lt; 1 minute.</li> </ul> </li> </ul> </li> </ul>	Numeric, whole number, special rounding rules apply	BehaviorDetail. responseStartTime BehaviorDetail. responseEndTime	<p>Behavior &gt; Behavior Management/Behavior Referral &gt; Events and Participants &gt; Response Details &gt; Duration</p> <p>Behavior &gt; Behavior Management/Behavior Referral &gt; Events and Participants &gt; Response Details &gt; Response Start Time</p> <p>Behavior &gt; Behavior Management/Behavior Referral &gt; Events and Participants &gt; Response Details &gt; Response End Time</p>
<b>Type</b>	The State Response Code (mapping) for the BEH Response being reported.	Numeric, 2 digits	BehaviorDetail. stateRspnCode	<p>Behavior &gt; Behavior Management/Behavior Referral &gt; Admin &gt; Behavior Response Type Editor &gt; State Response Code (mapping)</p>

Element	Description	Type, Format, and Length	Campus Database	Campus Location
<b>Student Injured</b>	<p>Indicates if the student (restrained or isolated) was injured:</p> <ul style="list-style-type: none"> <li>If " Student was injured during the response" is checked, report as Y</li> <li>else report N.</li> </ul>	Alpha, Y or N	BehaviorDetail.responseStudentInjury	Behavior > Behavior Management/Behavior Referral > Events and Participants > Response Details > Student was injured during this response
<b>Staff Injured</b>	<p>Indicates how many staff members were injured during the response. Logic counts the number of Participants on the BEH Response of Record where:</p> <ul style="list-style-type: none"> <li>Staff State ID &lt;&gt; NULL AND</li> <li>"Participant was injured during the response" is checked.</li> </ul>	Numeric, no decimal, default as 0	BehaviorDetail.responseParticipantInjury	Behavior > Behavior Management/Behavior Referral > Events and Participants > Response Details > Participant was injured during the response