

Ed-Fi Connection Configuration (Michigan)

Last Modified on 06/03/2025 9:45 am CDT

Prerequisites | Tool Rights | Understand and Enter Ed-Fi Configuration Values | Next Steps

Tool Search: Ed-Fi

The Connection Config tool is used to establish a data connection between Campus and the Ed-Fi system.

Once a successful connection is made, Resource Preferences are selected, and Ed-Fi ID's are assigned to users, data will flow properly from Campus to Ed-Fi.

This document is specific to Michigan for establishing the Ed-Fi Connection Configuration.



Connection Detail (MI EdFi 3.1)		
Ed-Fi Connection Type* State		
Connection Name*		
MI EdFi 3.1		
School Year*		
20-21		
OAuth URL*		
https://apihub.midatahub.org:443/0DS		
API URL*		
https://apihub.midatahub.org:443/ODS		
Post-Amble*		
/data/v3/2021/		
ID Post-Amble *		
/identity/v2.0		
Timeout in Seconds *		
60		
Connection Credentials		
Add Multiple Credentials Turn this feature on if more than 1 Key and Secret is required for this School Year.		
OFF		
Client Key*		
Test Connection		
Client Secret*		
ta di mana di Mana mili mana di Segunda di Segunda di Segunda di		
Save Cancel Delete		

Ed-Fi Connection Config

Prerequisites

• Ed-Fi functionality must be enabled via the Enable Ed-Fi System Preference.

Tool Rights

In order to modify and save Ed-Fi Connection Configuration values, you must have at least $\mathbf{R}(ead)$ and $\mathbf{W}(rite)$ tool rights values.



Connection Detail Tool Rights

Understand and Enter Ed-Fi Configuration Values

Ed-Fi Configuration values are supplied by the State and should be coordinated with Campus in order to ensure the connection between Campus and Ed-Fi is working correctly. If information provided by your state does not make a successful connection, work with Campus Support to troubleshoot your issues.

If incorrect values are entered and saved, syncing between Campus and Ed-Fi is disabled and any attempts at syncing data result in unprocessed events within the event queue.

Scope Year Logic

- Districts will need to create a new connection each year when the state opens the ODS for a given school year.
- If the state closes a connection for a previous year, they should delete the configuration for that year.
- It is possible to have multiple years connected at the same time.



Connection Detail (MI EdFi 3.1)		
Ed-Fi Connection Type * State		
Connection Name*		
MI EdFi 3.1		
School Year*		
20-21		
OAuth URL*		
https://apihub.midatahub.org:443/ODS		
API URL*		
https://apihub.midatahub.org:443/ODS		
Post-Amble*		
/data/v3/2021/		
ID Post-Amble*		
/identity/v2.0		
Timeout in Seconds*		
60		
Connection Credentials Add Multiple Credentials Turn this feature on if more than 1 Key and Secret is required for this School Year.		
Client Key* Test Connection		
Client Secret*		
and an and the contribution of the particular of		
Save Cancel Delete		

Entering Connection Config Values

To enter Ed-Fi Configuration values:

- 1. Click the **Connection** button. The Configuration Detail editor displays.
- 2. Enter the Connection Name.
- 3. Select the School Year.
- 4. Enter the **O-Auth URL**.
- 5. Enter the API URL.
- 6. Enter the **Client Key**.
- 7. Enter the **Client Secret**.
- 8. Enter the **Post-Amble**.
- 9. Enter the **ID Post-Amble**.



- 10. Enter the **Timeout in Seconds** (or leave the default value of 60).
- 11. Select the **Save** icon.
- 12. Click the **Check Connection** button to ensure configuration values were correct and a connection to Ed-Fi was made. If a proper connection is made, a message saying "Connection is Valid" displays.

The following describes each Ed-Fi Configuration field:

Field	Description
Test Connection	Click the Test Connection button to ensure configuration values were correct and a connection to Ed-Fi was made. If a proper connection is made, a message saying "Connection is Valid" displays.
School Year	The school year scoped for the configuration values entered. Start Date and End Date values should be entered for the school year in the School Years editor. Otherwise, a default Start Date of 7/1/XXXX is used and a default End Date of 6/30/XXXX is used to determine what year to send data (where XXXX = the Start Year and End Year values entered on the School editor).
Creating the API Integration between Infinite Campus and the Michigan Data Hub (ODS)	Step 1: Log in to your Data Hub cockpit by following the url below and clicking the "Login to the Michigan Data Hub" banner. URL: www.midatahub.org Image: I



Field	System Type – Student Information Systems Vendor – Infinite Campus
	System – Infinite Campus – v1
	Click the Submit button upon filling this screen out.
	Add Integration Hello kevin bullard@kresa orgl Log off Add API Integration System Type: Student Information System Vendor: Infinite Campus
	System : Infinite Campus - v1 • Submit Cancel
	2.5.11 © 2017 - Michigan Department of Education
	Step 4: You will now be on the Data Hub cockpit landing page and will need to navigate back to the API integration you just created above. Click the Student Information System: Infinite Campus Integration and you should see a screen similar to below. The required data elements required to complete the integration between the two systems are found on this screen. Weighted Hub Weighted Hub Weighted Districts > Mehigan Data Hub EVS Dates > Student Information System Wanage API Integration System: Infinite Campus Weighter Hub : Note: <a <="" a="" href="http://gith/distributorg/H3008/pip/20"> (Note: <a <="" a="" href="http://gith/distributorg/H3008/pip/20"> (N
	If you have any issues or questions on configuring the API integration, please email the Data Hub helpdesk at support@midatahub.org.
O-Auth URL	The base URL of the endpoint to retrieve an OAuth Token. Navigate to www.midatahub.org and log in to your district's Cockpit. Navigate to the bottom right of the Data Hub Cockpit and select the Infinite Campus API Integration. This page displays the Authorization URL or O-Auth URL (See screenshot above for location of the this url). https://apihub.midatahub.org:443/ODS



Field	Description
API URL	The base URL of the API. Navigate to www.midatahub.org and log in to your district's Cockpit. Navigate to the bottom right of the Data Hub Cockpit and select the Infinite Campus API Integration. This page displays the API Endpoint URL or API URL (See screenshot above for location of the this url). https://apihub.midatahub.org:443/ODS
Client Key	The client key. There could be multiple APIs attached to one given URL. They are demarcated based on a key. Navigate to www.midatahub.org and log in to your district's Cockpit. Navigate to the bottom right of the Data Hub Cockpit and select the Infinite Campus API Integration. This page displays the Client Key (See screenshot above for location of the Client Key).
Client Secret	The secret that goes along with the above key. This is used to generate the OAuth token. Navigate to www.midatahub.org and log in to your district's Cockpit. Navigate to the bottom right of the Data Hub Cockpit and select the Infinite Campus API Integration. This page displays the Client secret (See screenshot above for location of the Client secret).
Post-Amble	The URL for Ed-Fi resources and Ed-Fi Identities is generally different, so this parameter is used to store the URL segment for resources (this is appended on to the API URL). This value will need to be updated for each new connection created in this tool. This field controls what year's ODS the connection is pointing to. Enter the End Year of the Scope Year for this connection. Use the following formula to fill in the Post-Amble. If the Ed-Fi Version has not changed, it can be left the same as the previous year. Each new school year will require the End Year of the scope year to be entered on the configuration. /data/Ed-Fi Version/End Year of Scope Year, enter /data/v3/2021/
ID Post- Amble	The URL for Ed-Fi resources and Ed-Fi Identities is generally different, so this parameter is to store the URL segment for identities (this is appended on to the API URL). This parameter is used in states that use Ed-Fi to generate State ID's. In Michigan, this parameter is not directly used but is required to be entered. Use the following formula to fill in the ID Post-Amble. If the Ed-Fi Version has not changed it can be left the same as the previous year. /identity/Ed-Fi Version For example, in the 2020-2021 Scope Year, enter /identity/v2.0



Field	Description
Timeout in Seconds	This field determines (in seconds) the amount of time allowed to pass before the connection between Campus and Ed-Fi is considered timed out and Ed-Fi events are not processed. These Ed-Fi events are then reprocessed the next time a quartz job runs. This field is defaulted to a value of 60 seconds but can be modified if desired.

Next Steps

Now that Ed-Fi has been configured and verified to be working correctly, the following steps can now be taken:

- Ed-Fi data resources need to established via the Resource Preferences tab.
- Ed-Fi data can be monitored for errors and manually synced via Ed-Fi Tools.
- Ed-Fi IDs can be assigned to users via the Demographics tab.