

Arizona Ed-Fi Checklist for Starting the 2018-2019 School Year

Last Modified on 03/25/2024 9:09 am CDT

Tool Search: Ed-Fi

This article describes the steps you should take in order to properly move Ed-Fi to the next school year. This article also contains general recommendations for processes to complete at the end of the school year and beginning of the school year.

[Configuring Ed-Fi for the Next School Year](#) | [Process for Districts With 915 Approval](#) | [General End of Year Checklist](#) | [Beginning of New School Year](#) | [Creating a 915 File for Past Year Data Correction](#) | [Ed-Fi Configuration Values By Year](#)

Configuring Ed-Fi for the Next School Year

This section will describe the process necessary for configuring Campus to report Ed-Fi data for the next school year.

Important Dates to Consider:

- **June 18th**– Campus.1825 release date. This release contains the update to AzEDS version 4.0. This version is required for 2018-19 AzEDS reporting.
- **July 1st** – AzEDS will begin accepting new 2018-19 data.


Step 1. Update to Campus Version .1825 or Later

In order to have the schema and logic in place for AzEDS 4.0 it is critical you update Campus to at least Release Pack .1825 or greater. **Failure to do this may result in an inability to properly report data for the next school year.**

Step 2. Create a New Ed-Fi Configuration for the Next School Year

You will need to create a new Ed-Fi configuration for the next school year.

The image below shows the proper field entries for the Connection Configuration.



To do this:

1. Navigate to the [Ed-Fi Connection Configuration](#) tool (System Administration > Ed-Fi > Ed-Fi Config > Connection Config).

2. Click the **New** button.
3. Select the next school year from the **School Year** dropdown.

1. Enter the following values:


| Field | Value |
|---------------------------|---|
| O-Auth URL | https://rest-api-r4.azed.azed.gov |
| API URL | https://rest-api-r4.azed.azed.gov |
| Client Key | This will be the same Client Key as the previous year's Ed-Fi configuration unless instructed differently by the Arizona Department of Education (ADE). |
| Client Secret | This will be the same Client Secret as the previous year's Ed-Fi configuration unless instructed differently by the Arizona Department of Education (ADE). |
| Post-Amble | /api/v2.0/2019/ |
| ID Post-Amble | /api/identity/v1 |
| Timeout in Seconds | This field defaults to a value of 60 seconds and determines (in seconds) the amount of time allowed to pass before the connection between Campus and Ed-Fi is considered timed out and Ed-Fi events are not processed. These Ed-Fi events are then reprocessed the next time a quartz job runs. |

4. Click the **Save** button.
5. Move on to Step 3.

Step 3. Delete the Ed-Fi Configuration for the Previous Year

Once you have finished sending AzEDS data for the previous school year, you should now go and delete the previous year's Ed- Fi Configuration.

This step should be completed once you have ensured the previous year's Ed-Fi data has been properly sent to and processed by the Arizona Department of Education.




To do this:

1. Select the previous year in the Configuration Editor window.
2. Click the **Delete** button.
3. Move on to Step 4.

Step 4. Update the Active Year to the Next Year

Next, you need to make the next year the active school year within the [School Years](#) tool. If you have already set the next year as the active school year, skip to Step 5.



To do this:

1. Go to the School Years tool (System Administration > Calendar > School Year).
2. Select the next school year in the School Years Editor window.

If the next school year is not available for selection, you will need to create it by selecting the **New** button and entering Label, Start Year and End Year values. See the [School Years](#) article for information on this process.

3. Mark the **Active** checkbox.
4. Click the **Save** icon.
5. Move on to Step 4.

Step 5. Go through the Ed-Fi Setup Checklist to Ensure Items are Complete

To ensure data is set up properly throughout Campus, review and/or update data based on the list below.

Once complete, move on to Step 6.

| Task | UI Location |
|---|--|
| Enable Ed-Fi functionality via the Enable Ed-Fi system preference . | System Administration > Preferences > System Preferences > Enable Ed-Fi |
| Enter Connection Configuration . | System Administration > Ed-Fi > Ed-Fi Configuration > Connection Config |
| Select Resource Preferences . | System Administration > Ed-Fi > Ed-Fi Configuration > Resource Preferences |
| Set tool rights for Ed-Fi. | System Administration > User Security > Users/User Groups > Tool Rights |


| Task | UI Location |
|--|--|
| <p>Set Ed-Fi Term Types.</p> <p>Please make sure the Ed-Fi Term Types have been set correctly. Ed-Fi Term Types can only be set once and cannot be changed once they have been set.</p> | System Administration > Calendar > Calendar > Terms |
| Set Ed-Fi Grading Periods for all reportable calendars. | System Administration > Calendar > Calendar > Ed-Fi Grading Periods |
| Set Days Per Week value on all reportable calendars. | System Administration > Calendar > Calendar > Calendar |
| <p>Set Calendar Date Track Events on all reportable calendars</p> <ul style="list-style-type: none"> Instructional Days report based on the Instruction checkbox on each date; all other events report from the Day Events droplist dictionary values | System Administration > Calendar > Calendar > Days |
| Set Term Descriptor Override on Course Sections. | Scheduling > Courses > Course > Sections > Sections |
| Set the Ed-Fi Relation Type . | System Administration > Census > Relationship Type |
| Set the Ed-Fi Transcript Term Override for all manually added transcripts. | Student Information > General > Transcripts > New > Ed-Fi Transcript Term Override |
| Add a Room to all Course Sections for state-reporting courses. | Scheduling > Courses > Course > Sections > Sections |
| Add an Instruction Setting on Course Sections. | Scheduling > Courses > Course > Sections > Sections |
| Add a Level to a Course, if applicable. | Scheduling > Courses > Course |
| Assign Ed-Fi IDs . | Census > People > Demographics > Person Identifiers |
| <p>Add Ed-Fi codes to the unlocked Assignment Code data dictionary.</p> <ul style="list-style-type: none"> Districts should only update this data dictionary if they need to report external staff in the Section resource. | System Administration > Custom > Attribute/Dictionary |
| Add a Teacher Role on Staff History for teachers who need to report to Ed-Fi. | Scheduling > Courses > Course > Section > Section Staff History |

Step 6. Do an Ed-Fi Resync for the Next Scope Year

Now that the next school year's Ed-Fi configuration is in place, the Active Year is set, and data has been properly reviewed, you are now ready to resync your Ed-Fi data. This is completed using the [Resync](#) tool.

For detailed information about this process, please see the [Resync \(Ed-Fi\) article](#).

Resyncing will generate a large volume of items in your event queue, so it may be helpful to plan your resync for an off-peak time period and resync in groups of calendars rather than all calendars.



To do this:

1. Go the Resync tool (System Administration > Ed-Fi > Ed-Fi Tools > Resync).
2. Select the next school year from the School Year dropdown.
3. eMark the checkbox next to each data set should be resynced. Campus highly recommends marking the **Select Dependencies** checkbox to ensure related data is sent properly and complete.

Campus highly recommends using the order of resync detailed at the bottom of the [Arizona Ed-Fi Setup Checklist](#).

The options marked in the [Ed-Fi Resource Preferences](#) tool determine which options are available for selection here.

4. Once data sets have been marked and you are ready to resync, select the **Start Resync** button. Data will begin resyncing between Campus and AzEDS.

This will generate a large volume of items in your event queue, so it may be helpful to plan your resync for an off-peak time period and resync in groups of calendars rather than all calendars.

Process for Districts With 915 Approval

For those who have been granted 915 approval, you must add back in the Ed-Fi configuration for the previous school year and resync data.

To do this:

1. Head to the [Ed-Fi Connection Configuration](#) tool (System Administration > Ed-Fi > Ed-Fi Config > Connection Config) and recreate the previous year's configuration.
 1. Click the **New** button.

2. Select the previous year from the **School Year** dropdown.
 3. Enter the additional field data. See the [Ed-Fi Connection Configuration article](#) for detailed information about this process.
 4. Click the **Save** button.
2. Go to the [Ed-Fi Resync tool](#) (System Administration > Ed-Fi > Ed-Fi Tools > Resync) and perform a resync of the previous year's data.
 1. Select the previous **School Year**.
 2. Mark the checkbox next to each data set should be resynced. Campus highly recommends marking the **Select Dependencies** checkbox to ensure related data is sent properly and complete.
 3. Click the **Start Resync** button.
 3. Once the resync is complete, you need to delete the previous year's Ed-Fi configuration.
 1. Go to the [Ed-Fi Connection Configuration](#) tool (System Administration > Ed-Fi > Ed-Fi Config > Connection Config) and select the previous year in the Configuration Editor window.
 2. Click the **Delete** button.
 4. You have now successfully reported the previous year to AzEDS and can continue using Campus to report Ed-Fi data for the next school year.

General End of Year Checklist

For a general (not Ed-Fi specific) checklist of activities that should be performed within Campus at the end of a school year, please see the [End-of-Year Checklist](#). Performing these steps aids in closing out the current year and preparing for the next school year.

Beginning of New School Year

For a general (not Ed-Fi specific) checklist of activities that should be performed within Campus at the beginning of a new school year, please see the [Beginning of School Year Process article](#).

Creating a 915 File for Past Year Data Correction

If you have received approval from the State to submit data corrections for past year data, you must create a CSV file containing all the records that have been sent and how these records should look after data corrections have been made.

To help in this process, the table below describes important 915 file data with information on the database location, Campus UI location, and Ad hoc location for each of these elements as they exist within Campus. With this information, you can modify and extract data from the database or build the CSV file using the Ad Hoc Filter Designer.

For more information about the Filter Designer, see the [Create an Ad Hoc Filter Using the Query Wizard](#) article.

| Resource | Element | Campus Database Location | Campus UI Location | Ad Hoc Location |
|--|--|---|--|--|
| <p>Student Education Organization Associations</p> <p>This resource is only relevant for 2016-2017 data as it is not part of the most recent version of AzEDS.</p> | Education Organization Reference | Enrollment.residentdistrict Enrollment.servingdistrict | <p>Student Information > General > Enrollments > Resident District</p> <p>OR</p> <p>Student Information > General > Enrollments > Serving District</p> | <p>Student > Learner > Active Enrollment > State Report elements > residentDistrict</p> <p>Student > Learner > Active Enrollment > Core element servingDistrict</p> |
| <p>Student Education Organization Associations</p> <p>This resource is only relevant for 2016-2017 data as it is not part of the most recent version of AzEDS.</p> | Student Reference | Person.edFiID | | <p>Student > Demographics > edFiID</p> <p>Student > Demographics > Identity History > Ed Fi ID History > edFiID</p> |
| <p>Student Education Organization Associations</p> <p>This resource is only relevant for 2016-2017 data as it is not part of the most recent version of AzEDS.</p> | Responsibility Descriptor | 'Accountability' | | |
| Student Needs | Reporting Education Organization Reference | School.entityid | System Administration > Resources > School editor > Entity ID | Student > School > entityID |
| Student Needs | Student Reference | Person.edFiID | | <p>Student > Demographics > edFiID</p> <p>Student > Demographics > Identity History > Ed Fi ID History > edFiID</p> |

| Resource | Element | Campus Database Location | Campus UI Location | Ad Hoc Location |
|------------------------------|---|--|---|---|
| Student Needs | Descriptor | ProgramParticipation.need OR Enrollment.homeless OR PlanState.disability1 OR PlanState.disability2 PlanState.disability3 PlanState.disability4 PlanState.disability5 | Student Information > General > Flags > Need Student Information > General > Enrollments > Homeless OR FRAM > Eligibility > eligibility record > State Eligibility Code OR AZ locked Plan > Enrollment Status > Primary Disability | Student > Learner > Programs/Flags > need Student > Learner > Programs/Flags > Program: need Student > Learner > Active Enrollment > State Report elements > homeless Student > Learner > Active Enrollment > Special Ed elements > disability# -- # = 1, 2, 3, 4, 5, or 6 |
| Student Needs | Entry Date | ProgramParticipation.StartDate OR Enrollment.startdate OR Plan.startDate | Student Information > General > Flags > Start Date OR Student Information > General > Enrollment Start Date OR AZ locked Plan > Education Plan > IEP Start Date | Student > Learner > Programs/Flags > startDate Student > Learner > Programs/Flags > Program: startDate Student > Learner > Active Enrollment > Core element startDate Student > Learner Planning Learning Plans > planStartI |
| Student Needs | Exit Date | ProgramParticipation.EndDate OR Enrollment.enddate OR Evaluation.exitDate | Student Information > General > Flags > End Date OR Student Information > General > Enrollment End Date OR System Administration > Calendar > Calendar > Days OR AZ locked Evaluation > Exit Evaluation > Exit Date | Student > Learner > Programs/Flags > endDate Student > Learner > Programs/Flags > Program: endDate Student > Learner > Active Enrollment > Core element endDate Student > Learner Planning Evaluations > exitDate |
| Student Needs | Primary Student Need Indicator | If studentNeed is built from PlanState.disability1, value = 'true'; else value = 'false' | AZ locked Plan > Enrollment Status > Primary, Secondary, Tertiary | Student > Learner > Active Enrollment > Special Ed elements > disability1 |
| Student Needs | Primary Night Time Residence Descriptor | EnrollmentAZ.homelessResidence | Student Information > General > Enrollments > Homeless Residence | Student > Learner > State Localized Elements > homelessResidence |
| Student Program Associations | Education Organization Reference | School.entityid | System Administration > Resources > School editor > Entity ID | Student > School > entityID |

| Resource | Element | Campus Database Location | Campus UI Location | Ad Hoc Location |
|------------------------------|-------------------|--|--|---|
| Student Program Associations | Program Reference | Program.code CustomSchool.districtEntityID OR CustomDistrict.entityID | Programs Participation > Title 1 > Title 1 record > Title 1 Program > Ed-Fi Code System Administration > Resources > Resources > School Editor > District Entity ID OR System Administration > Resources > Resources > District Information > Entity ID | Student > Learner > Programs/Flags > code Student > Learner > Programs/Flags > Program: code Student > School > Custom School > districtEntityID Student > District > Custom District > entityID |
| Student Program Associations | Student Reference | Person.edFiID | | Student > Demographics > edFiID Student > Demographics > Identity History > Ed Fi ID History > edFiID |
| Student Program Associations | Begin Date | ProgramParticipation.StartDate | Student Information > General > Flags > Start Date OR Enrollment Start Date OR Programs Participation > Title 1 > Title 1 record > Start Date OR Student Information > General > Program Participation > LEP > LEP Services > Start Date | Student > Learner > Programs/Flags> startDate Student > Learner > Programs/Flags> Programs startDate |
| Student Program Associations | End Date | ProgramParticipation.EndDate OR Lepservice.EndDate | Student Information > General > Flags > End Date OR Student Information > General > Enrollment End Date OR Programs Participation > Title 1 > Title 1 record > End Date OR Student Information > General > Program Participation > LEP > LEP Services > End Date | Student > Learner > Programs/Flags> endDate Student > Learner > Programs/Flags> Programs endDate Student > Learner > EL > I Service > endDate |

| Resource | Element | Campus Database Location | Campus UI Location | Ad Hoc Location |
|--|--------------------------------------|--|--|--|
| Student Program Associations | Reason Exited Descriptor | <p>For LEP:</p> <ul style="list-style-type: none"> • IF exists, edFiCode mapped to LepService.exitReason • ELSE IF enrollment endstatus in ("W1", "W2", "W3", "W4", "W5", "W6", "W7", "W8", "W9", "W10", "W11", "W12", "W13") and enrollment.endDate < lepService.endDate THEN ELL02 • ELSE IF enrollment endStatus = 'WK' and enrollment.endDate < lepService.endDate THEN ELL08 • ELSE ELL06 <p>For ProgramParticipation: edFiCode mapped to ProgramParticipation.exitReason</p> | | <p>LepService.exit reason: Stu > Learner > EL > EL Service exitReason</p> <p>Enrollment.endStatus: Stuc Learner > Active Enrollmer Core elements > endStatus</p> <p>Enrollment.endDate: Stude Learner > Active Enrollmer Core elements > endDate</p> <p>LepService.endDate: Stude Learner > EL > EL Service endDate</p> <p>ProgramParticipation.exitReason</p> <ul style="list-style-type: none"> • Student > Learner > Programs/Flags > endDate • Student > Learner > Programs/Flags > ProgramParticipation > endDate |
| Student School Association Membership FTEs | Student School Association Reference | Enrollment.startDate School.entityID Person.edFiID | System Administration > Resources > School | <p>Student > Learner > Active Enrollment > Core element startDate</p> <p>Student > School > entityID</p> <p>Student > Demographics > edFiID</p> <p>Student > Demographics > Identity History > Ed Fi ID History > edFiID</p> |
| Student School Association Membership FTEs | FTE StartDate | Enrollment.startdate OR Customstudent.effectivedate | Student Information > General > Enrollments > Start Date OR Effective Date | Student > Learner > Active Enrollment > Core element startDate |
| Student School Association Membership FTEs | FTE EndDate | Enrollment.enddate OR Customstudent.effectivedate | Student Information > General > Enrollments > End Date or calculated value | Student > Learner > Active Enrollment > Core element endDate |
| Student School Association Membership FTEs | Membership FTE Descriptor | Enrollment.percentenrolled OR Customstudent.value | <p>System Administration > Custom > Attribute Dictionary > Enrollment > School Membership FTE > Default Value</p> <p>OR</p> <p>Student Information > General > Enrollments > FTE %</p> | <p>Student > Learner > Active Enrollment > State Report elements > percentEnrolled</p> <p>Student > Learner > Active Enrollment > Custom Enrollment > percentEnrolled</p> <p>Student > Learner > All Enrollments > School > effectiveDate</p> |

| Resource | Element | Campus Database Location | Campus UI Location | Ad Hoc Location |
|--|--------------------------------------|---|---|---|
| Student School Associations | Track Reference | Calendar.track School.entityID School.districtEntityID District.entityID | System Administration > Calendar > Calendar > Track System Administration > Resources > School > entityID System Administration > Resources > School > District entityID System Administration > Resources > District Information > entityID | Student > School Calendar track Student > School > entityID Student > School > Custom School > districtEntityID Student > District > Custom District > entityID |
| Student School Associations | Exit Withdraw Reason Descriptor | EnrollmentAZ.withdrawalreason | Student Information > General > Enrollments > Withdrawal Reason | Student > Learner > State Localized Elements > withdrawalReason |
| Student School Associations | Membership Type Descriptor | Enrollment.servicetype | Student Information > General > Enrollments > Service Type | Student > Learner > Active Enrollment > Core element serviceType |
| Student School Associations | Class Of School Year Type Reference | Graduation.gradYear | Student Information > General > Graduation | Student > Learner > Grad elements > gradYear |
| Student School Associations | Entry Type Descriptor | Enrollment.startstatus | Student Information > General > Enrollments > Start Status | Student > Learner > Active Enrollment > Core element startStatus |
| Student School Associations | Exit Withdraw Type Descriptor | Enrollment.endstatus Enrollment.yearEndStatus | Student Information > General > Enrollments > End Status Student Information > General > Enrollments > Graduation (Year End Status) | Student > Learner > Active Enrollment > Core element endStatus Student > Learner > Active Enrollment > State Localized Elements > yearEndStatus |
| Student School Association Special Enrollments | Student School Association Reference | Enrollment.startDate School.entityID Person.edFiID | | Student > Learner > Active Enrollment > Core element startDate Student > School > entityID Student > Demographics > edFiID Student > Demographics > Identity History > Ed Fi ID History > edFiID |
| Student School Association Special Enrollments | Special Enrollment Start Date | Enrollment.startdate OR CustomStudent.effectivedate | Student Information > General > Enrollments > Start Date OR Effective Date | Student > Learner > Active Enrollment > Core element startDate |
| Student School Association Special Enrollments | Special Enrollment End Date | Enrollment.enddate OR Customstudent.effectivedate | Student Information > General > Enrollments > End Date OR calculated value | Student > Learner > Active Enrollment > Core element endDate |

| Resource | Element | Campus Database Location | Campus UI Location | Ad Hoc Location |
|--|--------------------------------------|---|---|---|
| Student School Association Special Enrollments | Special Enrollment Descriptor | Enrollment.nclbChoice OR CustomStudent.value | System Administration > Custom > Attribute Dictionary > Enrollment > Special Enrollment > Default Value OR Student Information > General > Enrollments > Special Enrollment | Student > Learner > Active Enrollment > State Report elements > nclbChoice Student > Learner > Active Enrollment > Custom Enrol |
| Student School Association Tuition Payers | Student School Association Reference | Enrollment.startDate School.entityID Person.edFiID | | Student > Learner > Active Enrollment > Core element startDate Student > School > entityID Student > Demographics > edFiID Student > Demographics > Identity History > Ed Fi ID History > edFiID |
| Student School Association Tuition Payers | Tuition Payer Start Date | Enrollment.startdate OR CustomStudent.effectivedate | Student Information > General > Enrollments > Start Date OR Effective Date | Student > Learner > Active Enrollment > Core element startDate |
| Student School Association Tuition Payers | Tuition Payer End Date | Enrollment.enddate OR CustomStudent.effectivedate | Student Information > General > Enrollments > End Date or calculated value | Student > Learner > Active Enrollment > Core element endDate |
| Student School Association Tuition Payers | Tuition Payer Descriptor | Enrollment.stateAid OR CustomStudent.value | System Administration > Custom > Attribute Dictionary > Enrollment > Tuition Payer > Default Value OR Student Information > General > Enrollments > Tuition Payer | Student > Learner > Active Enrollment > State Report elements > stateAid Student > Learner > Active Enrollment > Custom Enrol > stateAid |
| Student School Attendance Events | Absence Amount Descriptor | "0.25", "0.5", "0.75" or "1" | | |
| Student School Attendance Events | Attendance Event Category Descriptor | "1", "2", or "3" | EXCUSED_ABSENCE = "1" UNEXCUSED_ABSENCE = "2" IN_ATTENDANCE = "3" | |
| Student School Attendance Events | Instructional Minutes | sum(attendanceUnit.units) OR (period.startTime - period.endTime, (in minutes)) - period.lunchtime - attendanceCode.presentMinutes | Sent for IN_ATTENDANCE records only, Attendance Type 017 | Student > Attendance > Pc Attendance Detail > units |

| Resource | Element | Campus Database Location | Campus UI Location | Ad Hoc Location |
|--|-----------------------------------|--|--------------------|--|
| Student Special Education Program Associations | Program Type | 'Special Education' | | |
| Student Special Education Program Associations | Program Education Organization ID | District.entityID | | Student > School > Custom School > districtEntityID Student > School > District Custom District > entityID |
| Student Special Education Program Associations | Begin Date | Plan.startDate OR Enrollment.startDate | | Student > Learner Planning Learning Plans > planStartI Student > Learner > Active Enrollment > Core element startDate |

| Resource | Element | Campus Database Location | Campus UI Location | Ad Hoc Location |
|--|--------------|--|---|-----------------|
| Student Special Education Program Associations | Program Name | PlanState.specialEdSetting : associated programName <ul style="list-style-type: none"> • 'A' : 'A Inside Regular Class 80% or More', • 'B' : 'B Inside Regular Class 40 - 79%', • 'C' : 'C Inside Regular Class Less Than 40%', • 'D' : 'D Public or Private Separate Day School', • 'E' : 'E Public or Private Residential Facility', • 'EA' : 'EA Public or Private Residential Facility', • 'EB' : 'EB Public or Private Residential Facility', • 'EC' : 'EC Public or Private Residential Facility', • 'FA' : 'FA Correctional Facilities A', • 'FB' : 'FB Correctional Facilities B', • 'FC' : 'FC Correctional Facilities C', • 'H' : 'H Homebased/ Homebound / Hospital Program', • 'I' : 'I Services Provided in a Regular Classroom', • 'J' : 'J Private School Placement by Parents', • 'PA1' : 'PA1 Early childhood program at least 10 hours/week', • 'PA2' : 'PA2 Early childhood program at least 10 hours/week', • 'PB1' : 'PB1 Early childhood program less than 10 hours/week', • 'PB2' : 'PB2 Early childhood program less than 10 hours/week', • 'PD' : 'PD Separate Class', • 'PE' : 'PE Public or Private Separate Day School', • 'PG' : 'PG Public or Private Residential Facility', • 'PH1' : 'PH1 Home at least 360 minutes per week', • 'PH2' : 'PH2 Home less than 360 minutes per week', • 'PJ' : 'PJ Private School Placement by Parents', • 'PS' : 'PS Service Provider Location for Less Than 360 Minutes/Week' | Student Information > General > Enrollments > Special Ed Fields | |

| Resource | Element | Campus Database Location | Campus UI Location | Ad Hoc Location |
|--|---|--|--|--|
| Student Special Education Program Associations | Education Organization ID | School.entityid | System Administration > Resources > School | |
| Student Special Education Program Associations | End Date | Earliest date of ExitEval.exitDate, Enrollment.endDate, Plan.endDate, LastInstructionalDay or calendar. | Student Information > General > Enrollments > Special Ed Fields | |
| Student Special Education Program Associations | Reason Exited Descriptor | <p>IF exitEval.exitReason exists - send mapped edFiCode</p> <p>OR</p> <p>exitReason :enrollment.endStatus</p> <ul style="list-style-type: none"> • "SPED05" : ["W1", "W10"], • "SPED07" : ["W2", "W3", "W4", "W5", "W11", "W12", "W13"], • "SPED03" : ["W6"], • "SPED04" : ["W8"], • "SPED10" : ["W9"], • "SPED09" : ["WD", "WP", "WK"], • "SPED02" : ["W7", "W15", "W17", "W18", "W19", "W20", "D2"] <p>OR</p> <p>IF there is a new plan</p> <p>If the Current plan contains disabilities that the new one does not, return null OTHERWISE</p> <p>SPED09</p> <p>OR</p> <p>SPED09</p> | Student Information > General > Enrollments | Student > Learner > Active Enrollment > Core element endStatus |
| Student Special Education Program Associations | Special Education Setting Descriptor | PlanState.specialEdSetting | Student Information > General > Enrollments > Special Ed Fields | Student > Learner > Active Enrollment > Special Ed elements > specialEdSetting Student > Learner Planning Learning Plans > specialEdSetting |
| Student Special Education Program Associations | Main SPED School | Plan.spedConcurrencyType | Student Information > General > Enrollments > Special Ed Fields | Student > Learner > State Localized Elements > spedConcurrencyType |
| Students | Tribal Name | CustomStudent.value where attributeID maps to CampusAttribute with object = 'Identity' and element = 'tribalName' | Census > People > Tribal Name | Student > Demographics > Custom Identity > tribalName |
| Students | Previous School State Abbreviation Type | EnrollmentAZ.previousSchoolState | Student Information > General > Enrollments > State Reporting Fields | Student > Learner > Active Enrollment > Custom Enrollment > previousLEA |

| Resource | Element | Campus Database Location | Campus UI Location | Ad Hoc Location |
|--|--------------------------------------|--|--|---|
| Students | Birth State Abbreviation Type | Identity.birthState | Census > People > Identities > Birth State | Student > Demographics > birthState Student > Demographics > Identity History > birthStat |
| Students | Birth Country Code Type | Identity.birthcountry | Census > People > Demographics | Student > Demographics > birthCountry Student > Demographics > Identity History > birthCou |
| Students | Identification Codes | District District.entityid Person.studentNumber | System Administration > Resources > School | Student > District > Custor District > entityID Student > Demographics > studentNumber |
| Student School Assocation Local Education Agency | Local Education Agency ID | enrollment.residentdistrict | Student Information > General > Enrollments > Resident District | Student > Learner > Active Enrollment > State Reporti elements > residentDistrict |
| Student School Assocation Local Education Agency | Student School Associaton Reference | Enrollment.startDate School.entityID Person.edFiID | System Administration > Resources > School | Student > Learner > Active Enrollment > Core element startDate Student > School > entityID Student > Demographics > edFiID Student > Demographics > Identity History > Ed Fi ID History > edFiID |
| Student School Assocation Local Education Agency | Membership Responsibility Descriptor | Report '03' | | |
| Student School Assocation Local Education Agency | Start Date | Enrollment.startDate | Student Information > General > Enrollments > End Date or Effective Date | Student > Learner > Active Enrollment > Core element startDate |
| Student School Assocation Local Education Agency | End Date | Enrollment.endDate | Student Information > General > Enrollments > End Date or Effective Date | Student > Learner > Active Enrollment > Core element endDate |

Ed-Fi Configuration Values By Year

| Year | O-Auth URL | API URL | Post-Amble | ID Post-Amble |
|---------|-----------------------------------|-----------------------------------|-----------------|------------------|
| 2018-19 | https://rest-api-r4.azed.azed.gov | https://rest-api-r4.azed.azed.gov | /api/v2.0/2019/ | /api/identity/v1 |
| 2017-18 | https://rest-api-r3.azed.azed.gov | https://rest-api-r3.azed.azed.gov | /api/v2.0/2018/ | /api/v2.0/ |

| Year | O-Auth URL | API URL | Post-Amble | ID Post-Amble |
|---------|---|---|-----------------|---------------|
| 2016-17 | https://rest-api.azed.azed.gov | https://rest-api.azed.azed.gov | /api/v1.0/2017/ | /api/v1.0/ |
