

Arizona Ed-Fi Checklist for Starting the 2018-2019 School Year

Last Modified on 03/25/2024 9:09 am CDT

Tool Search: Ed-Fi

This article describes the steps you should take in order to properly move Ed-Fi to the next school year. This article also contains general recommendations for processes to complete at the end of the school year and beginning of the school year.

[Configuring Ed-Fi for the Next School Year](#) | [Process for Districts With 915 Approval](#) | [General End of Year Checklist](#) | [Beginning of New School Year](#) | [Creating a 915 File for Past Year Data Correction](#) | [Ed-Fi Configuration Values By Year](#)

Configuring Ed-Fi for the Next School Year

This section will describe the process necessary for configuring Campus to report Ed-Fi data for the next school year.

Important Dates to Consider:

- **June 18th**– Campus.1825 release date. This release contains the update to AzEDS version 4.0. This version is required for 2018-19 AzEDS reporting.
- **July 1st** – AzEDS will begin accepting new 2018-19 data.

Step 1. Update to Campus Version .1825 or Later

In order to have the schema and logic in place for AzEDS 4.0 it is critical you update Campus to at least Release Pack .1825 or greater. **Failure to do this may result in an inability to properly report data for the next school year.**

Step 2. Create a New Ed-Fi Configuration for the Next School Year

You will need to create a new Ed-Fi configuration for the next school year.

The image below shows the proper field entries for the Connection Configuration.

To do this:

1. Navigate to the [Ed-Fi Connection Configuration](#) tool (System Administration > Ed-Fi > Ed-Fi Config > Connection Config).

2. Click the **New** button.
 3. Select the next school year from the **School Year** dropdown.
1. Enter the following values:


Field	Value
O-Auth URL	https://rest-api-r4.azed.azed.gov
API URL	https://rest-api-r4.azed.azed.gov
Client Key	This will be the same Client Key as the previous year's Ed-Fi configuration unless instructed differently by the Arizona Department of Education (ADE).
Client Secret	This will be the same Client Secret as the previous year's Ed-Fi configuration unless instructed differently by the Arizona Department of Education (ADE).
Post-Amble	/api/v2.0/2019/
ID Post-Amble	/api/identity/v1
Timeout in Seconds	This field defaults to a value of 60 seconds and determines (in seconds) the amount of time allowed to pass before the connection between Campus and Ed-Fi is considered timed out and Ed-Fi events are not processed. These Ed-Fi events are then reprocessed the next time a quartz job runs.

4. Click the **Save** button.
5. Move on to Step 3.

Step 3. Delete the Ed-Fi Configuration for the Previous Year

Once you have finished sending AzEDS data for the previous school year, you should now go and delete the previous year's Ed- Fi Configuration.

This step should be completed once you have ensured the previous year's Ed-Fi data has been properly sent to and processed by the Arizona Department of Education.




To do this:

1. Select the previous year in the Configuration Editor window.
2. Click the **Delete** button.
3. Move on to Step 4.

Step 4. Update the Active Year to the Next Year

Next, you need to make the next year the active school year within the [School Years](#) tool. If you have already set the next year as the active school year, skip to Step 5.



To do this:

1. Go to the School Years tool (System Administration > Calendar > School Year).
2. Select the next school year in the School Years Editor window.

If the next school year is not available for selection, you will need to create it by selecting the **New** button and entering Label, Start Year and End Year values. See the [School Years](#) article for information on this process.

3. Mark the **Active** checkbox.
4. Click the **Save** icon.
5. Move on to Step 4.

Step 5. Go through the Ed-Fi Setup Checklist to Ensure Items are Complete

To ensure data is set up properly throughout Campus, review and/or update data based on the list below.

Once complete, move on to Step 6.

Task	UI Location
Enable Ed-Fi functionality via the Enable Ed-Fi system preference .	System Administration > Preferences > System Preferences > Enable Ed-Fi
Enter Connection Configuration .	System Administration > Ed-Fi > Ed-Fi Configuration > Connection Config
Select Resource Preferences .	System Administration > Ed-Fi > Ed-Fi Configuration > Resource Preferences
Set tool rights for Ed-Fi.	System Administration > User Security > Users/User Groups > Tool Rights


Task	UI Location
<p>Set Ed-Fi Term Types.</p> <p>Please make sure the Ed-Fi Term Types have been set correctly. Ed-Fi Term Types can only be set once and cannot be changed once they have been set.</p>	System Administration > Calendar > Calendar > Terms
Set Ed-Fi Grading Periods for all reportable calendars.	System Administration > Calendar > Calendar > Ed-Fi Grading Periods
Set Days Per Week value on all reportable calendars.	System Administration > Calendar > Calendar > Calendar
<p>Set Calendar Date Track Events on all reportable calendars</p> <ul style="list-style-type: none"> Instructional Days report based on the Instruction checkbox on each date; all other events report from the Day Events droplist dictionary values 	System Administration > Calendar > Calendar > Days
Set Term Descriptor Override on Course Sections.	Scheduling > Courses > Course > Sections > Sections
Set the Ed-Fi Relation Type .	System Administration > Census > Relationship Type
Set the Ed-Fi Transcript Term Override for all manually added transcripts.	Student Information > General > Transcripts > New > Ed-Fi Transcript Term Override
Add a Room to all Course Sections for state-reporting courses.	Scheduling > Courses > Course > Sections > Sections
Add an Instruction Setting on Course Sections.	Scheduling > Courses > Course > Sections > Sections
Add a Level to a Course, if applicable.	Scheduling > Courses > Course
Assign Ed-Fi IDs .	Census > People > Demographics > Person Identifiers
<p>Add Ed-Fi codes to the unlocked Assignment Code data dictionary.</p> <ul style="list-style-type: none"> Districts should only update this data dictionary if they need to report external staff in the Section resource. 	System Administration > Custom > Attribute/Dictionary
Add a Teacher Role on Staff History for teachers who need to report to Ed-Fi.	Scheduling > Courses > Course > Section > Section Staff History

Step 6. Do an Ed-Fi Resync for the Next Scope Year

Now that the next school year's Ed-Fi configuration is in place, the Active Year is set, and data has been properly reviewed, you are now ready to resync your Ed-Fi data. This is completed using the [Resync](#) tool.

For detailed information about this process, please see the [Resync \(Ed-Fi\) article](#).

Resyncing will generate a large volume of items in your event queue, so it may be helpful to plan your resync for an off-peak time period and resync in groups of calendars rather than all calendars.



To do this:

1. Go the Resync tool (System Administration > Ed-Fi > Ed-Fi Tools > Resync).
2. Select the next school year from the School Year dropdown.
3. eMark the checkbox next to each data set should be resynced. Campus highly recommends marking the **Select Dependencies** checkbox to ensure related data is sent properly and complete.

Campus highly recommends using the order of resync detailed at the bottom of the [Arizona Ed-Fi Setup Checklist](#).

The options marked in the [Ed-Fi Resource Preferences](#) tool determine which options are available for selection here.

4. Once data sets have been marked and you are ready to resync, select the **Start Resync** button. Data will begin resyncing between Campus and AzEDS.

This will generate a large volume of items in your event queue, so it may be helpful to plan your resync for an off-peak time period and resync in groups of calendars rather than all calendars.

Process for Districts With 915 Approval

For those who have been granted 915 approval, you must add back in the Ed-Fi configuration for the previous school year and resync data.

To do this:

1. Head to the [Ed-Fi Connection Configuration](#) tool (System Administration > Ed-Fi > Ed-Fi Config > Connection Config) and recreate the previous year's configuration.
 1. Click the **New** button.

2. Select the previous year from the **School Year** dropdown.
 3. Enter the additional field data. See the [Ed-Fi Connection Configuration article](#) for detailed information about this process.
 4. Click the **Save** button.
2. Go to the [Ed-Fi Resync tool](#) (System Administration > Ed-Fi > Ed-Fi Tools > Resync) and perform a resync of the previous year's data.
 1. Select the previous **School Year**.
 2. Mark the checkbox next to each data set should be resynced. Campus highly recommends marking the **Select Dependencies** checkbox to ensure related data is sent properly and complete.
 3. Click the **Start Resync** button.
 3. Once the resync is complete, you need to delete the previous year's Ed-Fi configuration.
 1. Go to the [Ed-Fi Connection Configuration](#) tool (System Administration > Ed-Fi > Ed-Fi Config > Connection Config) and select the previous year in the Configuration Editor window.
 2. Click the **Delete** button.
 4. You have now successfully reported the previous year to AzEDS and can continue using Campus to report Ed-Fi data for the next school year.

General End of Year Checklist

For a general (not Ed-Fi specific) checklist of activities that should be performed within Campus at the end of a school year, please see the [End-of-Year Checklist](#). Performing these steps aids in closing out the current year and preparing for the next school year.

Beginning of New School Year

For a general (not Ed-Fi specific) checklist of activities that should be performed within Campus at the beginning of a new school year, please see the [Beginning of School Year Process article](#).

Creating a 915 File for Past Year Data Correction

If you have received approval from the State to submit data corrections for past year data, you must create a CSV file containing all the records that have been sent and how these records should look after data corrections have been made.

To help in this process, the table below describes important 915 file data with information on the database location, Campus UI location, and Ad hoc location for each of these elements as they exist within Campus. With this information, you can modify and extract data from the database or build the CSV file using the Ad Hoc Filter Designer.

For more information about the Filter Designer, see the [Create an Ad Hoc Filter Using the Query Wizard](#) article.

Resource	Element	Campus Database Location	Campus UI Location	Ad Hoc Location
<p>Student Education Organization Associations</p> <p>This resource is only relevant for 2016-2017 data as it is not part of the most recent version of AzEDS.</p>	Education Organization Reference	Enrollment.residentdistrict Enrollment.servingdistrict	<p>Student Information > General > Enrollments > Resident District</p> <p>OR</p> <p>Student Information > General > Enrollments > Serving District</p>	<p>Student > Learner > Active Enrollment > State Report elements > residentDistrict</p> <p>Student > Learner > Active Enrollment > Core element servingDistrict</p>
<p>Student Education Organization Associations</p> <p>This resource is only relevant for 2016-2017 data as it is not part of the most recent version of AzEDS.</p>	Student Reference	Person.edFiID		<p>Student > Demographics > edFiID</p> <p>Student > Demographics > Identity History > Ed Fi ID History > edFiID</p>
<p>Student Education Organization Associations</p> <p>This resource is only relevant for 2016-2017 data as it is not part of the most recent version of AzEDS.</p>	Responsibility Descriptor	'Accountability'		
Student Needs	Reporting Education Organization Reference	School.entityid	System Administration > Resources > School editor > Entity ID	Student > School > entityID
Student Needs	Student Reference	Person.edFiID		<p>Student > Demographics > edFiID</p> <p>Student > Demographics > Identity History > Ed Fi ID History > edFiID</p>

Resource	Element	Campus Database Location	Campus UI Location	Ad Hoc Location
Student Needs	Descriptor	ProgramParticipation.need OR Enrollment.homeless OR PlanState.disability1 OR PlanState.disability2 PlanState.disability3 PlanState.disability4 PlanState.disability5	Student Information > General > Flags > Need Student Information > General > Enrollments > Homeless OR FRAM > Eligibility > eligibility record > State Eligibility Code OR AZ locked Plan > Enrollment Status > Primary Disability	Student > Learner > Programs/Flags > need Student > Learner > Programs/Flags > Program: need Student > Learner > Active Enrollment > State Report elements > homeless Student > Learner > Active Enrollment > Special Ed elements > disability# -- # = 1, 2, 3, 4, 5, or 6
Student Needs	Entry Date	ProgramParticipation.StartDate OR Enrollment.startdate OR Plan.startDate	Student Information > General > Flags > Start Date OR Student Information > General > Enrollment Start Date OR AZ locked Plan > Education Plan > IEP Start Date	Student > Learner > Programs/Flags > startDate Student > Learner > Programs/Flags > Program: startDate Student > Learner > Active Enrollment > Core element startDate Student > Learner Planning Learning Plans > planStartl
Student Needs	Exit Date	ProgramParticipation.EndDate OR Enrollment.enddate OR Evaluation.exitDate	Student Information > General > Flags > End Date OR Student Information > General > Enrollment End Date OR System Administration > Calendar > Calendar > Days OR AZ locked Evaluation > Exit Evaluation > Exit Date	Student > Learner > Programs/Flags > endDate Student > Learner > Programs/Flags > Program: endDate Student > Learner > Active Enrollment > Core element endDate Student > Learner Planning Evaluations > exitDate
Student Needs	Primary Student Need Indicator	If studentNeed is built from PlanState.disability1, value = 'true'; else value = 'false'	AZ locked Plan > Enrollment Status > Primary, Secondary, Tertiary	Student > Learner > Active Enrollment > Special Ed elements > disability1
Student Needs	Primary Night Time Residence Descriptor	EnrollmentAZ.homelessResidence	Student Information > General > Enrollments > Homeless Residence	Student > Learner > State Localized Elements > homelessResidence
Student Program Associations	Education Organization Reference	School.entityid	System Administration > Resources > School editor > Entity ID	Student > School > entityID

Resource	Element	Campus Database Location	Campus UI Location	Ad Hoc Location
Student Program Associations	Program Reference	Program.code CustomSchool.districtEntityID OR CustomDistrict.entityID	Programs Participation > Title 1 > Title 1 record > Title 1 Program > Ed-Fi Code System Administration > Resources > Resources > School Editor > District Entity ID OR System Administration > Resources > Resources > District Information > Entity ID	Student > Learner > Programs/Flags > code Student > Learner > Programs/Flags > Program: code Student > School > Custom School > districtEntityID Student > District > Custom District > entityID
Student Program Associations	Student Reference	Person.edFiID		Student > Demographics > edFiID Student > Demographics > Identity History > Ed Fi ID History > edFiID
Student Program Associations	Begin Date	ProgramParticipation.StartDate	Student Information > General > Flags > Start Date OR Enrollment Start Date OR Programs Participation > Title 1 > Title 1 record > Start Date OR Student Information > General > Program Participation > LEP > LEP Services > Start Date	Student > Learner > Programs/Flags> startDate Student > Learner > Programs/Flags> Programs startDate
Student Program Associations	End Date	ProgramParticipation.EndDate OR Lepservice.EndDate	Student Information > General > Flags > End Date OR Student Information > General > Enrollment End Date OR Programs Participation > Title 1 > Title 1 record > End Date OR Student Information > General > Program Participation > LEP > LEP Services > End Date	Student > Learner > Programs/Flags> endDate Student > Learner > Programs/Flags> Programs endDate Student > Learner > EL > I Service > endDate

Resource	Element	Campus Database Location	Campus UI Location	Ad Hoc Location
Student Program Associations	Reason Exited Descriptor	<p>For LEP:</p> <ul style="list-style-type: none"> • IF exists, edFiCode mapped to LepService.exitReason • ELSE IF enrollment endstatus in ("W1", "W2", "W3", "W4", "W5", "W6", "W7", "W8", "W9", "W10", "W11", "W12", "W13") and enrollment.endDate < lepService.endDate THEN ELL02 • ELSE IF enrollment endStatus = 'WK' and enrollment.endDate < lepService.endDate THEN ELL08 • ELSE ELL06 <p>For ProgramParticipation: edFiCode mapped to ProgramParticipation.exitReason</p>		<p>LepService.exit reason: Stu > Learner > EL > EL Service exitReason</p> <p>Enrollment.endStatus: Stuc Learner > Active Enrollmer Core elements > endStatus</p> <p>Enrollment.endDate: Stude Learner > Active Enrollmer Core elements > endDate</p> <p>LepService.endDate: Stude Learner > EL > EL Service endDate</p> <p>ProgramParticipation.exitReason</p> <ul style="list-style-type: none"> • Student > Learner > Programs/Flags > endDate • Student > Learner > Programs/Flags > ProgramParticipation > endDate
Student School Association Membership FTEs	Student School Association Reference	Enrollment.startDate School.entityID Person.edFiID	System Administration > Resources > School	<p>Student > Learner > Active Enrollment > Core element startDate</p> <p>Student > School > entityID</p> <p>Student > Demographics > edFiID</p> <p>Student > Demographics > Identity History > Ed Fi ID History > edFiID</p>
Student School Association Membership FTEs	FTE StartDate	Enrollment.startdate OR Customstudent.effectivedate	Student Information > General > Enrollments > Start Date OR Effective Date	Student > Learner > Active Enrollment > Core element startDate
Student School Association Membership FTEs	FTE EndDate	Enrollment.enddate OR Customstudent.effectivedate	Student Information > General > Enrollments > End Date or calculated value	Student > Learner > Active Enrollment > Core element endDate
Student School Association Membership FTEs	Membership FTE Descriptor	Enrollment.percentenrolled OR Customstudent.value	<p>System Administration > Custom > Attribute Dictionary > Enrollment > School Membership FTE > Default Value</p> <p>OR</p> <p>Student Information > General > Enrollments > FTE %</p>	<p>Student > Learner > Active Enrollment > State Report elements > percentEnrolled</p> <p>Student > Learner > Active Enrollment > Custom Enrollment > percentEnrolled</p> <p>Student > Learner > All Enrollments > School > effectiveDate</p>

Resource	Element	Campus Database Location	Campus UI Location	Ad Hoc Location
Student School Associations	Track Reference	Calendar.track School.entityID School.districtEntityID District.entityID	System Administration > Calendar > Calendar > Track System Administration > Resources > School > entityID System Administration > Resources > School > District entityID System Administration > Resources > District Information > entityID	Student > School Calendar track Student > School > entityID Student > School > Custom School > districtEntityID Student > District > Custom District > entityID
Student School Associations	Exit Withdraw Reason Descriptor	EnrollmentAZ.withdrawalreason	Student Information > General > Enrollments > Withdrawal Reason	Student > Learner > State Localized Elements > withdrawalReason
Student School Associations	Membership Type Descriptor	Enrollment.servicetype	Student Information > General > Enrollments > Service Type	Student > Learner > Active Enrollment > Core element serviceType
Student School Associations	Class Of School Year Type Reference	Graduation.gradYear	Student Information > General > Graduation	Student > Learner > Grad elements > gradYear
Student School Associations	Entry Type Descriptor	Enrollment.startstatus	Student Information > General > Enrollments > Start Status	Student > Learner > Active Enrollment > Core element startStatus
Student School Associations	Exit Withdraw Type Descriptor	Enrollment.endstatus Enrollment.yearEndStatus	Student Information > General > Enrollments > End Status Student Information > General > Enrollments > Graduation (Year End Status)	Student > Learner > Active Enrollment > Core element endStatus Student > Learner > Active Enrollment > State Localized Elements > yearEndStatus
Student School Association Special Enrollments	Student School Association Reference	Enrollment.startDate School.entityID Person.edFiID		Student > Learner > Active Enrollment > Core element startDate Student > School > entityID Student > Demographics > edFiID Student > Demographics > Identity History > Ed Fi ID History > edFiID
Student School Association Special Enrollments	Special Enrollment Start Date	Enrollment.startdate OR CustomStudent.effectivedate	Student Information > General > Enrollments > Start Date OR Effective Date	Student > Learner > Active Enrollment > Core element startDate
Student School Association Special Enrollments	Special Enrollment End Date	Enrollment.enddate OR Customstudent.effectivedate	Student Information > General > Enrollments > End Date OR calculated value	Student > Learner > Active Enrollment > Core element endDate

Resource	Element	Campus Database Location	Campus UI Location	Ad Hoc Location
Student School Association Special Enrollments	Special Enrollment Descriptor	Enrollment.nclbChoice OR CustomStudent.value	System Administration > Custom > Attribute Dictionary > Enrollment > Special Enrollment > Default Value OR Student Information > General > Enrollments > Special Enrollment	Student > Learner > Active Enrollment > State Report elements > nclbChoice Student > Learner > Active Enrollment > Custom Enrol
Student School Association Tuition Payers	Student School Association Reference	Enrollment.startDate School.entityID Person.edFiID		Student > Learner > Active Enrollment > Core element startDate Student > School > entityID Student > Demographics > edFiID Student > Demographics > Identity History > Ed Fi ID History > edFiID
Student School Association Tuition Payers	Tuition Payer Start Date	Enrollment.startdate OR CustomStudent.effectivedate	Student Information > General > Enrollments > Start Date OR Effective Date	Student > Learner > Active Enrollment > Core element startDate
Student School Association Tuition Payers	Tuition Payer End Date	Enrollment.enddate OR CustomStudent.effectivedate	Student Information > General > Enrollments > End Date or calculated value	Student > Learner > Active Enrollment > Core element endDate
Student School Association Tuition Payers	Tuition Payer Descriptor	Enrollment.stateAid OR CustomStudent.value	System Administration > Custom > Attribute Dictionary > Enrollment > Tuition Payer > Default Value OR Student Information > General > Enrollments > Tuition Payer	Student > Learner > Active Enrollment > State Report elements > stateAid Student > Learner > Active Enrollment > Custom Enrol > stateAid
Student School Attendance Events	Absence Amount Descriptor	"0.25", "0.5", "0.75" or "1"		
Student School Attendance Events	Attendance Event Category Descriptor	"1", "2", or "3"	EXCUSED_ABSENCE = "1" UNEXCUSED_ABSENCE = "2" IN_ATTENDANCE = "3"	
Student School Attendance Events	Instructional Minutes	sum(attendanceUnit.units) OR (period.startTime - period.endTime, (in minutes)) - period.lunchtime - attendanceCode.presentMinutes	Sent for IN_ATTENDANCE records only, Attendance Type 017	Student > Attendance > Pc Attendance Detail > units

Resource	Element	Campus Database Location	Campus UI Location	Ad Hoc Location
Student Special Education Program Associations	Program Type	'Special Education'		
Student Special Education Program Associations	Program Education Organization ID	District.entityID		Student > School > Custom School > districtEntityID Student > School > District Custom District > entityID
Student Special Education Program Associations	Begin Date	Plan.startDate OR Enrollment.startDate		Student > Learner Planning Learning Plans > planStartI Student > Learner > Active Enrollment > Core element startDate

Resource	Element	Campus Database Location	Campus UI Location	Ad Hoc Location
Student Special Education Program Associations	Program Name	PlanState.specialEdSetting : associated programName <ul style="list-style-type: none"> • 'A' : 'A Inside Regular Class 80% or More', • 'B' : 'B Inside Regular Class 40 - 79%', • 'C' : 'C Inside Regular Class Less Than 40%', • 'D' : 'D Public or Private Separate Day School', • 'E' : 'E Public or Private Residential Facility', • 'EA' : 'EA Public or Private Residential Facility', • 'EB' : 'EB Public or Private Residential Facility', • 'EC' : 'EC Public or Private Residential Facility', • 'FA' : 'FA Correctional Facilities A', • 'FB' : 'FB Correctional Facilities B', • 'FC' : 'FC Correctional Facilities C', • 'H' : 'H Homebased/ Homebound / Hospital Program', • 'I' : 'I Services Provided in a Regular Classroom', • 'J' : 'J Private School Placement by Parents', • 'PA1' : 'PA1 Early childhood program at least 10 hours/week', • 'PA2' : 'PA2 Early childhood program at least 10 hours/week', • 'PB1' : 'PB1 Early childhood program less than 10 hours/week', • 'PB2' : 'PB2 Early childhood program less than 10 hours/week', • 'PD' : 'PD Separate Class', • 'PE' : 'PE Public or Private Separate Day School', • 'PG' : 'PG Public or Private Residential Facility', • 'PH1' : 'PH1 Home at least 360 minutes per week', • 'PH2' : 'PH2 Home less than 360 minutes per week', • 'PJ' : 'PJ Private School Placement by Parents', • 'PS' : 'PS Service Provider Location for Less Than 360 Minutes/Week' 	Student Information > General > Enrollments > Special Ed Fields	

Resource	Element	Campus Database Location	Campus UI Location	Ad Hoc Location
Student Special Education Program Associations	Education Organization ID	School.entityid	System Administration > Resources > School	
Student Special Education Program Associations	End Date	Earliest date of ExitEval.exitDate, Enrollment.endDate, Plan.endDate, LastInstructionalDay or calendar.	Student Information > General > Enrollments > Special Ed Fields	
Student Special Education Program Associations	Reason Exited Descriptor	<p>IF exitEval.exitReason exists - send mapped edFiCode</p> <p>OR</p> <p>exitReason :enrollment.endStatus</p> <ul style="list-style-type: none"> • "SPED05" : ["W1", "W10"], • "SPED07" : ["W2", "W3", "W4", "W5", "W11", "W12", "W13"], • "SPED03" : ["W6"], • "SPED04" : ["W8"], • "SPED10" : ["W9"], • "SPED09" : ["WD", "WP", "WK"], • "SPED02" : ["W7", "W15", "W17", "W18", "W19", "W20", "D2"] <p>OR</p> <p>IF there is a new plan</p> <p>If the Current plan contains disabilities that the new one does not, return null OTHERWISE</p> <p>SPED09</p> <p>OR</p> <p>SPED09</p>	Student Information > General > Enrollments	Student > Learner > Active Enrollment > Core element endStatus
Student Special Education Program Associations	Special Education Setting Descriptor	PlanState.specialEdSetting	Student Information > General > Enrollments > Special Ed Fields	Student > Learner > Active Enrollment > Special Ed elements > specialEdSetting Student > Learner Planning Learning Plans > specialEdSetting
Student Special Education Program Associations	Main SPED School	Plan.spedConcurrencyType	Student Information > General > Enrollments > Special Ed Fields	Student > Learner > State Localized Elements > spedConcurrencyType
Students	Tribal Name	CustomStudent.value where attributeID maps to CampusAttribute with object = 'Identity' and element = 'tribalName'	Census > People > Tribal Name	Student > Demographics > Custom Identity > tribalName
Students	Previous School State Abbreviation Type	EnrollmentAZ.previousSchoolState	Student Information > General > Enrollments > State Reporting Fields	Student > Learner > Active Enrollment > Custom Enrollment > previousLEA

Resource	Element	Campus Database Location	Campus UI Location	Ad Hoc Location
Students	Birth State Abbreviation Type	Identity.birthState	Census > People > Identities > Birth State	Student > Demographics > birthState Student > Demographics > Identity History > birthStat
Students	Birth Country Code Type	Identity.birthcountry	Census > People > Demographics	Student > Demographics > birthCountry Student > Demographics > Identity History > birthCou
Students	Identification Codes	District District.entityid Person.studentNumber	System Administration > Resources > School	Student > District > Custor District > entityID Student > Demographics > studentNumber
Student School Assocation Local Education Agency	Local Education Agency ID	enrollment.residentdistrict	Student Information > General > Enrollments > Resident District	Student > Learner > Active Enrollment > State Reporti elements > residentDistrict
Student School Assocation Local Education Agency	Student School Associaton Reference	Enrollment.startDate School.entityID Person.edFiID	System Administration > Resources > School	Student > Learner > Active Enrollment > Core element startDate Student > School > entityID Student > Demographics > edFiID Student > Demographics > Identity History > Ed Fi ID History > edFiID
Student School Assocation Local Education Agency	Membership Responsibility Descriptor	Report '03'		
Student School Assocation Local Education Agency	Start Date	Enrollment.startDate	Student Information > General > Enrollments > End Date or Effective Date	Student > Learner > Active Enrollment > Core element startDate
Student School Assocation Local Education Agency	End Date	Enrollment.endDate	Student Information > General > Enrollments > End Date or Effective Date	Student > Learner > Active Enrollment > Core element endDate

Ed-Fi Configuration Values By Year

Year	O-Auth URL	API URL	Post-Amble	ID Post-Amble
2018-19	https://rest-api-r4.azed.azed.gov	https://rest-api-r4.azed.azed.gov	/api/v2.0/2019/	/api/identity/v1
2017-18	https://rest-api-r3.azed.azed.gov	https://rest-api-r3.azed.azed.gov	/api/v2.0/2018/	/api/v2.0/

Year	O-Auth URL	API URL	Post-Amble	ID Post-Amble
2016-17	https://rest-api.azed.gov	https://rest-api.azed.gov	/api/v1.0/2017/	/api/v1.0/
