

Import Student Information via the Feeder Import Wizard


Last Modified on 12/14/2025 8:45 pm CST

Tool Search: Feeder Import Wizard

The Feeder Import Wizard and its counterpart, the Feeder Export Wizard, were developed to aid districts in adding student information when those districts are considered "feeder" districts. A feeder district is defined as a district where all students, upon completion of the highest grade level, are fed into another district with the next sequential grade level.

The Feeder Import Wizard is used to import census data for students entering a new school level. For example, students moving from an elementary school are fed into a middle school; students moving from a middle school are fed into a high school. This wizard allows non-Infinite Campus districts to import information to Infinite Campus districts.

As a best practice, student census data should only be imported one time. If student IDs do not exist, you can complete the import more than once.



HS Feeder Import Wizard

Define Columns that contain meaningful data. The top right frame contains a representation of the raw data file. The lower left frame contains the criteria on the right.

Name	Sample File	Format	Column Count	Row
Feeder System Default	D:\temp\System-Administrator-2010-07-01-09-37-08\MyData.csv	Comma Separated Values	45	8

☐ New

feederDistrict
feederSchool
exportDate
stateID
studentNumber
lastName
firstName

Raw Data File Sample:

1	2	3	4	5
Feeder District	Feeder School	Export Date	State ID	Student Number
0561556	0532507	07/01/2010	1	1
0561556	0532507	07/01/2010	1	1
0561556	0532507	07/01/2010	1	1
0561556	0530121	07/01/2010	2	2
0561556	0532507	07/01/2010	3	3
0561556	0532507	07/01/2010	4	4

TEST

IMPORT

Finished

Selected Data:

feederDistrict	feederSchool	exportDate	stateID	studentNumber
0561556	0532507	07/01/2010	1	1
0561556	0532507	07/01/2010	1	1
0561556	0532507	07/01/2010	1	1
0561556	0530121	07/01/2010	2	2
0561556	0532507	07/01/2010	3	3
0561556	0532507	07/01/2010	4	4
0561556	0532507	07/01/2010	5	5

Prior to using any of the Feeder tools, the following must be done:

- Verify the destination year, school, calendar and schedule structure are selected in the

Campus toolbar, indicating into which calendar the feeder students will be imported.

- Create a holding calendar that will be the school of enrollment for the time being until the district is ready to enroll the students in the actual school calendar. This allows the school to create proper households and relationships using their standards and guidelines. See the [Calendar](#) toolset for more information.

The Feeder Import Wizard tool is based on other import wizard available in Campus, like the [Score Import Wizard](#) and the [Eligibility Import Wizard](#).

Feeder Tool Process

The following provides high level steps of the process for using the Feeder tools available.

Setting	Process
If both districts are Campus districts	<ol style="list-style-type: none"> 1. The school that is sending students to a new district uses the Feeder Export that lists the students and matching data. This file is saved in a compatible format (usually, CSV) and sent/emailed to the receiving district. 2. The receiving district uses the Feeder Import Wizard to import the student data from the CSV file. This import will create the person record and the enrollment record for the student, but will not create households, relationships, etc.
If sending school is a Campus district, but receiving school is not	<ol style="list-style-type: none"> 1. The school that is sending students to a new district uses the Feeder Export that lists the students and matching data. This file is saved in a compatible format (usually, CSV) and sent/emailed to the receiving district. 2. The receiving district uses their own methods for creating student records.
If sending school is not a Campus district, but receiving school is	<ol style="list-style-type: none"> 1. The school that is sending students to a new district creates their own file with student data, recommended by the receiving district. 2. The receiving district uses Feeder Import Wizard to import the data. 3. District uses the Feeder Import Custom Tab to collect data and review information.
If sending district feeds students to multiple locations	<ol style="list-style-type: none"> 1. The sending district using the Feeder Export Custom Tab to indicate the district where the student should be enrolled. 2. An ad hoc filter is created with the Feeder Export Custom Tab data and saved. 3. The sending district using the Feeder Data Export tool to create a file for the receiving district.

Using the Feeder Import Wizard

The following provides information on using the Feeder Import Wizard based on a particular district's student information system.


Importing from a District Using Infinite Campus

This option is used when the sending district uses Campus and the receiving district uses Campus.

Select the destination year, school, calendar and schedule structure from the Campus toolbar.

1. Select the **Feeder System Default** option from the Saved Import Mappings list. See Image 2.
2. Click the **Browse** button to locate the file being imported. This file contains the data from the sending school district.
3. Select the **Upload and Test** button to verify the accuracy of the data before importing. No data will be imported with this option.
4. Select the **Upload and Import** button to import the data.

Once data has been imported, the new student enrollments will be created and the Feeder Import Custom Tab will be populated.




Importing from a District NOT using Infinite Campus

This option is used when the sending district uses Campus and the receiving district uses Campus.

Select the destination year, school, calendar and schedule structure from the Campus toolbar.

1. Select the **New Import Mapping** option from the Saved Import Mappings list. See Image 3.
2. Enter a **Name** for the import file. See Image 4.
3. Select the **File Type** of the import file.
4. If the source file has a header row, mark the **Source File Includes Header** checkbox.
5. Click the **Browse** button to locate the file.
6. Once found, click the **Upload and Continue** button.




Feeder System Import Wizard

This wizard will walk you through the import of Feeder school student data

Saved Import Mappings

- ☒ Feeder System Default
- ☐ Fremont1
- ☐ Odd school
- ☐ School A
- ☐ Steph

Run an Import



Feeder System Import Wizard

Give the import a unique name, and upload a sample feeder file to help define the column import mapping.

Name

What is the file type?

Does the source file have a header row?

Source File Includes Header: ☒

Upload a sample file

After uploading the data source, the fields in the source file need to be mapped to fields in Campus. This page shows the Raw Data File Sample, a count of the data included in the sample, and provides options for mapping the data to other locations. See Image 5.

HS Feeder Import Wizard

Define Columns that contain meaningful data. The top right frame contains a representation of the raw data file. The lower left frame contains criteria on the right.

Name **Sample File** **Format** **Column Count**
Feeder System Default D:\temp\System-Administrator-2010-07-01-09-37-08\MyData.csv Comma Separated Values 45

Raw Data File Sample:

1	2	3	4	5
Feeder District	Feeder School	Export Date	State ID	Student Number
0561556	0532507	07/01/2010	1	1
0561556	0532507	07/01/2010	1	1
0561556	0532507	07/01/2010	1	1
0561556	0530121	07/01/2010	2	2
0561556	0532507	07/01/2010	3	3
0561556	0532507	07/01/2010	4	4

Selected Data:

feederDistrict	feederSchool	exportDate	stateID	studentNu
0561556	0532507	07/01/2010	1	1
0561556	0532507	07/01/2010	1	1
0561556	0532507	07/01/2010	1	1
0561556	0530121	07/01/2010	2	2
0561556	0532507	07/01/2010	3	3
0561556	0532507	07/01/2010	4	4
0561556	0532507	07/01/2010	5	5

Name

Seq in data file

Map to data field

Action performed on this field

1. Click the **New** icon.
2. Enter a **Name** for the field that will be imported from the data file.
3. Enter the **Sequence** of that field in the data field.
4. Select the **Map to Data Field** option from the dropdown list.
5. Select the **Action to be performed** on this field from the dropdown list. Options for this field are:
 - Import Data
 - Warn if already exists
 - Error if missing data
6. Continue this process until all desired fields are mapped. A list of the selected fields appears in the **Selected Data** window.
7. Click the **Save** icon when finished.

In the image above, the field Feeder School, in sequence location 2, is being mapped to the feederSchool field and data will be imported.

There are no required fields that need to be mapped. However, a best practice is to import the student's Last Name, First Name and Date of Birth.

When finished mapping fields, choose one of the following buttons:

- **TEST** - this will verify the options chosen and produce a report listing any errors or warnings that occurred.
- **IMPORT** - this will import the data as mapped and the Custom Feeder Import tab will be

populated.

- **Finished** - this will return the user to the first screen of the Feeder Import Tool.

A sample report of any errors/warnings will look like this:

HS Feeder Import Results:

0 new students inserted.
0 students updated.
0 Total Valid records.

Warning Count: 9

Error Count: 0

Error Detail:

Line	Error Message
------	---------------

Warning Detail:

Line Error Message

2	Warning-- Grade Level was not found : John Anderson 11
3	Warning-- Grade Level was not found : John Anderson 11
4	Warning-- Grade Level was not found : John Anderson 11
5	Warning-- Grade Level was not found : Jane Apperson 11