

MN v3.3 - Student ADSIS Program Association

Last Modified on 10/21/2024 8:22 am CDT

[Object Triggering Logic](#) | [Object Data Elements](#) | [Resource Preferences](#)

This association represents Students in the Alternative Delivery of Specialized Instruction (ADSI) Program.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	<p>When a new enrollment is saved for a student, and there is a ADSIS Program record saved that overlaps the enrollment record.</p> <ul style="list-style-type: none"> The ADSIS Program record must have either a NULL Schools droplist value, or one that matches the school the enrollment is tied to. When a student has two enrollments in the same School, Calendar & Schedule Structure with the same start date, report from the enrollment service type in the following order: <ol style="list-style-type: none"> P: Primary Enrollment S: Partial/Ancillary N: Special Ed Services When an enrollment with a higher priority is deleted, the enrollment with lower priority will post a new record. Do not send records if the Calendar Exclude check box is checked in the calendar the student is enrolled. Do not send records if the School Exclude check box is checked in the calendar the student is enrolled. Do not send a record if the No Show check box is checked. When a new ADSIS Program record is saved for a student, and there is a reportable enrollment record that overlaps the 21st CCLC Program record. When the ADSIS Program record's Start Date or End Date are updated so that they newly overlap a reportable enrollment record. When the Enrollment record's Start Date or End Date are updated so that they newly longer overlap an ADSIS Program record. When the ADSIS Program record's Schools droplist was previously tied to a different school, but the Schools droplist is updated to point to a new school that the student has a reportable enrollment with. Do not send records if the Calendar Grade Level "Exclude from State Reporting" checkbox is selected for the grade level that the student's enrollment is tied to.
Put	<p>When the start date for an enrollment is changed.</p> <ul style="list-style-type: none"> When an enrollment with a lower priority is changed, data will not send. When an enrollment is updated for a student. When the ADSIS Program record is updated for a student.
Delete	<p>When an enrollment is deleted.</p> <ul style="list-style-type: none"> When a student has two enrollments in the same school for the same start date, records with lower priority will not trigger a delete. When the No Show check box is checked. When the ADSIS Program record is deleted. When the ADSIS Program record's Start Date or End Date are updated so that they no longer overlap a reportable enrollment record. When the Enrollment record's Start Date or End Date are updated so that they no longer overlap an ADSIS Program record. When the ADSIS Program record's Schools droplist is updated so that it no longer matches any of the schools the student is enrolled in during the program record.

Object Data Elements

This table describes data elements sent within the Student ADSIS Program Association resource.

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database
beginDate	The month, day, and year on which the Student first received services.	Report the Start Date from the record.	M	Student Information > State Programs > ADSIS > ADSIS record > Start Date	altDeliv StartDa
educationOrganizationReference	educationOrganizationId: The identifier assigned to an education organization.	<ol style="list-style-type: none"> 1. Report the Ed-Fi School ID. 2. If Ed-Fi School ID is NULL, report: <ol style="list-style-type: none"> 1. ttdddssmm where: <ul style="list-style-type: none"> ▪ tt = district type ▪ dddd = district number, left zero filled ▪ sss = school number, left zero filled ▪ mmm = 000 for all organizations reported in Ed-Fi 	M	<p>School & District Settings > Schools > School Information > school record > Ed-Fi School ID</p> <p>tt: School & District Settings > District > District Information > district record > Type</p> <p>dddd: School & District Settings > District > District Information > district record > State District Number</p> <p>SSS: School & District Settings > Schools > School Information > school record > State School Number</p>	School.i District. District. School.i

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database
programReference	<p>educationOrganizationId: The identifier assigned to an education organization.</p> <p>programName: The formal name of the Program of instruction, training, services, or benefits available through federal, state, or local agencies.</p> <p>programTypeDescriptor: The type of program.</p>	<p>Report the following values within the program.</p> <ul style="list-style-type: none"> educationOrganizationId: <ol style="list-style-type: none"> Report the Ed-Fi District Number, if it exists If Ed-Fi District Number is NULL, report: <ul style="list-style-type: none"> ttdddss where: <ol style="list-style-type: none"> tt = district type ddd = district number, left zero filled sss = 000 programName: 'Alternative Delivery Of Specialized Instructional Services' programTypeDescriptor: 'Alternative Delivery Of SIS' 	M	<p>School & District Settings > District > District Information > district record > Ed-Fi District Number</p> <p>tt: School & District Settings > District > District Information > district record > Type</p> <p>ddd: School & District Settings > District > District Information > district record > State District Number</p>	District. District. District.
studentReference	<p>studentUniqueld: A unique alphanumeric code assigned to a student.</p>	<p>Report the EdFi ID value.</p>	M	<p>Census > People > Demographics > EdFi ID</p>	person.
endDate	<p>The month, day, and year on which the Student exited the Program or stopped receiving services.</p>	<p>1. If End Date <> NULL, report the date.</p> <p>1. If End Date is NULL, do not report.</p>	C	<p>Student Information > State Programs > ADSIS > ADSIS record > End Date</p>	altDeliv EndDat

Resource Preferences

The Ed-Fi Configuration tool is used to establish Ed-Fi data resources.

The following describes how to enable the Student ADSIS Program Associations resource for Ed-Fi reporting.

1. Set the Student ADSIS Program Associations preference to **ON**.

Student Information		OFF	
Students	<input checked="" type="checkbox"/>	ON	
Programs	<input checked="" type="checkbox"/>	ON	Edit
Student 21st Century Learning Center Grant Program Associations	<input checked="" type="checkbox"/>	ON	
Student ADSIS Program Associations	<input checked="" type="checkbox"/>	ON	
Student CEIS Program Associations	<input checked="" type="checkbox"/>	ON	
Student Early Childhood Screening Program Associations	<input checked="" type="checkbox"/>	ON	Edit
Student Education Organization Associations	<input checked="" type="checkbox"/>	ON	Edit
Student Gifted Talented Program Associations	<input checked="" type="checkbox"/>	ON	Edit
Student Homeless Program Associations	<input checked="" type="checkbox"/>	ON	Edit
Student Language Instruction Program Associations	<input checked="" type="checkbox"/>	ON	Configure
Student PSEO Concurrent Program Associations	<input checked="" type="checkbox"/>	ON	
Student PSEO Program Associations	<input checked="" type="checkbox"/>	ON	
Student SAAP Program Associations	<input checked="" type="checkbox"/>	ON	
Student School Associations	<input checked="" type="checkbox"/>	ON	Edit