

# MN v3.3 - Student School Association

Last Modified on 10/21/2024 8:22 am CDT

[Object Triggering Logic](#) | [Resource Toggle and Resync Logic](#) | [Natural Key Changes, Cascading Updates, and Deletes Logic](#) | [Scope Year Logic](#) | [Resource Preferences](#) | [Identity Mapping Object Key](#) | [Event Queue Detail](#) | [Object Data Elements](#) | [Resource Preferences Continued](#)

This association represents the school in which a student is enrolled.

## Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	<p>When a new enrollment is saved for a student. A record will report for each distinct enrollment in a School and Enrollment Start Date.</p> <ul style="list-style-type: none"> <li>When a student has two enrollments in the same School, Calendar and Schedule Structure with the same start date, report from the enrollment service type in the following order:               <ol style="list-style-type: none"> <li>P: Primary Enrollment</li> <li>S: Partial/Ancillary</li> <li>N: Special Ed Services</li> </ol> </li> <li>When an enrollment with a higher priority is deleted, the enrollment with lower priority will post a new record.</li> <li>Do not send records if the Calendar Exclude checkbox is checked in the calendar the student is enrolled.</li> <li>Do not send records if the School Exclude checkbox is checked in the calendar the student is enrolled.</li> <li>Do not send a record if the No Show checkbox is checked.</li> <li>Do not send a record if the Enrollment State Exclude check box is checked.</li> <li><b>Do not send records if the Calendar Grade Level "Exclude from State Reporting" checkbox is selected for the grade level that the student's enrollment is tied to.</b> <ul style="list-style-type: none"> <li><b>If one calendar is mapped to another calendar in the Calendars Override Mapping, and any grade levels are shared between the two calendars, the "mapped-to" calendar governs the "Exclude from State Reporting" status.</b></li> </ul> </li> <li>When a new Transportation record is saved for a student, and the Transportation Start Date is after the Enrollment Start Date (but still takes place before the SSA exitWithdrawalDate), an additional SSA record will be created with a Start Date equal to the Transportation record Start Date.</li> <li>When a Transportation record is updated so that the Transportation End Date takes place after the Enrollment Start Date (but before the SSA exitWithdrawalDate), an additional SSA record will be created with a Start Date equal to the day after the Transportation End Date. A new SSA is ONLY created from the transportation record if the transportation record end date is prior to the transportation calendar's last instructional day.</li> </ul>
Post	<p>When the start date for an enrollment is changed.</p> <ul style="list-style-type: none"> <li>When an enrollment with a lower priority is changed, data will not send.</li> </ul>
Post	<ul style="list-style-type: none"> <li>when the State Aid Category on the enrollment = 98 and</li> <li>when the enrollment record start date is in the scope year and is on or after 7/1/xxx and</li> <li>when the enrollment record has an end date within the scope year</li> </ul> <p>for the following data elements report default values:</p> <ol style="list-style-type: none"> <li>Attendance = '0'</li> <li>Membership = '0'</li> <li>Percent Enrolled = '100'</li> <li>Transporting District = Submitting District / District of Enrollment (Resident District)</li> <li>Transportation Category = '00: Walkers'</li> </ol> <p>NOTE: This logic does <b>not</b> require the enrollment to overlap any instructional days.</p>

Action	Trigger
Put	<p>When an enrollment is updated for a student.</p> <ul style="list-style-type: none"> <li>• When a student's start status is changed.</li> <li>• When a student's end status is changed.</li> <li>• When a student's grade level is changed.</li> <li>• When a student's End Action is changed.</li> <li>• When a student's School Choice checkbox is checked or unchecked.</li> <li>• When a student's Resident District or Service District fields are changed.</li> <li>• When a student's Service Type is changed.</li> <li>• When the Calendar reference is changed due to a Natural Key update on the Calendars resource.</li> <li>• When a Transportation record Start Date is changed, if the Transportation record is responsible for the exitWithdrawalDate of the preceding SSA record, it will update the exitWithdrawalDate of the preceding SSA record.</li> <li>• When a Transportation record End Date is changed, if the Transportation record is responsible for the entryDate of the following SSA record, it will update the entryDate of the following SSA record.</li> </ul>
Delete	<p>When an enrollment is deleted.</p> <ul style="list-style-type: none"> <li>• When a student has two enrollments in the same school for the same start date, records with lower priority will not trigger a delete.</li> <li>• When the start date of an enrollment is changed.</li> <li>• When the No Show checkbox is checked.</li> <li>• When a transportation record's start or end date is updated so that it no longer overlaps an enrollment record, and the transportation record was responsible for a stand-alone SSA record, the associated SSA record will be deleted.</li> </ul>

## Resource Toggle and Resync Logic

This table describes the Resource Toggle and Trigger logic of this object.

Action	Business Rule
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
Put	If the natural key of the Calendar Reference is changed, a put will be done to update the Calendar Reference even if the Student School Association resource is turned 'OFF'.
Resync	If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table.
Resync	If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.
Resync	If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.

## Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

Action	Business Rule
Post/Delete	<p>Natural Key changes:</p> <ul style="list-style-type: none"> <li>• If the School Number/Ed-Fi School Number changes, a delete/post will occur with the cascading deletes from the School ID Change triggers.</li> <li>• If an Ed-Fi ID changes, this will happen with the cascading deletes from the Ed-Fi ID Change trigger.</li> <li>• If the enrollment start date changes, all dependent resources will be deleted and re-posted. If a dependent resource is turned off, all dependent resources will be deleted and not re-posted.</li> </ul>

Action	Business Rule
Delete	<p>Cascading Deletes: If the Student School Association is deleted, all dependent resources will be deleted.</p> <ul style="list-style-type: none"> <li>Student Parent Associations, Student Education Organization Associations, Student Section Associations, Graduation Plans, Student Program Associations, Student CTE Program Associations, Student Special Education Program Associations, Student Title 1 Part A Program Associations, Student Academic Records, Course Transcripts, Grades, Student Discipline Incident Associations, Discipline Actions, Student Cohort Associations, Student School Attendance Events, Student Section Attendance Events</li> </ul>

## Scope Year Logic

This table describes scope year logic of this object.

Logic
The record will send to the scope year for the school year the enrollment is associated with.
Data will only send for the years that have valid configuration.

## Resource Preferences

This table describes the Resource Preferences of this object.

Data Element Label	Mapping Needed
Entry Type Descriptors	Enrollment Start Status
Exit Withdraw Type Descriptors	Enrollment End Status

## Identity Mapping Object Key

This table describes the Identity Mapping Object Key of this object.

campusObjectType	Object Key Data Source
Enrollment	enrollmentID

## Event Queue Detail

This table describes the Event Queue Detail of this object.

Campus Table	Ed-Fi Action	Fields
enrollment	Post/Put/Delete	The primary table used for sending data for this resource.
person	Post/Delete	Student ID in Student Reference
graduation	Put	Class of School Year Type Reference
programs	Put	Graduation Plan Reference
programparticipation	Put	Graduation Plan Reference

## Object Data Elements

This table describes data elements sent within the Student School Association resource.

Data Element Label	Business Requirement	Business Rules	M, C or O	Location
id	The unique identifier of the resource.		M	

Data Element Label	Business Requirement	Business Rules	M, C or O	Location
entryDate	The month, day, and year on which an individual enters and begins to receive instructional services in a campus.	<ol style="list-style-type: none"> <li>If the SSA record is based on the student's enrollment, and there is either no transportation record, or an overlapping transportation record does exist, but begins prior to the start of the enrollment record, report the enrollment Start Date.</li> <li>If the SSA record is based on a transportation record that overlaps the student's enrollment, and the transportation record begins after the enrollment start date, report the transportation Start Date.</li> <li>If the SSA record is based on the student's enrollment, and there is a transportation record that overlaps the student's enrollment <b>but ends prior to the last instructional day of the calendar or the enrollment end date</b>, report the date following the transportation end date.</li> </ol>	M	Student Information System > Student Enrollments > Start Date Student Information System > Student Transportation > Start Date Student Information System > Student Transportation > Start Date
calendarReference	A reference related to the Calendar resource.	This is optional, does not report.	O	
classOfSchoolYear TypeReference	The year the student is expected to graduate.	This is optional, does not report.	O	
graduationPlan Reference	A reference to the related GraduationPlan resource.	This is optional, does not report.	O	
entryTypeDescriptor	The process by which a student enters a school during a given academic session.	<ol style="list-style-type: none"> <li>If State Aid Category on the enrollment record = '46', then report '0'.</li> <li>If the SSA record is based on the student's enrollment, and there is a transportation record that overlaps the student's enrollment and that starts <b>after</b> the start of the student's enrollment but before the last instructional day in the calendar, report entryTypeDescriptor= 24.</li> <li>If the SSA record is based on the student's enrollment, and there is either no transportation record, or an overlapping transportation record does exist, but ends after the end of the enrollment record, report 40.</li> <li>If the SSA record is based on the student's enrollment, and there is either no transportation record, or an overlapping transportation record does exist, but <b>ends after</b> the end of the enrollment record, report entryTypeDescriptor = 00.</li> <li>Otherwise reports EdFi Code from the State Start Status value saved in the enrollment record.</li> </ol>	M	Student Information System > Enrollment > State Aid Category Student Information System > Enrollment > Start Status enrollment.state/entryTypeDescriptor enrollment.startStatus

Data Element Label	Business Requirement	Business Rules	M, C or O	Location
exitWithdrawDate	The month, day, and year of the first day after the date of an individual's last attendance at a school (if known), the day on which an individual graduated, or the date on which it becomes known officially that an individual left school.	<ol style="list-style-type: none"> <li>If the SSA record is based on the student's enrollment, and there is either no transportation record, or an overlapping transportation record does exist, but ends after the end of the enrollment record, report the enrollment End Date.</li> <li>If the SSA record is based on the student's enrollment, and there is either no transportation record, or an overlapping transportation record does exist, but ends after the end of the associated calendar, and there is no enrollment end date, report the last instructional date of the calendar</li> <li>If the SSA record is based on a transportation record that overlaps the student's enrollment, and the transportation record ends before the enrollment end date, report the transportation End Date.</li> <li>If the SSA record is based on the student's enrollment, and there is a transportation record that overlaps the student's enrollment but starts after the start of the student's enrollment, report the date prior to the transportation Start Date.</li> </ol>	M	Student Information > Enrollments > Enrollment End Date Student Information > Transportation > Transportation End Date Student Information > Transportation > Transportation End Date Scheduling & Calendar Setup > Information > Data > Enrollment End Date
exitWithdrawTypeDescriptor	A unique identifier used as Primary Key, not derived from business logic, when acting as Foreign Key, references the parent table.	<ol style="list-style-type: none"> <li>Report the Ed-Fi Code mapped to the enrollment End Status.</li> <li>If value is NULL and calendar End Code Override has a value set, the override value will be reported.</li> <li>If the SSA record is based on a transportation record that overlaps the student's enrollment, and the transportation record ends <b>before</b> the enrollment end date, <b>report = 99</b></li> <li>If the SSA record is based on the student's enrollment, and there is a transportation record that overlaps the student's enrollment but <b>starts after</b> the start of the student's enrollment, <b>report = 99</b></li> <li>If the SSA record is based on the student's enrollment, and there is either no transportation record, or an overlapping transportation record does exist, but ends after the end of the enrollment record, report 40.</li> </ol>	M	Student Information > Enrollments > Enrollment End Status OR Scheduling & Calendar Setup > Information > Enrollment End Code Override
primarySchool	Indicates if a given enrollment record should be considered the primary record for a student. If omitted, the default is true.	This is optional, does not report.	O	
repeatGrade Indicator	An indicator of whether the student is enrolling to repeat a grade level, either by failure or an agreement to hold the student back.	This is optional, does not report.	O	
residencyStatus Descriptor	An indication of the location of a person's legal residence relative to (within or outside of) the boundaries of the public school attended and its administrative unit.	This is optional, does not report.	O	

Data Element Label	Business Requirement	Business Rules	M, C or O	Location
schoolChoice Transfer	An indication of whether students transferred in or out of the school did so during the school year under the provisions for public school choice in accordance with Title I, Part A, Section 1116.	This is optional, does not report.	O	
specialEducation Evaluation StatusDescriptor	An indicator of the students' need for and participation in special education programs during this enrollment period.	1. Report Special Ed Status code. 2. If NULL, report '1'.	M	Student Information > Special Ed Status Enrollment. specialEdStatus
stateAidCategory Descriptor	State Aid Category.	1. Report State Aid Category. 2. If NULL, report '00'.	M	Student Information > State Aids Fields > State Aid Enrollment. stateAid
homeboundService Indicator	The Homebound Service Indicator is used to validate Membership Days for students who have no Attendance Days. It is an indication of whether students were medically confined to their home and received instruction in the home during the enrollment period.	1. If Homebound = 'Y', report 'true'. 2. If Homebound = 'N', report 'false'. 3. If Homebound = NULL, report 'false'.	M	Student Information > State Fields > Homebound Enrollment. homebound
specialPupilIndicator	An indicator representing a Student who qualifies as a Special Pupil for Care and Treatment at some time during the school year.	1. If Special Pupils for Care/Treatment is 'Y', report 'true'. 2. If Special Pupils for Care/Treatment is 'N', report 'false'. 3. If Special Pupils for Care/Treatment is NULL, report 'false'.	M	Student Information > State Fields > Special Care/Treatment EnrollmentMN. specialCare
residentLocal Education AgencyReference	localEducationAgencyId  The identifier assigned to a local education agency.	1. Look to see if the Resident District <> NULL. o If so, report the Resident District number. 2. If not, report from the district.type + district.number values ( <b>ttddd</b> ) o Where: 1. tt = district type 2. dddd = district number, left zero filled  An Error message specific to the resident district ID is generated for the SSA in the Ed-Fi Error Log if the resident district value is invalid.	M	Student Information > Resident District > District Type  School & District District > District Type  School & District District > District State District Nur  Enrollment. residentDistrict District.type District.number
membership Attendance UnitDescriptor	Days or Hours.	Report based on Membership/Attendance Type: 1. If '01: Days' is selected, report 'Days'. 2. If '02: Hours' is selected, report 'Hours'.	M	Student Information > State Fields > Attendance Enrollment. attendanceType

Data Element Label	Business Requirement	Business Rules	M, C or O	Location
attendance	The total number of Instructional Days or Hours during which students attended school during the current school year.	<ol style="list-style-type: none"> <li>Report the value entered into Attendance Override when &lt;&gt; NULL</li> <li>Else, if Attendance Override is NULL, calculate attendance based on membership first and then subtract qualifying absence amounts, if they exist in order to determine the reported value for 'attendance'               <ol style="list-style-type: none"> <li>When SAC = 46 always report '0' (zero)</li> <li>When Homebound Indicator =Y, report 0, else report the value entered into Enrollment Membership Override</li> <li>When school site category = 41: ALC or 42: ALP, the value reported for attendance can exceed the value for (possible) membership.</li> <li>Else, the attendance value cannot exceed the value that reports for membership.</li> <li>Percent enrolled '100' reports attendance and membership as a daily value. It counts the number of instructional days between the calculated start and end date. The total calculated value for membership cannot exceed the total instructional days override for a grade level, if a value exists.</li> <li>Percent enrolled 999/998 reports attendance and membership as an hourly value. It converts attendance minutes into hours and uses membership/attendance type '01: Days'. It counts all period minutes from the student's roster where course attendance = 1.</li> </ol> </li> </ol> <p>In order to calculate the attendance value,</p> <ol style="list-style-type: none"> <li>Enrollment 'Percent Enrolled' cannot be NULL</li> <li>the student must be rostered into <b>at least one</b> course that:           <ol style="list-style-type: none"> <li>Is marked as Attendance</li> <li>Is scheduled in an Instructional period</li> </ol> </li> <li>the absent value recorded for the day           <ol style="list-style-type: none"> <li>is equal to the total rostered instructional minutes OR</li> <li>is equal to the value in the calendar field "Whole Day Absence (minutes)" (1.0) or "Half Day Absence (minutes)" (0.5).</li> </ol> </li> </ol> <p>The calculation method is determined by the value entered in enrollment field 'percent enrolled' and should match MARSS B calculation for determining value for flat file field named 'Attendance Days'.</p>	M	Student Information Systems > Student Enrollment > Student Enrollment Fields > Attendance  Course > Attendance  Scheduling & Calendar Setup > Information > Personnel  Scheduling & Calendar Setup > Information > Grade Level Edit > Membership Day  Day Absence (minutes)  Scheduling & Calendar Setup > Information > Whole Day Absence (minutes)  Enrollment Administration > Attendance Override
membership	The total number of Instructional Days or Hours during which students were enrolled in the school during the current school year.	<ol style="list-style-type: none"> <li>Report the value entered into Enrollment Membership Override when &lt;&gt; NULL</li> <li>If Enrollment Membership Override is NULL, calculate the total number of days between entryDate and exitWithdrawDate for which the student was enrolled, where the calendar days are marked as School Day, Instructional and Attendance           <ol style="list-style-type: none"> <li>When SAC = 46 <u>always</u> report '0' (zero)</li> <li>When Homebound Indicator =Y, report 0, else report the value entered into Enrollment Membership Override</li> <li>Else, when when SAC is NOT 46 and percent enrolled = 999/998               <ol style="list-style-type: none"> <li>always report membershipAttendanceUnitDescriptor = 'Hours',                   <ol style="list-style-type: none"> <li>if the Calendar Grade Level</li> </ol> </li> </ol> </li> </ol> </li> </ol>	M	Student Information Systems > Student Enrollment > Student Enrollment Fields > Membership  Scheduling & Calendar Setup > Information > Data Instruction/Attendance  Scheduling & Calendar Setup > Information > Grade Level Edit > Membership Day  Enrollment Administration > Attendance Override

Data Element Label	Business Requirement	Business Rules	M, C or O	Location
		<p>associated with the reported enrollment meets the reporting criteria and where 'Instructional Days Override' = NULL, convert the calculated value into Hours and report that value</p> <ol style="list-style-type: none"> <li>2. if the Calendar Grade Level associated with the reported enrollment meets the reporting criteria and where 'Instructional Days Override' = NOT NULL, use that value and convert into hours.</li> </ol> <ol style="list-style-type: none"> <li>4. Else, when SAC is NOT 46 and percent enrolled IS NOT = 999/998               <ol style="list-style-type: none"> <li>1. always report membershipAttendanceUnitDescriptor = 'Days',                   <ol style="list-style-type: none"> <li>1. if the Calendar Grade Level associated with the reported enrollment meets the reporting criteria and where 'Instructional Days Override' = NULL, report the calculated value of membership days for the duration of the enrollment record</li> <li>2. If the Calendar Grade Level associated with the reported enrollment meets the reporting criteria and where 'Instructional Days Override' = NOT NULL, use that value in the calculation                       <ol style="list-style-type: none"> <li>1. when school site category IS 41: ALC or 42: ALP, report the calculated value for the enrollment record</li> <li>2. else, do not report a value that exceeds the total number of days between entryDate and exitWithdrawDate of the enrollment.</li> </ol> </li> </ol> </li> </ol> </li> </ol> <p>The calculation method is determined by the value entered in enrollment field 'percent enrolled' and should match MARSS B calculation for the value reported for the flat file field named 'Membership Days'.</p> <p>Round the reported value to a whole number if it contains a decimal. Apply logic when value is calculated OR when override value is reported from Enrollment.admOverride - Membership Override field on the enrollment.</p> <ul style="list-style-type: none"> <li>• Round down when decimal is 0.1-0.4.</li> <li>• Round up when decimal is 0.5-0.9</li> </ul>		<p>Day.instruction</p> <p>Day.attendance</p> <p>Gradelevel.maxM</p>
percentEnrolled	Percent Enrolled	<ol style="list-style-type: none"> <li>1. Report Percent Enrolled.               <ol style="list-style-type: none"> <li>1. calculate value as percentEnrolled/100</li> </ol> </li> <li>2. If NULL, report '100'.</li> </ol>	M	<p>Student Information &gt; Student Enrollments &gt; Student Fields &gt; Percent Enrolled</p> <p>Enrollment.percentEnrolled</p>
transportation Category Descriptor	Student's to and from Transportation Category for the regular school term.	<ol style="list-style-type: none"> <li>1. Report the EdFi Code mapped to the Transportation Category value selected from the latest transportation record that overlaps the enrollment record.</li> <li>2. If the mapping is NULL, or there is no transportation record that overlaps the enrollment record, report '00'.</li> </ol>	M	<p>Student Information &gt; Transportation &gt; Category</p> <p>Transportation.transportation Code</p>



Data Element Label	Business Requirement	Business Rules	M, C or O	Location
transportingLocal EducationAgency Reference	localEducationAgencyId The identifier assigned to a local education agency.	<ol style="list-style-type: none"> <li>1. Report the value saved in Transporting District</li> <li>2. If Transporting District is NULL, or no Transportation record exists, report the District Number from the EdFi Configuration</li> <li>3. If District Number from the EdFi config is NULL, report the Ed-Fi District Number from the District record</li> <li>4. If the Ed-Fi District Number is NULL, report from the district.type + district.number values (<b>ttdddd</b>)               <ol style="list-style-type: none"> <li>1. Where:                   <ol style="list-style-type: none"> <li>1. tt = district type</li> <li>2. dddd = district number, left zero filled</li> </ol> </li> </ol> </li> </ol>	C	Student Information > Transportation > District  Ed-Fi > Ed-Fi Configuration > District Connection > District  School & District > District record > District Number  School & District > District Type  School & District > District State District Nur  Transportation > District  Enrollment > residentDistrict  District.type  District.number

## Resource Preferences Continued

The Ed-Fi Configuration tool is used to establish Ed-Fi data resources.

The following describes how to set the resource preferences for the Student School Association resource. If the Configure or Edit buttons do not display, then the resource does not need to be mapped and the toggle button can be used to turn the resource on or off.

If a mapping is changed, a resync must be performed on the resource in order for the new mappings to send correctly. Any item not mapped will not report to Ed-Fi.

1. Select the appropriate **Ed-Fi Codes** for the Entry Type Descriptors.

### Enrollment Start Status

Attribute Dictionary      System Settings > Custom Data and Links > Core Attribute/Dictionary > Enrollment > State Start Status

UI Location              Student Information > General > Enrollments > Start Status

Entry Type Descriptors	
Enrollment State Start Status	Ed-Fi Code
00: Last year, public school, same district	0: Last enrollment in a public school in the
01: Last year, MN nonpublic school	1: Last enrollment in nonpublic school in
02: Last year, another state	2: Last enrollment in another State
03: Last year, another country	3: Last enrollment in another country
04: Last year, MN public school, other district	4: Last enrollment in a Minnesota school ir
05: Never before in school, regardless of age	5: Student has never been in school
06: Age 6 or older as of 9/1, never before in school (ia19-20)	
07: Last enrolled before last year (ia19-20)	
11: Midyear transfer from MN nonpublic school (ia19-20)	
12: Midyear transfer from other state (ia19-20)	
13: Midyear transfer from other country (ia19-20)	
14: Midyear transfer from other MN school district (ia19-20)	
21: Midyear transfer from school in this district (ia19-20)	
22: Midyear grade level change (ia19-20)	
23: Midyear change in district of residence (ia19-20)	
24: Last year, same school or inter-district transfer	24: Changed enrollment status

2. Select the appropriate **Ed-Fi Codes** for the Exit Withdraw Type Descriptors.

#### Enrollment State Exit Type

Attribute Dictionary      System Settings > Custom Data and Links > Core Attribute/Dictionary > Enrollment > State ExitType

UI Location                Student Information > General > Enrollments > End Status

Exit Withdraw Type Descriptors	
Enrollment State End Status	Ed-Fi Code
00: Used for Fall reporting	0: Used for fall reporting unless student wi
03: Transfer to approved nonpublic school	3: Transferred to an approved nonpublic sc
04: Moved to other MN school district	4: Students moved outside of the district
05: Moved out of MN	5: Student moved outside of the state or c
06: Dropout (17 or older)	6: Students left school after reaching com
07: Left after compulsory att age w/written election	7: Students left school after reaching com
08: Graduated from High School	8: Student graduated from a public school
11: Student deceased	11: Student is deceased
12: Excused: permanent disability	12: Students excused from attending scho
13: Committed to correctional facility	13: Students committed to a correctional f
14: 15 day drop	14: Students withdrawn after 15 consecuti
16: Expelled, didn't start elsewhere	16: Students were expelled and did not reti
18: Whereabouts unknown/non-approved	18: Students withdrew, no transcript req., c
20: Transfer to other district/not moved	20: Students transferred to another district
21: EC withdrawal: IEP met	21: Early Childhood withdrawal; IEP/ IFSP/
23: Withdrew from KG immaturity	23: Kindergarten withdrawal, expected bac
24: Withdrew to receive homebound services	24: Withdrew to receive homebound servic
25: EC eval only, child not eligible for services	25: EC evaluation only, child not eligible for
26: EC withdrawal by parent	26: EC students withdrawn by parents
27: EC transition at age 3	27: EC transition at age 3, Part B eligible, E

3. Select the appropriate **Ed-Fi Codes** for the Special Education Evaluation Status Descriptors Descriptors.

### Enrollment Special Ed Status

Attribute Dictionary      System Settings > Custom Data and Links > Core Attribute/Dictionary > Enrollment > Special Ed Status

UI Location              Student Information > General > Enrollments > Special Ed Fields > Special Ed Status

Enrollment Special Ed Status	Ed-Fi Code
1: None	1: Not evaluated, non-disabled, no IEP/IFSI
2: K-12 Evaluated, Does Not Need Services; EC-Evaluated	2: Shared-Time K-12 – Evaluated, EC – Eva
3: Requires services; not currently participating	3: Evaluated - requires special ed services
4: Receiving services	4: Evaluated - receiving special ed services
5: Requires service, parents refused	5: Evaluated – qualifies for services, paren
6: Receiving services in district and through a public agency	6: Evaluated – receiving services in district
7: IEP/IFSP terminated during year	7: IEP/IFSP was terminated or requirement
8: Early Intervention	

Show Inactive

4. Select the appropriate **Ed-Fi Codes** for the State Aid Category Descriptors.

### Enrollment State Aid Category

Attribute Dictionary      System Settings > Custom Data and Links > Core Attribute/Dictionary > Enrollment > State Aid Category

UI Location              Student Information > General > Enrollments

Enrollment State-Aid Category	Ed-Fi Code
00: Regular; enrolled at resident district	00: 00 - Regular; resident enrolled at the re
01: Open Enrollment	01: 01 - Enrollment Options/Open Enrollme
02: Foreign Exchange Student J-1 Visa	02: 02 - Foreign Exchange.
03: HSGI Nonresident	03: 03 - Graduation Incentives
04: 11/12th Grade choice	04: 04 - Enrollment Choice for 11th and 12
05: Interdistrict cooperative agreement	05: 05 - Inter-district Cooperative Agreeme
06: Cooperative Facilities	06: 06 - Cooperative Facilities
08: Charter school (student/parent choice)	08: 08 - Charter School.
10: Joint Powers Agreement	10: 10 - Joint Powers Cooperatives
11: Missed Open Enr. Deadline	11: Non-tuition Parent Initiated Agreement
13: State Board Exceptions	
14: Enrolled in another state	14: 14 - Enrollment in Another State
15: Resident of other state/country	15: Resident of another state/country neitl
16: Shared Time paid to resident district	16: 16 – Shared-Time Aid is paid to the res
17: Shared Time paid to serving district	17: 17 – Shared-Time Aid paid to the serv
18: Shared Time paid by parent/guardian	18: 18 – Shared-Time - Parent/guardian ps
19: Tuition agreement w/resident district	19: 19 - Tuition Agreement with Resident D
20: Tuition agreement w/ parent/guardian	20: 20 - Tuition Agreement with Parent/Gu
21: Ineligible nonresident student	21: Nonresidents/no tuition/no options ne
22: Open enr, returned to res dist	22: Ineligible open enrollment, returned to
24: Early graduate	
25: Adult HSGI student	
26: Private school HSGI	26: Private contracted alternative - contrac
27: Temporary care/treatment	27: Care & treatment, public - resident dist
28: Resident at private school (IEP/care)	28: Nonpublic placed IEP/IFSP/IIIP or care

5. Select the appropriate **Ed-Fi Codes** for the Transportation Category Descriptors.

### Enrollment State Aid Category

Attribute Dictionary      System Settings > Custom Data and Links > Core Attribute/Dictionary > Transportation > Transportation Category

UI Location              Student Information > General > Transportation > Transportation Category

Transportation Category Descriptors	
Transportation	Transportation Category
00: Walkers	Ed-Fi Code 00: 00 – Walkers or Transportation Field N ▼
01: Regular	01: 01 – Regular ▼
02: Excess	02: 02 – Excess ▼
03: Disabled	03: 03 – Disabled ▼
04: Desegregation	04: 04 – Desegregation ▼
05: Ineligible/Nonresident	05: 05 – Ineligible ▼
06: Special Transportation	06: 06 Special Transportation ▼
07: Shelter Care Facility	07: 07 Shelter Care Facility ▼

6. Click **Save**.