


GPA Calculations in Campus

Last Modified on 12/14/2025 8:45 pm CST

Based on values entered for course scores, Campus automatically calculates a student's grade point average. This GPA is available in several locations—Report Cards, Transcripts, and several grading reports, for example. This article describes each type of GPA calculation. See the tools available in [Grading and Standards](#) for more information.

GPA Decimal Placement

The number of decimal places to which GPAs are reported is set in the System Preferences tool in the **Number of Significant GPA Decimal Places** field. Up to five decimal places can be selected. Standard rounding rules apply.



The screenshot shows the 'System Preferences' interface. The 'District Preferences' section is expanded, and the '# of Significant GPA Decimal Places' field is highlighted with a red box. The field is a dropdown menu currently set to '5'. Other visible settings include 'Search Screen Field Order' (Student Number AFTER Name Fields), 'Enrollment Overlap Behavior' (Strict Prevent & Warn Non-Primary: Prevent any primary enrollment in any c:), 'Default State Exclude for Cross-Site Enrollments' (No), 'Enrollment Start Status Type Updates' (Campus Maintained), 'Enrollment End Status Type Updates' (Campus Maintained), 'Allow GPA Bonus Points' (Yes), 'Turn on Federal Impact Aid Tracking' (No), 'Search Limit' (1000), 'School Boundary Warnings' (Off), 'Disable Custom Comments When Posting Grades' (No), 'Require all scores for Composite Grading' (No), and 'Show Counselor in the Student Header' (Yes).

System Preferences- Number of Significant GPA Decimal Places

GPA Options

Different GPA types are available for calculating a student's grade point average. Note that the GPA Calculation uses only posted scores in the calculation; in-progress grades are NOT included.

| GPA Type | Definition | Use |
|--------------------------|---|---|
| Term GPA | <p>Calculated using the student's scores within a specified term (e.g., quarter, semester, trimester).</p> <p>The Term GPA on the Grades tool, Report Card, Term GPA Report, and in an Ad hoc filter uses courses that have a score in a grading task with a Term GPA (weight).</p> | <ul style="list-style-type: none"> Determine honor roll and/or dean's list participation. Can be displayed on report cards. |

| GPA Type | Definition | Use |
|---|--|---|
| <u>Cumulative GPA</u> | Calculated using all grades posted to the student's transcript. | <ul style="list-style-type: none"> • Provide the student's placement or class rank compared to other students in the same grade level. • Prints on Transcripts and Report Cards. |
| <u>Rolling Cumulative GPA</u> | Calculated using the student's current year grading tasks marked as Post to Transcript (Term GPA) and historical posted grades (Cumulative GPA). | <ul style="list-style-type: none"> • Predicts a student's class rank before all final grades are posted to the transcript. • Can be used to determine the likelihood of graduation. |
| <u>Yearly GPA</u> | Calculated using all grades posted to the student's transcript within a designated school year. Bonus Points are not included. | <ul style="list-style-type: none"> • Provides the view of a student's progress within a specific year. • Can be used as a progress marker for programs (e.g. <u>21st CCLC</u>). |
| Grade Calculation Snapshot | <p>Calculates and provides snapshots of each student's most current GPA and class rank three times a year (January 30, June 30, and September 15). Data is available using <u>Ad hoc Reporting</u>. See the <i>GPA Information in Ad hoc</i> section below for more information.</p> <div> State Edition: Data syncs from the district level to the state level. </div> | |

A course is not included in these calculations when there is no GPA value, a blank or null GPA Weight, or the student's grade level is marked as Exclude from GPA/Class Rank. When a course has only an unweighted GPA Value, the Value is included in a Weighted GPA calculation and vice versa.

GPA Values

[Term GPA Weight](#) | [Cumulative GPA Weight](#) | [GPA Calculations](#) | [Class Rank](#) | [GPA Information in Ad hoc](#) | [State-Specific Information](#)

GPA Values are grade points/GPA points assigned to a score. GPA values are set in the GPA Value field of a [Score Group/Rubric](#) applying to the course. The GPA Value field is considered the "weighted" field. This applies to cumulative GPAs as well.

When grade points in a certain score group/rubric should be valued higher than others, the score group/rubric needs to use different values in the weighted GPA Value field and the Unweighted GPA Value field.

Score Group & Rubric Setup ☆

Save

Delete

New Score Group

New Rubric

Score Groups & Rubrics Editor

| Name | Type |
|-------------------------|-------------|
| HS Standards Based A/B | Score Group |
| HS Traditional A/B | Score Group |
| HS Weighted - Inactive | Score Group |
| HS Weighted- 2016 | Score Group |
| IB SBG | Rubric |
| K4 - SBG | Rubric |
| K4 Grademarks | Score Group |
| KG-2 Courses | Score Group |
| KG-2, 3-5 Specials- SBG | Rubric |
| MS Pass/Fail | Score Group |
| MS Pass/Fail - SBG | Rubric |
| MS Standard | Score Group |
| MS Standard - SBG | Rubric |
| Overall HS SBG | Rubric |

Score Group Detail

*Name

HS Traditional

Score Group List Items Detail

| Sequence | Name | Score | Ed-Fi Grade Type | Passing Score | Credit Coeff. | Minimum Value | GPA Value | GPA Unweighted Value | GPA Bonus Points |
|----------|------|-------|------------------|-------------------------------------|---------------|---------------|-----------|----------------------|------------------|
| 1 | A+ | A+ | P: Pass | <input checked="" type="checkbox"/> | 1 | 0 | 4 | | 0 |
| 2 | A | A | P: Pass | <input checked="" type="checkbox"/> | 1 | 0 | 4 | | 0 |
| 3 | A- | A- | P: Pass | <input checked="" type="checkbox"/> | 1 | 0 | 4 | | 0 |
| 4 | B+ | B+ | P: Pass | <input checked="" type="checkbox"/> | 1 | 0 | 3 | | 0 |
| 5 | B | B | P: Pass | <input checked="" type="checkbox"/> | 1 | 0 | 3 | | 0 |
| 6 | B- | B- | P: Pass | <input checked="" type="checkbox"/> | 1 | 0 | 3 | | 0 |
| 7 | C+ | C+ | P: Pass | <input checked="" type="checkbox"/> | 1 | 0 | 2 | 0 | 0 |
| 9 | F | F | F: Fail | <input type="checkbox"/> | 0 | 0 | 0 | 0 | 0 |

Add

GPA Value in Score Groups

GPA values might look like this in a score group, as noted in the image above:

- Each A that a student receives is 4 GPA points.
- Each B that a student receives is 3 GPA points.
- Each F that a student receives is 0 GPA points.

A score can have both a GPA Value and an Unweighted GPA Value; they would be the same when the score group is not used to give scores from some courses a higher value.

Assign GPA Values for Regular Scores

When the course does not require special GPA value weighting, the value entered in the GPA value field should be the same as in the Unweighted GPA Value field.

Score Group & Rubric Setup ☆

Save

Delete

New Score Group

New Rubric

Score Groups & Rubrics Editor

| Name | Type |
|------------------------|-------------|
| Elementary Rubric | Rubric |
| Elementary Scale | Score Group |
| FAIR Elementary | Rubric |
| IB Score Group | Score Group |
| M.S. Rubric | Rubric |
| Reads at Grade Level | Rubric |
| Secondary Score Group | Score Group |
| Transition School Only | Score Group |

Score Group Detail

*Name

Secondary Score Group

Score Group List Items Detail

| Sequence | Name | Score | State Score | Passing Score | Credit | Minimum Value | GPA Value | GPA Unweighted Value | GPA Bonus Points |
|----------|------|-------|-------------|-------------------------------------|--------|---------------|-----------|----------------------|------------------|
| 2 | A | A | A: A | <input checked="" type="checkbox"/> | 1 | 0 | 4 | 4 | 0 |
| 3 | A- | A- | A-: A- | <input checked="" type="checkbox"/> | 1 | 0 | 3.67 | 3.67 | 0 |
| 4 | B+ | B+ | B+: B+ | <input checked="" type="checkbox"/> | 1 | 0 | 3.34 | 3.34 | 0 |
| 5 | B | B | B: B | <input checked="" type="checkbox"/> | 1 | 0 | 3 | 3 | 0 |
| 6 | B- | B- | B-: B- | <input checked="" type="checkbox"/> | 1 | 0 | 2.67 | 2.67 | 0 |

GPA Value and Unweighted Value are the Same Values

Assign GPA Values for Weighted Scores

In a scenario where a score in a course should “weigh” more than scores in other courses, the GPA Value field should be set slightly higher than the regular value to reward students for attempting more challenging material (e.g., earning an “A” in AP Calculus may need to count for 5 grade points, compared to an “A” in standard math, which should only count for 4 grade points).

In such a scenario, the Unweighted GPA Value field indicates the standard (unweighted) value to be used when an unweighted GPA is needed. The GPA Value field should indicate the weighted value (higher than the unweighted value).

Score Group List Items Detail

| Sequence | Name | Score | State Score | Passing Score | Credit | Minimum Value | GPA Value | GPA Unweighted Value | GPA Bonus Points |
|----------|--------|--------|-------------|-------------------------------------|--------|---------------|-----------|----------------------|------------------|
| 1 | IB 7=A | IB 7=A | A: A | <input checked="" type="checkbox"/> | 1 | 87.5 | 5 | 4 | 0 |
| 2 | IB 6=A | IB 6=A | A: A | <input checked="" type="checkbox"/> | 1 | 75 | 4 | 3 | 0 |
| 3 | IB 5=B | IB 5=B | B: B | <input checked="" type="checkbox"/> | 1 | 59.37 | 3 | 2 | 0 |
| 4 | IB 4=C | IB 4=C | C: C | <input checked="" type="checkbox"/> | 1 | 46.87 | 2 | 1 | 0 |

GPA Value and Unweighted Value are Different Values

The value entered in the Unweighted GPA Value field is used toward GPA calculations when an unweighted GPA displays on a report card or transcript, and the value entered in the (weighted)

GPA Value field is used toward GPA calculations when a weighted GPA displays. When there is only one type of GPA value, it is used in both unweighted and weighted calculations.

Weighted vs. Unweighted Example

Using the standard calculation, when a student has five As and the GPA value and the Unweighted GPA value for an A both equal 4:

| | |
|--|---|
| SUM (GPA Value for A * GPA Weight for A) | $(4 \times 1) + (4 \times 1) + (4 \times 1) + (4 \times 1) + (4 \times 1) = 20$ |
| SUM of GPA Weights for A | $1 + 1 + 1 + 1 + 1 = 5$ |
| Calculate GPA | $20/5 = \mathbf{4.0 \text{ GPA}}$ |

When the same scenario exists, except that one course has a GPA value of 5 and an Unweighted GPA value of 4, note the difference in GPA:

| | |
|--|--|
| SUM (GPA Value for A * GPA Weight for A) | $(4 \times 1) + (4 \times 1) + (4 \times 1) + (4 \times 1) + (\mathbf{5 \times 1}) = 21$ |
| SUM of GPA Weights for A | $1 + 1 + 1 + 1 + 1 = 5$ |
| Calculate GPA | $21/5 = \mathbf{4.2 \text{ GPA}}$ |

Term GPA Weight

Term GPA Weight is set on [Course Grading Tasks](#) in the Term GPA field. The value entered in this field designates how heavily a grading task counts towards a student's Term GPA.

The Term GPA weight should only be set on one grading task per course. It should not be set on multiple grading tasks for the same course, or it averages multiple grades for a single term. The Term GPA field should only be set on a term grading task (e.g., quarter, trimester) and not be applied to mid-term or activity-related grading tasks.

Course Grading Tasks ☆
ENG123 English 12

Save Add Copy

| Grading Task | Credit Group | Credit Type | Score Group | Credit | Term GPA | Post-only |
|--------------|--------------|-----------------------|----------------|--------|----------|-----------|
| Quarter | | | HS Traditional | | | |
| Sem Exam | | | HS Traditional | | | |
| Semester | HS Credits | English Language Arts | HS Traditional | 0.500 | 0.500 | x |

Icon Legend:
Locked to Course Master
Linked Course Catalog Unlocked
Course Master Unlinked
Course Managed

Course Grading Task Detail
Grading Task
Semester
Score Group
HS Traditional
Term GPA
0.5
Credit
0.5
Credit Type
English Language Arts
Credit Overflow Override
Electives
Term Mask
Term 1 Term 2 Term 3 Term 4
Post-only Grading Task
Exclude from Ed-Fi


Term GPA on Course Grading Task

The Term GPA field should be left blank when the grading task should not count toward a student's term GPA. A zero (0) value should NOT be entered, or calculations may be inaccurate. Though the value in the Term GPA field can be set as desired, the value is most often set to 1 for standard courses that meet regularly during the term. When a course meets half as often as a standard course (every other day), it might be given a value of .5.

In a four-quarter/two-semester setup that reports quarterly honor rolls, the Quarter Grading Task has a value set in the Term GPA field. The Semester Grading Task does not have this field populated.

Cumulative GPA Weight

A GPA weight is assigned to a course's [GPA Weight](#) field. It is used as a multiplier to determine how heavily a course score should affect a student's cumulative GPA.



The screenshot shows the 'Course Information' form for Course ID 16324. The 'GPA Weight' field is highlighted with a red box and contains the value '1'. Other fields include Course Number (1009), Name (Statistics), State Code (02203), Department (Mathematics), Max Students (22), Terms (2), Schedules (1), Periods (1), Sections to Build (0), Preferred Room Type, and various checkboxes for Standards-based, Active, External LMS Exclude, Course-Only Curriculum, Transcript, Required, Vocational Code, Repeatable, Attendance, Positive Attendance, and High School Credit.

Course GPA Weight

The value entered in the GPA Weight field indicates the impact a course score has compared to other courses. In a standard 4.0 score group, where an A gets 4 grade points, a course with a GPA weight value of 2 ($4 \times 2 = 8$) impacts more than a course with a GPA weight value of 1 ($4 \times 1 = 4$).

Most courses receive a value of 1. Non-academic or extracurricular courses that do not affect a student's cumulative GPA should not receive any weight (GPA Weight field value is set to zero).

When the GPA Weight on a Transcript Course Record is blank/null or zero, the GPA Value for that Course is not included in any GPA or Unweighted GPA calculations on the transcript.

GPA Calculations

[Term GPA Calculation](#) | [Cumulative GPA Calculation](#) | [Rolling Cumulative GPA Calculation](#) | [Yearly GPA Calculation](#) | [Bonus Points](#)

Term GPA Calculation

Term GPA can be used to determine student eligibility for term honor rolls and dean's list participation. A student's Term GPA is based upon two components:

- The Term GPA (weight) defined for the Grading Task
- The GPA Value defined for the score received.

The formula for calculating a student's Term GPA in Campus is:

1. The GPA value for a score is multiplied by the coordinating Term GPA weight for the Grading Task. This is done for each score within the specified term.
2. All values from Step 1 are added together.
3. The resulting value is divided by the total Term GPA weights for all scores within the specified term.

$$\text{TERM GPA} = \frac{\text{SUM (GPA Value x Term GPA)}}{\text{SUM (TERM GPA WEIGHT)}}$$

Term GPA Calculation

Cumulative GPA Calculation

A student's Cumulative GPA is the GPA displayed on transcripts and report cards. This is the most current average of a student's GPA history. It is often considered the most official form of GPA, as it only includes scores posted to a student's transcript.

The calculation for Cumulative GPA is the same as for Term GPA, except the GPA weights are derived from a different location. The grading tasks may also differ.

The basic formula for calculating a student's Cumulative GPA in Campus is:

1. The GPA value for a score is multiplied by the coordinating GPA weight for the score.
2. All values from Step 1 are added together.
3. The resulting value is divided by the total GPA weights for all scores.

$$\text{CUMULATIVE GPA} = \frac{\text{SUM (GPA Value x GPA Weight)}}{\text{SUM (GPA Weight)}}$$

Cumulative GPA Calculation

Rolling Cumulative GPA Calculation

The Rolling Cumulative GPA predicts a student's next Cumulative GPA. It can be seen on the student's grades tool and may be used to predict a student's class rank and/or likelihood of graduation.

Rolling Cumulative GPA is a combination of all student scores posted to their transcript (Cumulative GPA) from previous years' terms and the Term GPA, derived from the grading tasks set to calculate Term GPA posted during the current year.

Rolling Cumulative GPA is an estimate and should be used for projection purposes only unless a district does not post to transcripts until the end of the school year. Rolling Cumulative GPAs may be used to determine projected Class Rank.

1. A student's existing **Cumulative GPA** is multiplied by the existing Cumulative GPA Weight for all existing scores. This is the **Cumulative GPA** and **GPA Weight** for all scores posted to the transcript from previous years (excluding those posted to the current year).

2. The **Term GPA** is multiplied by the Term GPA Weight. These elements are taken from the term scores existing for the current school year.
3. The **Cumulative GPA Weight** and the **Term GPA Weight** are added together.
4. The Values from **Step 1** and **Step 2** are added together.
5. The result is divided by the value from **Step 3**. The final number is the student's **Rolling Cumulative GPA**.

ROLLING CUMULATIVE GPA

$$\frac{((\text{Cumulative GPA} \times \text{Cumulative GPA Weight}) + (\text{Term GPA} \times \text{Term GPA Weight}))}{(\text{Cumulative GPA Weight} + \text{Term GPA Weight})}$$

Rolling Cumulative GPA Calculation

The Cumulative GPA portion is based on transcript data for all years prior to the current school year, and the Rolling Term GPA portion is based on the Term GPA earned that particular term. Rolling Cumulative GPA is not displayed on the Grades tool when the district uses [Custom GPA Calculations](#).

Yearly GPA Calculation

The calculation for Yearly GPA is similar to that of the Cumulative GPA, except the GPA Value is derived using Transcript Course records with the same 'endYear' value.

The basic formula for calculating a student's Yearly GPA in Campus is:

1. The GPA value for a score is multiplied by the coordinating GPA weight for the score.
2. All values from Step 1 are added together.
3. The resulting value is divided by the total GPA weights for all scores.

If the Transcript Course GPA Weight value is '0' or null, the Transcript Course Record is not included in the GPA calculation.

YEARLY
GPA

=

$$\frac{\text{SUM (GPA Value} \times \text{GPA Weight)}}{\text{SUM (GPA Weight)}}$$

Yearly GPA Calculation

Bonus Points

Bonus points can be applied to GPAs to reward students. These points are awarded at a particular course's score/mark level. Students receive bonus points based on the score earned (e.g., an "A"

may receive a bonus point, whereas a “C” may not).

Incorporating bonus point values is different from changing a course’s GPA weight. Adjusting a course’s GPA weight can positively or negatively affect student GPAs. Bonus points are strictly advantageous and only positively affect a student’s GPA.

Correctly setting up the Campus application to incorporate bonus points is a four-step process:

1. [System Preferences](#) - set the **Allow GPA Bonus Points** preference to Yes.
2. Mark the **Bonus Points** checkbox on the [Course](#).
3. Set the value of Bonus Points on the [Score Group/Rubric](#) associated with the course.
4. [Report Preferences](#) - When a Transcript/Report Card is created, choose the GPA Display option of either GPA with Bonus Points (transcript), Unweighted GPA with Bonus Points (transcript), Cumulative GPA - with Bonus Points (report card) or Term GPA - with Bonus Points (report card).

Adjusted GPA Calculations for Bonus Points

Bonus points are added to GPA calculations as necessary. The Term GPA, Cumulative GPA, and Rolling Cumulative are calculated as follows when bonus points are used:

$$\text{TERM GPA}^{\text{with Bonus Points}} = \left(\frac{\text{SUM (GPA Value x Term GPA)}}{\text{SUM (Term GPA)}} \right) + \left(\text{SUM (Bonus Points x Term GPA)} \right)$$

$$\text{CUMULATIVE GPA}^{\text{with Bonus Points}} = \left(\frac{\text{SUM (GPA Value x GPA weight)}}{\text{SUM (GPA weight)}} \right) + \left(\text{SUM (Bonus Points x GPA Weight)} \right)$$


$$\begin{aligned} &\text{ROLLING CUMULATIVE GPA}^{\text{with Bonus Points}} \\ &\left(\frac{((\text{Cumulative GPA x Cumulative GPA Weight}) + (\text{Rolling Term GPA x Rolling Term GPA Weight}))}{(\text{Cumulative GPA Weight} + \text{Rolling Term GPA Weight})} \right) \\ &+ \text{SUM (Cumulative GPA Bonus Points + Term GPA Bonus Points)} \end{aligned}$$

Bonus Point Calculation

Class Rank

Class Rank measures a student's performance compared to other students in their class and is calculated using scores posted to the student's Transcript record. Class Rank displays on the student's [Credit Summary](#) (see image below), prints on the [Transcript](#), [eTranscript](#), [Report Card](#) (when Class Rank preferences have been selected), and the [Class Rank Report](#).

Some states may have localized calculations that affect the GPA and Class Rank for students. See your state's information for guidance on localized calculations.



Credit Summary ☆

Student, Cameron
Grade: 11 #123456
DOB: 01/26/06
Counselor: James Staff

Transportation Opt-Out

Student Info

Credit Summary

Transcript Credit Summary

Cumulative GPA: 3.189

Class Rank: 205 of 425

| CREDIT GROUP | 06 | 07 | 08 | 09 | 10 | Total |
|---------------|-----|-----|-----|----|----|-------|
| Middle School | | | | | | |
| Electives | 4.0 | 4.0 | 4.0 | | | 12.0 |
| English | 2.0 | 3.0 | 3.0 | | | 8.0 |
| Mathematics | 1.0 | 1.0 | 1.0 | | | 3.0 |
| Phy Ed | 0.5 | 1.0 | 1.0 | | | 2.5 |

Credit Summary Class Rank Display

The stored procedures that calculate GPA include logic determining whether a student has class rank calculated for them. It is based on the **Include Class Rank** field on the [Enrollment End Status Setup](#) tool or the State Enrollment End Status value.

Students are EXCLUDED from class rank calculations when:

- **Class Rank Exclude** is marked on their [enrollment record](#); OR
- Their enrollment record has ended (end date, end status fields populated), UNLESS:
 - The **Class Rank Include** checkbox on the Enrollment End Status Type that is linked to the enrollment is marked;
 - The **Enrollment End State Code** (State End Status) Code Value is 1.

For BIE schools, the logic is slightly different. See the [Click here to expand](#) the section below.

► [Click here to expand...](#)

Students are EXCLUDED from class rank calculations when:



- The **Exclude from Cumulative GPA/Rank** checkbox is marked on the [Grade Level of Enrollment](#).
- The **Class Rank Exclude** checkbox is marked on their [enrollment record](#); OR
- Their enrollment record has ended (end date, end status fields populated), UNLESS:
 - The Enrollment Type field on the Enrollment (State Aid BIE) is **3: Public Enrolled**:
 - AND the **Class Rank Include** checkbox on the Enrollment End Status Type that is linked to the enrollment is marked;
 - OR the **Enrollment End State Code** (State End Status) Code Value is set to 1.
 - The Enrollment Type field on the Enrollment (State Aid BIE) is Null, 1: ISEP or 2: Non-ISEP, AND
 - The Enrollment End State Code (State End Status) is 1.

The Value of the Enrollment End Status is set in the Attribute Dictionary and cannot be modified.

GPA Information in Ad hoc

[State-Specific Information](#)

The following options are available when creating **Student Data Type** filters using the Filter Designer.

| GPA Option | Location |
|--------------------------|--|
| Term GPA | <p>Grading > Term GPA</p>  |
| Compound Term GPA | <p>Grading > Term GPA > Compound Term GPA</p>  |

GPA Option

Location

Compound Term GPA Bonus


Grading > Term GPA > Compound Term GPA Bonus

The screenshot shows the 'Select categories & fields' dialog box. The 'Filter By' dropdown is set to 'All Fields'. The 'Search' and 'Clear' buttons are visible. The 'All Fields' list on the left contains a tree structure with 'Compound Term GPA Bonus' selected and highlighted with a red box. The 'Selected Fields' list on the right contains the following fields: compoundTermGPABonus.term1GPA + term2GPA, compoundTermGPABonus.term1weight + term2weight, compoundTermGPABonus.term3GPA + term4GPA, and compoundTermGPABonus.term3weight + term4weight. The 'Add Function' and 'Edit Function' buttons are at the bottom.


Compound Term GPA Unweighted

Grading > Term GPA > Compound Term GPA Unweighted

The screenshot shows the 'Select categories & fields' dialog box. The 'Filter By' dropdown is set to 'All Fields'. The 'Search' and 'Clear' buttons are visible. The 'All Fields' list on the left contains a tree structure with 'Compound Term GPA Unweighted' selected and highlighted with a red box. The 'Selected Fields' list on the right contains the following fields: compoundTermGPAUnweighted.term1GPA + term2GPA, compoundTermGPAUnweighted.term1weight + term2weight, compoundTermGPAUnweighted.term3GPA + term4GPA, compoundTermGPAUnweighted.term3weight + term4weight, and compoundTermGPAUnweighted.term5GPA + term6GPA. The 'Add Function' and 'Edit Function' buttons are at the bottom.

| GPA Option | Location |
|---|---|
| Compound Term GPA Unweighted Bonus | Grading > Term GPA > Compound Term GPA Unweighted Bonus <div>  </div> |

Cumulative GPA



Cumulative GPA Ad hoc Fields

Use the following cumulative GPA options to report a student's cumulative GPA when building **Student Data** filters:

| Query Wizard Path | Fields |
|-------------------|--------|
|-------------------|--------|

| Query Wizard Path | Fields |
|--|--|
| Student > Learner Portfolio > GPA | gpa.gpaID gpa.gpaName gpa.cumGpaBasic gpa.cumGPAUnweighted gpa.cumGPABasicBonus gpa.cumGPAunweightedBonus gpa.cumGPACustom gpa.cumGPACustomUnweighted gpa.cumGPACustomBonus gpa.cumGPACustomUnweightedBonus |
| Student > Learner Portfolio > Class Rank with Cum GPA | cumGPA.cumGPA cumGPA.cumGPABonus cumGPA.rank cumGPA.out_of |
| Student > Learner Portfolio > Class Rank with Unweighted Cum GPA | unweightedGPA.cumGPA unweightedGPA.cumGPAunweightedBonus unweightedGPA.rank unweightedGPA.out_of |
| Student > Learner Portfolio > Class Rank with Custom Cum GPA | customGPA.gpaID customGPA.gpaName customGPA.cumGPA customGPA.rank customGPA.out_of customGPA.cumGPABonus customGPA.rankBonus customGPA.out_ofBonus customGPA.cumGPAunweighted customGPA.cumGPArankUnweighted customGPA.cumGPAunweightedBonus customGPA.rankUnweightedBonus customGPA.out_ofUnweightedBonus |
| Student > Learner Portfolio > Rolling Cum GPA | rollingCumGPA.gpa rollingCumGPA.unweightedGPA rollingCumGPA.weight rollingCumGPA.gpaBonus rollingCumGPA.unweightedGPABonus rollingCumGPA.bonusPoints |

When a GPA is not labeled as *Unweighted*, the calculation uses the *Weighted* GPA values, which could be referenced as cumGPABasic, cumGPACustom, cumGPA, or GPA.

Yearly GPA - District Edition

Select categories & fields

Filter By Search Clear

All Fields

- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
 - GPA
 - Class Rank with Cum GPA
 - Class Rank with Unweighted Cum GPA
 - Class Rank with Custom Cum GPA
 - Rolling Cum GPA
 - Yearly GPA**
 - personID
 - endYear
 - districtID
 - weightedGPA
 - unweightedGPA
 - Transcript Detail
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Activity Registration

Selected Fields

- yearlyGPA.personID
- yearlyGPA.endYear
- yearlyGPA.districtID
- yearlyGPA.weightedGPA
- yearlyGPA.unweightedGPA

Add Function Edit Function

Yearly GPA Ad hoc Fields- District Edition

Use the following options to report a student's Yearly GPA when building **Student Data** filters:

| Query Wizard Path (District Edition) | Fields |
|--|---|
| District Edition Path Student > Learner Portfolio > Yearly GPA | yearlyGPA.personID yearlyGPA.endYear yearlyGPA.districtID yearlyGPA.weightedGPA yeralyGPA.unweightedGPA |

Yearly GPA - State Edition

Select categories & fields

Filter By

Search

Clear

All Fields

Medicaid

Behavior

Assessment

Early Warning

Meetings

Meeting Purpose Count

Meeting Outcome Count

Campus Usage

FRAM

Custom Tab: Student table editor test

Custom Tab: testing publish from state

Response to Intervention

CLIP Comprehension Check

CLIP Test Diagnostic Result

Yearly GPA

gpaID

gpaGUID

personID

endYear

districtID

weightedGPA

unweightedGPA

Selected Fields

yearlyGPA.gpaID
yearlyGPA.gpaGUID
yearlyGPA.personID
yearlyGPA.endYear
yearlyGPA.districtID
yearlyGPA.weightedGPA
yearlyGPA.unweightedGPA

←

Add Function


Edit Function

Yearly GPA Ad hoc Fields- State Edition

Use the following options to report a student's Yearly GPA when building **Student Data** filters:

| Query Wizard Path (State Edition) | Fields |
|-----------------------------------|---|
| Student > Yearly GPA | yearlyGPA.gpaID yearlyGPA.gpaGUID yearlyGPA.personID yearlyGPA.endYear yearlyGPA.districtID yearlyGPA.weightedGPA yearlyGPA.unweightedGPA |

Grade Calculation Snapshot - District Edition



Use the following options to report a Grade Calculation Snapshot when building **Student Data** filters:

| Query Wizard Path (District Edition) | Fields |
|---|--|
| District Edition Path Student > Learner Portfolio > Grade Calculation Snapshot | gcs.gradeCalculationSnapshotID gcs.gradeCalculationSnapshotGUID gcs.personID gcs.calendarID gcs.grade gcs.timestamp gcs.unweightedGPA gcs.weightedGPA gcs.rank |

Grade Calculation Snapshot - State Edition

Select categories & fields

Filter By Search Clear

All Fields

- Attendance
- Assessment
- Early Warning
- Meeting Purpose Count
- Meeting Outcome Count
- Campus Usage
- FRAM
- Custom Tab: Test Student Custom Tool
- Custom Tab: Test Student Custom Tool2
- Custom Tab: Test Student Custom Tool3
- Response to Intervention
- Form Status
- Yearly GPA
- Grade Calculation Snapshot**
 - gradeCalculationSnapshotID
 - gradeCalculationSnapshotGUID
 - personID
 - calendarID
 - grade
 - timestamp
 - unweightedGPA
 - weightedGPA
 - rank

Selected Fields

- gcs.gradeCalculationSnapshotID
- gcs.gradeCalculationSnapshotGUID
- gcs.personID
- gcs.calendarID
- gcs.grade
- gcs.timestamp
- gcs.unweightedGPA
- gcs.weightedGPA
- gcs.rank

Add Function Edit Function

Grade Calculation Snapshot Ad hoc Fields- State Edition

Use the following options to report a Grade Calculation Snapshot when building **Student Data** filters:

| Query Wizard Path (State Edition) | Fields |
|---|--|
| State Edition Path Student > Grade Calculation Snapshot | gcs.gradeCalculationSnapshotID gcs.gradeCalculationSnapshotGUID gcs.personID gcs.calendarID gcs.grade gcs.timestamp gcs.unweightedGPA gcs.weightedGPA gcs.rank |

State-Specific Information

Follow these links to view GPA information for your state. Linked articles open in a new browser tab.

- [California](#)