

CALPADS Student Discipline (SDIS)

Last Modified on 12/14/2025 8:45 pm CST

[Report Logic](#) | [Non-Binary Gender Reporting](#) | [Validate SDIS Data](#) | [Report Editor](#) | [Generate the Student Discipline File](#) | [Report Layout](#)

Tool Search: CALPADS Student Discipline

The CALPADS Student Discipline (SDIS) Extract is used to submit student discipline information in the End of Year 3 reporting period. There are three separate files included in this version:

- The **Student Incident File (SINC)** generates one record for every incident that has an event with a state code, a resolution with a state code, or a restraint/seclusion response associated with it.
- The **Student Incident Result File (SIRS)** generates one record for every resolution associated with an incident that has a state code or a restraint/seclusion response.
- The **Student Offense File (SOFF)** generates one record for each student associated with an incident that has an event with a state code.

This is a version of the 2019-2020 Student Discipline extracts. There are 3 extracts that are needed for CALPADS reporting

Student Incident File - Generates one record for every incident that has an event with a state code, a resolution with a state code or a restraint/seclusion response attached to the incident.

Student Incident Result File - Generates one record for every resolution that has a state code or a restraint/seclusion response attached to the student.

Student Offense File - Generates one record for each student attached to an incident that has an event with a state code.

Extract Options

Report Type: Student Incident File

Transaction: Replace

Type: State Format(Caret Delimited)

Format: Report Participants

Ad Hoc Filter:

Select Calendars

Which calendar(s) would you like to include in the report?

active year

list by school

list by year

19-20

19-20 Abbott Elementary
19-20 Bryant Elementary
19-20 Colfax Middle
19-20 Dupont Middle
19-20 Emerson High
19-20 Franklin High

CALPADS Student Discipline Editor

Read - Access and generate the CALPADS Student Discipline Extract.

Write - N/A

Add - N/A
Delete - N/A

For more information about Tool Rights and how they function, see the [Tool Rights](#) article.

Report Logic

All behavior incidents that are either tied to a Behavior Event that is assigned a State Code or a behavior response that is associated with a restraint or seclusion report. The Reporting Year is July 1 through June 30.

Only incidents in which the behavior event has a state code and the behavior resolution has a state code (or a behavior response tied to restraints/seclusions - Codes 501, 502, 600) report.

When an incident has multiple events, events only report when the event has a state code AND the resolution has a state code (or a behavior response is tied to restraints/seclusion - Codes 501, 502, 600).

All reportable events within the same Incident ID and the same Incident Number report.

Each reportable Behavior Event has one record. When a student is assigned multiple Behavior Resolutions for the same event, all state resolutions associated with that event report, including behavior responses with restraints and seclusions.

The following students do not report:

- Student not marked as Offender.
- Students who do not have a State ID.
- Students who have Behavior Referrals that are in draft status or In-Progress Behavior Incidents.
- Students marked as state exclude, in grade levels marked as state exclude or in calendars marked as state exclude.

Incidents containing students marked as Offender with Behavior Events (State Event Code 100-105, 200-205, 300, 400-401, 403, 500-513, 600-602) with a resolution of **Suspension** or **Expulsion** (State Resolution Codes: 3, 100, 110, or 200) report. The Event Date must be during the current Reporting Year (July 1 to the following June 30).

- When a student has multiple reportable Offenses in an Incident, only one Offense needs to have a reportable Resolution associated with it. The same Resolution Code and other related data reports for all of the student's Offenses in the Incident.

Each applicable behavior event/resolution within the Incident has one record. Multiple records report with the same Incident ID when there are multiple Events with reportable codes (100-105, 200-205, 300, 400-401, 403, 500-513, 600-602). All students with reportable events/resolutions within the Incident report with the same Incident ID.

When the student has multiple reportable resolutions linked to the same event, only the final resolution reports. The final resolution is identified as:

- The reportable resolution with the most recent Start Date.
- When there are multiple reportable resolutions with the same start date, the order of priority is State Resolution Code 200 (1), 3 (2), 100 (3), 110 (4), 300 (5).

Non-Binary Gender Reporting

Schools can assign students a gender of M: Male, F: Female, X: Non-binary. This is done on the [Identities](#) tool and/or the [Demographics](#) tool.

CALPADS Extracts use the Legal Gender field included in the Protected Identity Information to report student and staff identity information.

To record a gender of X: Non-binary, on the Identities tool:

1. Assign the **Gender of X: Non-Binary** in the standard identify fields.
2. Assign the **Protected Identity Information Legal Gender** of M: Male, F: Female, or X: Non-binary.
3. Save the record when finished.

Identity Information

PersonID	25745		
*Last Name	*First Name	Middle Name	Suffix
Student	Luke	Bennet	▼
*Gender	Pronouns	No Image Available	
X: Non-binary	T: They/Them		
*Birth Date (Age: 13)	Soc Sec Number (Show)	08/21/2010	
XXX-XX-XXXX			
<input type="checkbox"/> Protected Identity Information			
Legal Last Name	Legal First Name	Legal Middle Name	Legal Suffix
Student	Luke		▼
Legal Gender			
X: Non-binary			
Race/Ethnicity (Edit)			

Gender and Legal Gender Assignment

Validate SDIS Data


Use the [Data Validation Report](#) to correct any student data prior to the submitting the CALPADS file to the state. Validation Groups and Validation Rules are provided by Infinite Campus for a specific CALPADS extract (listed below). These groups are used to return certain rules assigned to each group.

- [CALPADS SSID Enrollment](#)
- [CALPADS Student Information](#)
- [CALPADS Student Programs](#)
- [CALPADS Student English Language Acquisition](#)
- [CALPADS Student Discipline](#)
 - [Student Incident File](#)
 - [Student Incident Result File](#)
 - [Student Offense File](#)
- [CALPADS Staff Demographics](#)
- [CALPADS Staff Assignments](#)
- [CALPADS Course Section](#)
- [CALPADS Student Course Section](#)
- [CALPADS Work-Based Learning](#)
- [CALPADS Postsecondary Status Summary](#)

Modifications to the Validation Rules and Validation Groups can be made if your district has purchased the [Campus Analytics Suite](#); otherwise, they are read-only.

Users can select the **Missing or Incorrect Data** Validation Group, which returns any missing or incorrect data that is reported in the CALPADS Extract, like a missing enrollment exit reason or an incorrect date, for example.

Note that examples refer to CALPADS SENR.



Data Validation Report ☆

Reporting > Data Validation > Data Validation Report

Instructions

The Data Validation Report returns results from the Data Validation Group selected. The Summary section includes the number of occurrences for each Data Validation Rule; if a Baseline Rule is used its Total population will be returned along with the Rate of the primary Rule compared against the Baseline Rule. State Owned Data Validation Groups can be run against the State Dataset via DIS.

Report Options

Data Validation Group *
SENR - Missing/Incorrect ▾

Data Validation Group Description
This group shows Missing/Incorrect Data in the SENR.

Report Data Source
 Local Dataset
 State Dataset ⓘ

Output Options

Report Processing
 Generate Now
 Submit to Batch Queue

Format Type
 HTML
 CSV

Batch Queue List

Report Title	Queued Time ↓	Status
No records available.		

Buttons

Generate Reset

Data Validation Report - Missing/Incorrect Data

The report first lists a Summary of the issues found and the total number of occurrences.

SENR - Missing/Incorrect Data		
District:		
Time: Wed Sep 01 08:36:36 CDT 2021		
Preview: Results limited to 100 records per Rule		
Summary	Severity	Occurrences
SENR0013 (via Stored Proc)	Warning	1
SENR0013 - Enrollment Start Date before Birth Date (via Stored Proc)	Warning	1
SENR0014 (via Stored Proc)	Warning	0
SENR0014 - Enrollment Start Date Greater than Current Date plus 6 months (via Stored Proc)	Warning	0
SENR0015 (via Stored Proc)	Warning	1
SENR0015 - Missing Exit Date (via Stored Proc)	Warning	1
SENR0018 (via Stored Proc)	Warning	1
SENR0018 - Invalid exit date for the submitted Exit Reason (via Stored Proc)	Warning	1
SENR0019 (via Stored Proc)	Warning	1
SENR0019 - Enrollment Exit Date Greater than Current Date plus 30 days (via Stored Proc)	Warning	1
SENR0020 (via Stored Proc)	Warning	819

Validate Report Summary List

Then, click the Rule in the Summary column (for HTML format), or scroll through the report to see which students meet the criteria of the rule logic.

SENR0013 (via Stored Proc) Back To Summary														
recordType	yearID	schoolCalendar	startDate	endDate	noshow	endStatus	ssid	localStudentID	firstname	middleName	lastName	gender	suffix	birthDate
SENR0013	2020-2021	20-21 High School	2020-12-28 00:00:00.0		false		123456789	123456	John		Student	M	SR	2020-12-29 00:00:00.0
SENR0013 - Enrollment Start Date before Birth Date (via Stored Proc) Back To Summary														
recordType	yearID	schoolCalendar	startDate	endDate	noshow	endStatus	ssid	localStudentID	firstname	middleName	lastName	gender	suffix	birthDate
SENR0013	2020-2021	20-21 High School	2020-12-28 00:00:00.0		false		123456789	123456	John		Student	M	SR	2020-12-29 00:00:00.0
SENR0014 (via Stored Proc) Back To Summary														
No results														
SENR0014 - Enrollment Start Date Greater than Current Date plus 6 months (via Stored Proc) Back To Summary														
No results														
SENR0015 (via Stored Proc) Back To Summary														
recordType	yearID	schoolCalendar	startDate	endDate	noshow	endStatus	ssid	localStudentID	firstname	middleName	lastName	gender	suffix	birthDate
SENR0015	2020-2021	20-21 High School	2020-09-01 00:00:00.0		false	E130	1234567890	123456	David		Student	M		

Validate Report Results

Refer to the tables below, which includes the rule, rule logic and location, for correcting the data.

Missing or Incorrect Data

The Missing or Incorrect Data Report uses the following rules and logic (open the Click here to Expand section below to see each rule).

► [Click here to expand...](#)

Rule Number	Issue	Logic	Location
SINC0498	Incident Occurrence Date Greater Than Current Date	Indicates the reported Incident Occurrence Date is AFTER the current date. This date must be BEFORE the current date.	Behavior Management > Incident Detail Information > Date of Incident Behavior.timestamp
SINC0495	Student Not Enrolled on Incident Occurrence Date	Indicates the student is not enrolled on the reported Incident Occurrence Date. Student should be enrolled in your school on the Incident Occurrence Date specified. 18.14 - Incident occurrence Date 18.07 - SSID 18.05 - School of Attendance	Behavior Management > Incident Detail Information > Date of Incident Behavior.timestamp Demographics > Person Identifiers > State ID Person.stateID School Information > State School Number School Information > CDS Number School.Number Enrollments > General Enrollment Information > Start Date, End Date Enrollment.startDate Enrollment.endDate

Rule Number	Issue	Logic	Location
SIRS0490	Missing Incident Result Authority Code	<p>Indicates the Incident Result Authority Code is not included in the report.</p> <p>When a student with disabilities has an Incident Result Code of Suspension (100, 110) or Expulsion (200), the Incident Result Authority Code must be populated.</p>	<p>Behavior Management > Incidents > Resolution > State Code BehaviorResolution.resolutionCode</p> <p>Behavior Management > Behavior > Resolution > Incident Result Authority BehaviorResolution.auxillaryCode</p>
SIRS0505	Invalid No Action (400) Incident Result Code	<p>Indicates the Incident Result Code of 400 (No Action) is already reported for the same student in the same school and academic year.</p> <p>An Incident Result Code of 400 cannot be used with any other Incident Result for the same student, School of Attendance, Incident Local ID and Academic Year ID.</p>	<p>School Information > CDS Number School.number</p> <p>School Year Setup > Start Year/End Year Calendar.schoolYear</p> <p>Demographics > Person Identifiers > State ID Person.stateID</p> <p>Behavior Management > Events and Participants > Resolution > Resolution Details > Expulsion Modification BehaviorResolution.modificationReason</p>

Rule Number	Issue	Logic	Location
SIRS0506	Invalid Law Enforcement Referral Incident Result Code	<p>Indicates a student has an Incident Result Code of 700 (School-related Arrest) AND Incident Result Code of 800 (Law Enforcement Referral (not including school-related arrests)) for the same Incident.</p>	<p>Demographics > Person Identifiers > State ID Person.stateID</p> <hr/> <p>Behavior Management > Incidents > Resolution > State Code BehaviorResolution.resolutionCode</p>
SIRS0508	Invalid Incident Result Duration Days and Incident Result Modification Code Combination	<p>Indicates the Incident Result Duration Days is populated when the Incident Result Modification Code has an invalid selection.</p> <p>When a student is Expelled (Incident Result Code = 200) and has an Incident Result Duration Days of zero, the Result Modification Code must be 100 (Enforcement Suspended) OR 200 (Shortened).</p>	<p>Behavior Management > Events and Participants > Resolution > Resolution Details > Resolution Date and End Date or Duration in School Days (priority) BehaviorResolution.startDate BehaviorResolution.endDate BehaviorResolution.schoolDaysDuration</p> <hr/> <p>Behavior Management > Events and Participants > Resolution > Resolution Details > Expulsion Modification BehaviorResolution.modificationReason</p> <hr/> <p>Behavior Management > Incidents > Resolution > State Code BehaviorResolution.resolutionCode</p>

Report Editor

The following fields are available on the Student Discipline Extract.

Field	Description
Report Type	<p>Indicates which file generates. Select one of the following:</p> <ul style="list-style-type: none"> • Student Incident File • Student Incident Result File • Student Offense File

Field	Description
Transaction Type	Indicates the type of transaction that occurs - Replace or Delete.
Format	Determines how the report generates. Select State Format (Caret Delimited) when submitting records to the state. Other formats available for testing and review purposes are CSV and HTML.
Report Participants	When marked, reports a record for students when their behavior incident role is Participant the same way as when their behavior incident role is Offender.
Ad hoc Filter	Select which students to include in the extract, when desired, by choosing a filter that was created in the Filter Designer .
Calendar Selection	Select the calendar(s) of enrollment from which to pull student data. Calendars can be chosen by the active year, by the school name or by the year.
Report Generation Options	Choose the Generate Extract button to display the results of the chosen items immediately. Choose the Submit to Batch option to generate the report without affecting general system usage. This option is helpful when generating large amounts of data.

Generate the Student Discipline File

1. Select the desired **Report Type** from the dropdown list.
2. Select the **Transaction Type** from the dropdown list: **Replace** or **Delete**.
3. Select the **Format** of the file. Choose the State Format (Caret Delimited) when submitting records to CALPADS.
4. Mark the **Report Participants** checkbox, if desired.
5. Use the **Ad hoc Filter** to select students already included in a filter. This is not required. When not chosen, all students who have reportable behavior records are included.
6. Select the **Calendars** to include in the file.
7. Click the **Generate Extract** button. Or generate the extract through the Batch Queue using the **Submit to Batch** button. The file appears in a new window in the selected format.

Report Layout

[Student Incident File \(SINC\)](#) | [Student Incident Result File \(SIRS\)](#) | [Student Offense File \(SOFF\)](#)

Student Incident File (SINC)

Data Elements	Description	Location
Record Type Code	Type of data record being submitted. Chosen on the extract editor. Reports a value of SINC. <i>Alphanumeric, 4 characters</i>	Not dynamically stored

Data Elements	Description	Location
Transaction Type Code	<p>Action the state should take with this record. Reports a value of D (Delete) when selected as the Transaction Type on the Extract Editor; otherwise, reports blank.</p> <p><i>Alphanumeric, 1 character</i></p>	Not dynamically stored
Local Record ID	This field reports blank.	N/A
Reporting LEA	<p>A unique identifier for the educational service institution in which the Staff person is employed.</p> <p>When the reporting calendar is from a School with Type = 15: Independently Reporting Charter, the State School Number reports (not the State District Number).</p> <p>This field reports the Secondary District Number when the reporting calendar has a School Type of 16: Secondary State District Number.</p> <p><i>Numeric, 7 digits</i></p>	<p>District Information > State District Number</p> <p>District.number</p> <hr/> <p>School Information > School Number</p> <p>School. number</p> <hr/> <p>School Information > Type</p> <p>School.type</p>

Data Elements	Description	Location
School of Attendance	<p>A unique identifier for the school that delivers the majority of educational instruction and services and is where the student attends.</p> <p>When the CDS Number field is populated on the School editor, that value reports.</p> <ul style="list-style-type: none"> When the student is not enrolled in a school on the date of the Behavior Incident, the State School Number from the calendar with the most recently ended Primary Enrollment reports. When the student has more than one Primary and Partial Enrollment that is active on the date of the Behavior Incident, the State School Number from the calendar with the Primary Enrollment reports. When the student has multiple Primary Enrollments, the State School Number from the calendar of the Enrollment with the most recent Start Date reports. <p><i>Numeric, 7 digits</i></p>	<p>School Information > State School Number</p> <p>System Administration > Resources > School > CDS Number</p> <p>School.Number</p>
Academic Year ID	<p>A unique identifier assigned to a specific Academic Year. An Academic Year is the period during which school is in regular session and provides a required number of days of instruction.</p> <p><i>Date field, 9 characters (CCYY-CCYY)</i></p>	<p>School Year Setup > Start Year/End Year</p> <p>Calendar.schoolYear</p>

Data Elements	Description	Location
SSID	<p>The unique identifier for the student assigned by the first California district in which the student is enrolled in accordance with CDE established standards.</p> <p><i>Numeric, 10 digits</i></p>	<p>Demographics > Person Identifiers > State ID</p> <p>Person.stateID</p>
Local Student ID	<p>A unique identifier assigned to the student by a local educational agency.</p> <p><i>Numeric, up to 15 digits</i></p>	<p>Demographics > Person Identifiers > Student Number</p> <p>Person.studentNumber</p>
First Name	<p>Student's legal first name.</p> <p>When the Legal First Name field is populated on the earlier identity, information reports from that field.</p> <p><i>May only include alphabetic letters, numbers, periods, hyphens and apostrophes.</i></p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Demographics > Person Information > First Name</p> <p>Identity.firstName</p> <hr/> <p>Identities > Identity Information > Protected Identity Information > Legal First Name</p> <p>Identity.legalFirstName</p>
Last Name	<p>Student's legal last name.</p> <p>When the Legal Last Name field is populated on the earlier identity, information reports from that field.</p> <p><i>May only include alphabetic letters, numbers, periods, hyphens and apostrophes.</i></p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census > People > Demographics > Person Information > Last Name</p> <p>Identity.lastName</p> <hr/> <p>Census > People > Identities > Identity Information > Protected Identity Information > Legal Last Name</p> <p>Identity.legalLastName</p>
Student Birth Date	<p>Student's date of birth.</p> <p><i>Date field, 8 characters (CCYYMMDD)</i></p>	<p>Demographics > Person Information > Birth date</p> <p>Identity.birthDate</p>

Data Elements	Description	Location
Student Gender	<p>Student's gender.</p> <p>When the Legal Gender field is populated, information reports from that field.</p> <p>See the Non-Binary Gender Reporting section for additional information.</p> <p><i>Alphanumeric, 1 character (M or F)</i></p>	<p>Demographics > Person Information > Gender</p> <p>Identity.gender</p> <p>Identities > Identity Information > Protected Identity Information > Legal Gender</p> <p>Identity.legalGender</p>
Incident ID Local	<p>A unique identifier for a Disciplinary Incident.</p> <p>Multiple offenses, resolutions and students can be associated with a single Incident Number.</p> <p><i>Alphanumeric, 20 characters</i></p>	<p>Student Behavior > Incident Detail > Incident ID</p> <p>Behavior.incidentID</p>
Incident Occurrence Date	<p>The date on which a disciplinary incident occurred.</p> <p><i>Date field, 8 characters</i></p> <p><i>CCYYMMDD</i></p>	<p>Behavior Management > Incident Detail Information > Date of Incident</p> <p>Behavior.timestamp</p>
Statutory Offense Indicator	<p>A coded value representing the Student Offense.</p> <p>The Event Name reports when it is mapped to State Behavior Events for 100-105, 200-205, 300, 400, 401, 403, 500-513, 600-602.</p> <p>When there are multiple reportable Events/Offenses associated with an Incident ID, a separate record for each Event mapped to one of the above codes reports.</p> <p><i>Numeric, 3 digits</i></p>	<p>Behavior Management > Events and Participants > Add Event/Participant > Event Details > Event Type</p> <p>BehaviorEvent.code</p>

Data Elements	Description	Location
Student Instructional Support Indicator	<p>An indicator of whether or not a student is receiving instructional support from the local educational agency during a disciplinary action.</p> <p>When the incident has at least one event with a state code:</p> <ul style="list-style-type: none"> • Y reports when Instructional Support is marked on the Behavior Resolution. • N reports when Instructional Support is not marked on the behavior Resolution. • Otherwise, reports blank. <p>When there are multiple Event records within the Incident for the student, the same Instructional Support value reports for all records.</p> <p>This field is required to be populated for Special Ed-eligible students when the Disciplinary Action (Resolution) is other than 300.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Behavior Management > Events and Participants > Resolution > Resolution Details > Instructional Support</p> <p>BehaviorResolution.service Provided</p>
Removal to Interim Alternative Setting Reason Code	<p>A coded value representing the reason a student was removed to an interim alternative setting for 45 days or less.</p> <p>When an Interim Alternative Setting code is selected, that code reports when the student has a 144: Special ED Flag with a start date/eligibility start date on or after the active school year start and an end date/eligibility end date on or before the end date of the active school year end date.</p> <p>The Date of Offense must be between the Flag 144 start</p>	<p>Behavior Management > Events and Participants > Resolution > Resolution Details > Interim Alternative Setting Reason</p> <p>BehaviorResolution.altPlacement</p>

Data Elements	Description	Location
	<p>date/eligibility start date and Flag 144 end date/eligibility end date.</p> <p>The earliest date is used for the start date; the latest date is used for the end date. When the offense occurred outside of the Flag 144 start and end dates, it does not report.</p> <p>When Disciplinary Action Taken is reporting 300 (by the state code on the resolution or by mapping the resolution in the extract to 300) and the student has an active Flag 144 at the time of the incident, a value of 3 reports; otherwise, the selected Interim Alternative Setting reports.</p> <p>All special education students who report a value of 300 need to have an Interim Alternative Reason Setting Code.</p> <p>Available options are:</p> <ul style="list-style-type: none"> • 1: Hearing Officer Removal • 2: School Personnel Removal • 3: No Removal <p>When the student does not have a 144: Special ED Flag, this field reports blank.</p> <p>When the student has a 144: Special ED Flag and the State Resolution Code is 300, then the Removal to Interim Alternative Setting Reason Code must be 3 (No Removal). When the State Resolution Code is anything other than 300, report as selected.</p> <p><i>Numeric, 1 digits</i></p>	

Student Incident Result File (SIRS)

Data Elements	Description	Location
---------------	-------------	----------

Data Elements	Description	Location
Record Type Code	<p>Type of data record being submitted. Chosen on the extract editor. Reports a value of SIRS.</p> <p><i>Alphanumeric, 4 characters</i></p>	Not dynamically stored
Transaction Type Code	<p>Action the state should take with this record. Reports a value of D (Delete) when selected as the Transaction Type on the Extract Editor; otherwise, reports blank.</p> <p><i>Alphanumeric, 1 character</i></p>	Not dynamically stored
Local Record ID	This field reports blank.	N/A
Reporting LEA	<p>A unique identifier for the educational service institution in which the Staff person is employed.</p> <p>When the reporting calendar is from a School with Type = 15: Independently Reporting Charter, the State School Number reports (not the State District Number).</p> <p>This field reports the Secondary District Number when the reporting calendar has a School Type of 16: Secondary State District Number.</p> <p><i>Numeric, 7 digits</i></p>	<p>District Information > State District Number</p> <p>District.number</p> <hr/> <p>School Information > School Number</p> <p>School.number</p> <hr/> <p>School Information > Type</p> <p>School.type</p>

Data Elements	Description	Location
School of Attendance	<p>A unique identifier for the school that delivers a majority of educational instruction and services and is where the student attends.</p> <p>When the CDS Number field is populated on the School editor, that value reports.</p> <ul style="list-style-type: none"> When the student is not enrolled in a school on the date of the Behavior Incident, the State School Number from the calendar with the most recently ended Primary Enrollment reports. When the student has more than one Primary and Partial Enrollment that is active on the date of the Behavior Incident, the State School Number from the calendar with the Primary Enrollment reports. When the student has multiple Primary Enrollments, the State School Number from the calendar of the Enrollment with the most recent Start Date reports. <p><i>Numeric, 7 digits</i></p>	<p>School Information > State School Number</p> <hr/> <p>School Information > CDS Number</p> <p>School.number</p>
Academic Year ID	<p>A unique identifier assigned to a specific Academic Year. An Academic Year is the period during which school is in regular session and provides a required number of days of instruction.</p> <p><i>Date field, 9 characters (CCYY-CCYY)</i></p>	<p>School Year Setup> Start Year/End Year</p> <p>Calendar.schoolYear</p>

Data Elements	Description	Location
SSID	<p>The unique identifier for the student assigned by the first California district in which the student is enrolled in accordance with CDE established standards.</p> <p><i>Numeric, 10 digits</i></p>	<p>Demographics > Person Identifiers > State ID</p> <p>Person.stateID</p>
Local Student ID	<p>A unique identifier assigned to the student by a local educational agency.</p> <p><i>Numeric, up to 15 digits</i></p>	<p>Demographics > Person Identifiers > Student Number</p> <p>Person.studentNumber</p>
First Name	<p>Student's legal first name.</p> <p>When the Legal First Name field is populated on the earlier identity, information reports from that field.</p> <p><i>May only include alphabetic letters, numbers, periods, hyphens and apostrophes.</i></p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Demographics > Person Information > First Name</p> <p>Identity.firstName</p> <hr/> <p>Identities > Identity Information > Protected Identity Information > Legal First Name</p> <p>Identity.legalFirstName</p>
Last Name	<p>Student's legal last name.</p> <p>When the Legal Last Name field is populated on the earlier identity, information reports from that field.</p> <p><i>May only include alphabetic letters, numbers, periods, hyphens and apostrophes.</i></p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Demographics > Person Information > Last Name</p> <p>Identity.lastName</p> <hr/> <p>Identities > Identity Information > Protected Identity Information > Legal Last Name</p> <p>Identity.legalLastName</p>
Student Birth Date	<p>Student's date of birth.</p> <p><i>Date field, 8 characters (CCYYMMDD)</i></p>	<p>Demographics > Person Information > Birth date</p> <p>Identity.birthDate</p>

Data Elements	Description	Location
Student Gender	<p>Student's gender.</p> <p>When the Legal Gender field is populated, information reports from that field.</p> <p>See the Non-Binary Gender Reporting section for additional information.</p> <p><i>Alphanumeric, 1 character (M or F)</i></p>	<p>Demographics > Person Information > Gender</p> <p>Identity.gender</p> <hr/> <p>Identities > Identity Information > Protected Identity Information > Legal Gender</p> <p>Identity.legalGender</p>
Incident ID Local	<p>A unique identifier for a Disciplinary Incident.</p> <p>Multiple offenses, resolutions and students can be associated with a single Incident Number.</p> <p><i>Alphanumeric, 20 characters</i></p>	<p>Student Behavior > Incident Detail > Incident ID</p> <p>Behavior.incidentID</p>

Data Elements	Description	Location
Incident Result	<p>Reports the State Code representing the resolution assigned to the student for the specific incident, in separate lines.</p> <ul style="list-style-type: none"> Reports a value of 501 when the event has a behavior response of Physical Restraint (type P). Reports a value of 502 when the event has a behavior response of Mechanical Restraint (type M). Reports a value of 600 when the event has a behavior response of Seclusion (type S). Reports a value of 700 when the event has School related arrest checked on role. Reports a value of 800 when the event has Law Referred checked on role (separate line) <p>When the behavior incident has a behavior event for 501 and for 100, only two lines report for the incident, even when the behavior incident also contains a behavior response for Physical Restraint.</p> <p><i>Numeric, 3 digits</i></p>	<p>Behavior Management > Incidents > Resolution > State Code</p> <p>BehaviorResolution.resolutionCode</p>

Data Elements	Description	Location
Incident Result Authority	<p>Reports the code associated with the resolution.</p> <p>The default value set in the Attribute Dictionary reports when a default value is assigned. When there is no default value, this field reports blank.</p> <p>When there are multiple Event records within the Incident for the student, the same Disciplinary Action Authority Code reports for all records.</p> <p>When the student was in a Program flagged with code 144 (Special Education) and Disposition Code (Resolution Field 14) 100, 110 or 200, the Discipline Action Authority code reports when populated.</p> <p>Otherwise, this field reports blank.</p> <p><i>Numeric, 3 digits</i></p>	<p>Behavior Management > Behavior > Resolution > Incident Result Authority</p> <p>BehaviorResolution.auxillaryCode</p>

Data Elements	Description	Location
Incident Result Duration Days	<p>The length of time, in school days, that a disposition for a student for a specific incident lasted.</p> <p>When the Disposition Code (Resolution, Field 14) is 100, 110 and 200:</p> <ul style="list-style-type: none"> • The number of instructional days included between the Resolution Date and the End Date reports (disregarding date stamp on Resolution Date), UNLESS • When School Days Duration is populated, that number reports (up to two decimal points). • When the End Date and Duration in School Days are both null, this reports blank (occurs when the Event Code is 100, 101, or 102, or when the student is a Special Education student at the time of the Event. Otherwise, Events that have Resolutions with no End Date or School Days Duration do not report). <p>When the Disposition Code field is not 100, 110 and 200, this field reports blank.</p> <p><i>Numeric, 6 characters which can include a decimal (N, N.N, N.NN, NN, NN.N, NN.NN, NNN, NNN.N, NNN.NN)</i></p>	<p>Behavior > Behavior Management > Events and Participants > Resolution > Resolution Details > Resolution Date and End Date or Duration in School Days (priority)</p> <p>BehaviorResolution.startDate BehaviorResolution.endDate BehaviorResolution.schoolDaysDuration</p>

Data Elements	Description	Location
Incident Result Modification Code	<p>Describes a modification made to an expulsion order, such as shortening the term of the expulsion.</p> <p>When the Incident Result Code (Resolution, Field 14) reports a value of 200, that value reports. When Incident Result Code is not populated, reports a value of 300.</p> <p>For all other Resolutions, this field reports blank.</p> <p>When there are multiple Event records within the Incident for the student, the same Incident Result Action Modification Code must report on all records.</p> <p><i>Numeric, 3 digits</i></p>	<p>Behavior > Behavior Management > Events and Participants > Resolution > Resolution Details > Expulsion Modification</p> <p>BehaviorResolution.modificationReason</p>

Student Offense File (SOFF)

Data Elements	Description	Location
Record Type Code	<p>Type of data record being submitted. Chosen on the extract editor. Reports a value of SOFF.</p> <p><i>Alphanumeric, 4 characters</i></p>	Not dynamically stored
Transaction Type Code	<p>Action the state should take with this record. Reports a value of D (Delete) if selected as the Transaction Type on the Extract Editor; otherwise, reports blank.</p> <p><i>Alphanumeric, 1 character</i></p>	Not dynamically stored
Local Record ID	This field reports blank.	N/A

Data Elements	Description	Location
Reporting LEA	<p>A unique identifier for the educational service institution in which the Staff person is employed.</p> <p>When the reporting calendar is from a School with Type = 15: Independently Reporting Charter, the State School Number reports (not the State District Number).</p> <p>This field reports the Secondary District Number when the reporting calendar has a School Type of 16: Secondary State District Number.</p> <p><i>Numeric, 7 digits</i></p>	<p>District Information > State District Number</p> <p>District.number</p> <hr/> <p>School Information > School Number</p> <p>School. number</p> <hr/> <p>School Information > Type</p> <p>School.type</p>
School of Attendance	<p>A unique identifier for the school that delivers a majority of educational instruction and services and is where the student attends.</p> <p>When the CDS Number field is populated on the School editor, that value reports.</p> <ul style="list-style-type: none"> When the student is not enrolled in a school on the date of the Behavior Incident, the State School Number from the calendar with the most recently ended Primary Enrollment reports. When the student has more than one Primary and Partial Enrollment that is active on the date of the Behavior Incident, the State School Number from the calendar with the Primary Enrollment reports. When the student has multiple Primary Enrollments, the State School Number from the calendar of the Enrollment with the most recent Start Date reports. <p><i>Numeric, 7 digits</i></p>	<p>School Information > State School Number</p> <p>School Information > CDS Number</p> <p>School.number</p>

Data Elements	Description	Location
Academic Year ID	<p>A unique identifier assigned to a specific Academic Year. An Academic Year is the period during which school is in regular session and provides a required number of days of instruction.</p> <p><i>Date field, 9 characters (CCYY-CCYY)</i></p>	<p>School Year Setup > Start Year/End Year</p> <p>Calendar.schoolYear</p>
SSID	<p>The unique identifier for the student assigned by the first California district in which the student is enrolled in accordance with CDE established standards.</p> <p><i>Numeric, 10 digits</i></p>	<p>Demographics > Person Identifiers > State ID</p> <p>Person.stateID</p>
Local Student ID	<p>A unique identifier assigned to the student by a local educational agency.</p> <p><i>Numeric, up to 15 digits</i></p>	<p>Demographics > Person Identifiers > Student Number</p> <p>Person.studentNumber</p>
First Name	<p>Student's legal first name.</p> <p>When the Legal First Name field is populated on the earlier identity, information reports from that field.</p> <p><i>May only include alphabetic letters, numbers, periods, hyphens and apostrophes.</i></p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Demographics > Person Information > First Name</p> <p>Identity.firstName</p> <hr/> <p>Identities > Identity Information > Protected Identity Information > Legal First Name</p> <p>Identity.legalFirstName</p>
Last Name	<p>Student's legal last name.</p> <p>When the Legal Last Name field is populated on the earlier identity, information reports from that field.</p> <p><i>May only include alphabetic letters, numbers, periods, hyphens and apostrophes.</i></p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Demographics > Person Information > Last Name</p> <p>Identity.lastName</p> <hr/> <p>Identities > Identity Information > Protected Identity Information > Legal Last Name</p> <p>Identity.legalLastName</p>

Data Elements	Description	Location
Student Birth Date	<p>Student's date of birth.</p> <p><i>Date field, 8 characters (CCYYMMDD)</i></p>	<p>Demographics > Person Information > Birth Date</p> <p>Identity.birthDate</p>
Student Gender	<p>Student's gender.</p> <p>When the Legal Gender field is populated, information reports from that field.</p> <p>See the Non-Binary Gender Reporting section for additional information.</p> <p><i>Alphanumeric, 1 character (M or F)</i></p>	<p>Census > People > Demographics > Person Information > Gender</p> <p>Identity.gender</p> <hr/> <p>Identities > Identity Information > Protected Identity Information > Legal Gender</p> <p>Identity.legalGender</p>
Incident ID Local	<p>A unique identifier for a Disciplinary Incident.</p> <p>Multiple offenses, resolutions and students can be associated with a single Incident Number.</p> <p><i>Alphanumeric, 20 characters</i></p>	<p>Student Behavior > Incident Detail > Incident ID</p> <p>Behavior.incidentID</p>
Student Offense Code	<p>A coded value representing the Student Offense.</p> <p>Code reports Event name when it is mapped to State Behavior Events for 100-105, 200-205, 300, 400, 401, 403, 500-513, 600-602.</p> <p>When there are multiple reportable Events/Offenses associated with an Incident ID, a separate record for each Event mapped to one of the above codes reports.</p> <p><i>Numeric, 3 digits</i></p>	<p>Behavior Management >Events and Participants > Add Event/Participant > Event Details > Event Type</p> <p>BehaviorEvent.code</p>

Data Elements	Description	Location
Weapon Category Code	<p>Reports the assigned weapon code.</p> <p>When the State Event Code is 100, 101, 103, 104 or 105, the value is reported from the Weapon Category field. Otherwise, this field reports blank.</p> <p><i>Numeric, 2 digits</i></p>	<p>Behavior Management > Events and Participants > Participant Details > Weapon</p> <p>BehaviorWeapon.weaponCode</p>