

Arizona Ed-Fi Data v3.3 - Sections

Last Modified on 06/28/2023 11:42 am CDT

Classic View: System Administration > Ed-Fi

Search Terms: Ed-Fi

This educational entity represents a setting in which organized instruction of course content is provided to one or more students for a given period of time. A course may be offered to more than one class/section. Instruction, provided by one or more teachers or other staff members, may be delivered in person or via a different medium.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

| Action | Trigger |
|--------|--|
| Post | When a section is created and saved. <ul style="list-style-type: none"> Section Placement is required in order for the section to send. 1 record will report for each Section and Term Type combination. Do not send records if the Calendar Exclude check box is checked. Do not send records if the course is marked inactive. Do not send if the School Exclude check box is checked. Do not send a record if the State Reporting Exclude checkbox is selected on the course. |
| Post | When Section Placement is changed and saved on a section. |
| Post | When the Local Course Number or Term type Override is changed. |
| Put | When any fields listed below are changed: <ul style="list-style-type: none"> When the local course name or SCED Seq Number is changed and saved on the Course editor. When the Instructional Setting is changed and saved on a section. When the Credit field is changed and saved on a Grading Task assigned to the course. |
| Delete | When a section is deleted. |
| Delete | When Section Placement is changed or removed and saved on a section. |
| Delete | When the Local Course Number or Term type Override is changed. |

School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

| Action | Trigger |
|--------|--|
| None | If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send. |
| Delete | If a resource is toggled to 'OFF' after data has sent and an action is performed that would trigger a delete, that data will remain in the ODS until a resync is done. |
| Resync | If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table |
| Resync | If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS. |

| Action | Trigger |
|--------|--|
| Resync | If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes. |

Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

| Action | Trigger |
|---------------------|---|
| Post/Delete | Natural Key Changes: <ul style="list-style-type: none"> If the School ID changes, all data will remain under the old number and a resync will need to be completed to populate data under the new number. The delete tool would need to be used to remove all data from the old School ID. |
| Post/Delete | If any of the following changes in the Course Offerings resource: <ul style="list-style-type: none"> Local Course Code Session Name |
| Post/Delete | If the natural key changes all dependent data will delete/post |
| Dependent Resources | Staff Section Associations, Student Section Associations, Student Section Attendance Events, Grades |

Scope Year Logic

This table describes scope year logic of this object.

| Logic |
|--|
| Sections will report to the configured year to which they are aligned. |
| Data will only send for years that have valid configuration. |

Resource Preferences

This table describes the Resource Preferences of this object.

| Data Element Label | Mapping Needed |
|--|-------------------------------|
| Educational Environment Descriptor | Section Instructional Setting |
| Course Level Characteristic Descriptor | Course Level |

Event Queue Detail

This table describes the Event Queue Detail of this object.

| Campus Table | Ed-Fi Action | Fields |
|--------------|-----------------|--|
| section | Post/Put/Delete | The primary table used for sending data for this resource. |

| Campus Table | Ed-Fi Action | Fields |
|-------------------|--------------|--|
| course | Put | Educational Environment Descriptor Sequence of Course |
| gradingTaskCredit | Put | Available Credits |

Object Data Elements

This table describes data elements sent within the Sections resource.

| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|----------------------------------|---|---|-----------|---|--|
| id | The unique identifier of the resource. | | M | | |
| section Identifier | The local identifier assigned to a section. | Reports the section ID of the section being reported. | M | Course > Section | section. sectionID |
| course Offering Reference | A reference to the related CourseOffering resource. | Reports the fields that are part of the Natural Key for the Course Offering resource. | M | | |
| location Reference | A reference to the related Location resource. <ul style="list-style-type: none"> classroomIdentification Code schoolId | Reports the fields that are part of the Natural Key for the Locations resource. | O | System Administration > Resources > Resources > Rooms System Administration> Resources> School> Entity ID | room.name school.Entity |
| locationSchool Reference | A reference to the related School resource. | This is optional, does not report. | O | | |
| siteLocation School Reference | The identifier assigned to a school. This is used when a course is taught at a different school. <ul style="list-style-type: none"> schoolId | <ol style="list-style-type: none"> If the Section Location Override <> NULL, report that value. If the Section Location Override is NULL, but the Course Location Override <> NULL, report that value. If both course.provider and section.provider is NULL, report out the School entityID. | M | Course > Section > Location Location Override Course > Section > Location Location Override System Administration > Resources > School > entityID | course. provider section. provider school. entityID |

| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|--------------------------------|---|--|-----------|---------------------------------|---------------------------|
| availableCredit Conversion | Conversion factor that when multiplied by the number of credits is equivalent to Carnegie units. | This is optional, does not report. | O | | |
| availableCredits | Credits or units of value awarded for the completion of a course. | <ol style="list-style-type: none"> For students in Grades K-8, report '1'. For all other students: <ul style="list-style-type: none"> Sum the total number of credits from the Grading Tasks on the course. Divide by the number of terms the course section occurs. | O | Course > Grading Tasks > Credit | gradingTask Credit.Credit |
| availableCredit TypeDescriptor | The type of credits or units of value awarded for the completion of a course. | This is optional, does not report. | O | | |
| characteristics | This descriptor defines characteristics of a section, such as whether attendance is taken and the section is graded. | This is optional, does not report. | O | | |
| classPeriods | The class period during which the Section meets. | See array section for logic | O | | |
| courseLevel Characteristics | An unordered collection of courseLevel Characteristics. The type of specific program or designation with which the course is associated (e.g., AP, IB, Dual Credit, CTE). | <ol style="list-style-type: none"> Reports when the following are added: <ul style="list-style-type: none"> CTE check box is checked on the course or section. Report if Dual Credit checkbox is checked on the course or section. Report from Level drop list if selected on course. See Array section below for data logic for each field. | | | |

| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|------------------------------------|---|---|-----------|--|-------------------------------|
| educational Environment Descriptor | The setting in which a child receives education and related services; for example: Center-based instruction Home-based instruction Hospital class Mainstream Residential care and treatment facility | <ol style="list-style-type: none"> 1. Report the Ed-Fi Code value from the mapped Instructional Setting selected on the course section being reported. 2. If NULL, do not report. | O | Course > Section > Instructional Setting | section.instructional Setting |
| instruction Language Descriptor | The primary language of instruction, if omitted English is assumed. | This is optional, does not report. | O | | |
| mediumOf Instruction Descriptor | The media through which teachers provide instruction to students and students and teachers communicate about instructional matters; for example: Technology-based instruction in classroom Correspondence instruction Face-to-face instruction Virtual/On-line Distance learning Center-based instruction | This is optional, does not report. | O | | |

| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|------------------------------|---|--|-----------|----------------------|----------------|
| offeredGrade Levels | The ID of the GradeLevel Descriptor. | <p>Reports the lowest and the highest grade level of students scheduled in the course section.</p> <ol style="list-style-type: none"> 1. All students are considered regardless of rosters start or end date. 2. If a student changes grade levels either by updating grade on enrollment or creating a new enrollment this will not trigger a change on section. A resync would need to be done on section to update this field. 3. If a grade level is marked as State Exclude in the Calendar > Grade Levels tab, those grade levels are excluded from consideration/inclusion in of this endpoint. 4. Report the Ed-Fi Code value from the mapped Grade Level Name selected on the course section being reported. | M | | |
| population Served Descriptor | The population for which the course was designed; for example: Bilingual students Remedial education students Gifted and talented students Career and Technical Education students Special education students | This is optional, does not report. | O | | |

| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|--------------------|--|--|-----------|---|----------------|
| programs | An unordered collection of sectionPrograms. This educational entity represents a setting in which organized instruction of course content is provided to one or more students for a given period of time. A course may be offered to more than one class/section. Instruction, provided by one or more teachers or other staff members, may be delivered in person or via a different medium | This is optional, does not report. | O | | |
| sequenceOf Course | When a section is part of a sequence of parts for a course, the number if the sequence. If the course has only onle part, the value of this section attribute should be 1 | <ol style="list-style-type: none"> 1. Report the value selected in the SCED Sequence "Part n" field. 2. If NULL, report '1'. | M | | |
| minutesPer Week | Minutes reported per week. | <ol style="list-style-type: none"> 1. If Section CTE Minutes per Week Override are not NULL, report thevalue. 2. If Section CTE Minutes per Week Override is NULL, but Course CTE Minutes per Week are not NULL, report the value. 3. If both Section and Course fields are NULL, report blank. | C | Course > Section > CTE Minutes per Week Override Course > CTE Minutes per Week | |
| etag | A unique system-generated value that identifies the version of the resource | This is optional, does not report. | O | | |

Arrays

[▶ Click here to expand...](#)

Type/Descriptor

[▶ Click here to expand...](#)