

Michigan Ed-Fi Data v3.1 - Student Education Organization Association

Last Modified on 10/21/2024 8:21 am CDT

Tool Search: Ed-Fi

This association represents student information specific to a student's relationship with an Education Organization.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	 When an enrollment is created and saved for a person and the enrollment overlaps a configured year. Do not send a record if enrollment is in a calendar marked as State Exclude. Do not send a record if enrollment is in a School marked as State Exclude. Do not send a record if enrollment is marked as No Show or State Exclude.
Put	 When any student data is edited for the person in the Data Elements fields below: When the person's identity record is changed: Race/Ethnicity Gender Home Primary Language US Entry Type. When one of the person's household locations is updated/changed: Mailing, Private. When one of the person's household memberships is added/deleted/changed: Start Date End Date Private. When any data in the address the student is associated with change: PO Box Number Prefix Street Tag Direction Apt City State Zip When a student's contact information is changed: email phone number Email Other Phone Work Phone Work Phone Private. When any of the Student Characteristics change. When a change is made to a program. When a change is made to Date Entered US School.



Action	Trigger
Delete	This record is deleted if the student no longer has an eligible enrollment in the District. If the enrollment is marked as a No Show or State Exclude.

Resource Toggle and Resync Logic

This table describes the Resource Toggle and Trigger logic of this object.

Action	Business Rule
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
Resync	If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table.
Resync	If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.
Resync	If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.

Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

Action	Business Rule
Post/Delete	Natural Key Change: If the District Number/Ed-Fi District Number changes, a delete/post will occur with the cascading deletes from the LEA ID Change triggers. If an Ed-Fi ID changes, this will happen with the cascading deletes from the Ed-Fi ID Change trigger.
Delete	Cascading Deletes: N/A - no dependent resources

Scope Year Logic

This table describes scope year logic of this object.

Logic

The record will send to the scope year for the school year the enrollment is associated with.

- The enrollment must overlap with the scope year to report.
- Data will only send for the years that have valid configuration.

When using data in Campus that has a single date, the following logic will be applied to determine the scope year(s) to report the data to.

- Current Year: Records will be compared to today's date to determine if the record is eligible to report.
- Previous Years: The record's date must be on or before the schools year's end date defined in the School Years editor. If blank, the default date of 6/30/xxxx is used.
- Future Years: The record's date must be on or after the schools year's start date defined in the School Years editor. If blank, the default date of 7/01/xxxx is used.



Logic

When using data in Campus that have start and end dates, the following logic will be applied to determine the scope year(s) to report the data to.

- Current Year: The records start date must be on or before today's date and the records end date must be on or after today's date.
- Previous Years: The record's start date must be on or before the school year's end date and the record's end date must be after the school year's end date defined in the School Years editor. If blank, the default date of 6/30/xxxx is used.
- Future Years: The record's start date must be on or before the schools year's start date and the record's end date must be on or after the school year's start date defined in the School Years editor. If blank, the default date of 7/01/xxxx is used.

Resource Preferences

This table describes the Resource Preferences of this object.

Data Element Label	Mapping Needed
Race Descriptor	Race/Ethnicity

Identity Mapping Object Key

This table describes the Identity Mapping Object Key of this object.

campusObjectType	Object Key Data Source
Person	personID

Object Data Elements

This table describes data elements sent within the Student Education Organization Association resource.

Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
id	The unique identifier of the resource.	Μ		
education OrganizationId	<i>The assigned identifier to an education organization.</i>	М		
	1. Report reference to the Local Education Agency			
studentReference	A unique alphanumeric code assigned to a student.	М		
	 Reports the natural key of the Student's resource 			

Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
addresses	 The set of elements that describes an address, including the street address, city, state, and ZIP code. 1. Reports the most current Primary address marked as "Mailing". 1. If more than 1 Primary Address marked as Mailing, report address with most recent Household Membership Start Date Else, report the address with most recent Address Start Date Do not report if the Address Location Detail or Household Membership is marked as "Private" See Business Rule S3 in Scope Year logic to determine the eligibility of records See Array section below for data logic for each field 	0	Household Addresses > Mailing Household Membership > Start Date Household Addresses > Start Date	HouseholdLocation.mailing HouseholdMember.startDat Householdlocation.StartDat
cohortYears	The type and year of a cohort (e.g., 9th grade) the student belongs to as determined by the year that student entered a specific grade. This is optional, do not report.	0		

Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
disabilities	The disability condition(s) that best describes an individual's impairment, as determined by evaluation(s) conducted by the education organization.	0		
	This is optional, do not report.			
electronicMails	The numbers, letters, and symbols used to identify an electronic mail (e-mail) user within the network to which the individual or organization belongs.	0	O Census > People > Demographics > Email	contact.email
	 Reports the email address entered for that person Do not report if Email is marked "Private". If blank, do not report. See Array section for data logic for each field. 			
hispanicLatino Ethnicity	An indication that the individual traces his/her origin or descent to Mexico, Puerto Rico, Cuba, Central and South America, and other Spanish cultures, regardless of race. The term, "Spanish origin," can be used in addition to "Hispanic or Latino."	0	Census > People > Identities > Is the Individual Hispanic or Latino?	identity.hispanicEthnicity
	 Report "Is the individual Hispanic/Latino?" from the student's current identity: If droplist = Yes, report True. If droplist = No, report False. 			

Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
internationalAddresses	<i>The set of elements that describes an international address.</i>	0		
	This is optional, do not report.			
languages	<i>The language(s) the individual uses to communicate. It is strongly recommended that entries use only ISO 639-3 language codes.</i>	0		
	 Reports Home Primary Language and Native Language See array for field specific logic. 			
limitedEnglish ProficiencyDescriptor	<i>An indication that the student has been identified as limited English proficient by the Language Proficiency Assessment Committee (LPAC), or English proficient.</i>	0		
	Do not report this field.			
loginld	<i>The login ID for the user; used for security access control interface.</i>	0		
	This is optional, do not report.			
oldEthnicity Descriptor	Previous definition of Ethnicity combining Hispanic/latino and race 1 - American Indian or Alaskan Native 2 - Asian or Pacific Islander 3 - Black, not of Hispanic origin 4 - Hispanic 5 - White, not of Hispanic origin	0	N/A	N/A
	This is optional, does not report			

Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
profileThumbnail	File name for the ProfileThumbnail photograph 1. This is optional, does not report	0	N/A	N/A
programParticipations	Key programs the student is participating in or receives services from. See array for field specific logic.	0		
races	The general racial category which most clearly reflects the individual's recognition of his or her community or with which the individual most identifies. The data model allows for multiple entries so that each individual can specify all appropriate races. See Array section below for data logic for each field.	0	Census> People> Identities> Race/ Ethnicity	IdentityRaceEthnicity and racethnicity.raceid
sexDescriptor	 A person's gender. 1. Report the Gender from the student's current identity record This is NOT legal gender 2. Report the following based on the value selected in the droplist. Female report Female. Male report Male. If blank or Non- binary, report 'Not Selected. 	М	Census > People > Identities > Gender	identity.Gender



Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
characteristics	Reflects important characteristics of the student's home situation: Displaced Homemaker, Immigrant, Migratory, Military Parent, Pregnant Teen, Single Parent, and Unaccompanied Youth.	0		
	See Array below for logic.			
identificationCodes	A coding scheme that is used for identification and record-keeping purposes by schools, social services, or other agencies to refer to a student.	0		
	See Array section for reporting logic.			
indicators	Indicator(s) or metric(s) computed for the student (e.g., at risk) to influence more effective education or direct specific interventions.	0		
	See Array section below for reporting logic.			
telephones	<i>The 10-digit telephone number, including the area code, for the person.</i>	0		
	See Array section for data logic for each field.			
tribalAffiliations	<i>An American Indian tribe with which the student is affiliated.</i>	0		
	This is optional, do not report.			
_etag	A unique system-generated value that identifies the version of the resource.	0		

Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field	
raceAsOfDate	(<i>MI EXT</i>) The date of the most recent change in Race.	0	Census > People > Identity >		
	 Reports the Effective Date of Identity record if a change in federal race checkboxes or the hispanic/latino droplist is found on or before the active date/today's date. 			Effective Date	
schoolFoodServiceEligibilityAsOfDate	<i>(MI EXT) The date of the most recent change in SchoolFoodServicesEligibility.</i>	0			
	Do not report.				
yearOfEntry	(<i>MI EXT</i>) The four-digit calendar year in which the student first attended school in the United States.	0			
	Report year from Date Entered US School.				
msdsRaceOrders	ders (MI EXT) Captures the racial O group and order choice for MSDS.				
	 Reports student race(s). See array for field specific logic. 				

Array Data Elements

Click here to expand...

Indicators/Digital Equity



Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field	Format
indicatorName	 The name of the indicator or metric: InternetAccessInResidence InternetBarrierInResidence InternetPerformance DigitalDevice PrimaryLearningDeviceAccess PrimaryLearningDeviceProvider 1. If a Digital Equity record exists for the student that falls within the config year, report the following: "InternetAccessInResidence" as the Indicator Name for the 1st record in the array Report "InternetBarrierInResidence" for the 2nd record Report "InternetPerformance" for the 3rd record Report "InternetPerformance" for the 4th record Report "DigitalDevice" for the 5th record Report "DigitalDevice" for the 5th record Report "DigitalDevice" for the 5th record Report "PrimaryLearningDeviceAccess" for the 6th record Report "PrimaryLearningDeviceProvider" for the 7th record If multiple Digital Equity records exist for the student, report the most recent record. If no record exists, do not report. 	М	Student Information > Program Participation > State Programs > Digital Equity		string (max length 200)
indicator	The value of the indicator or metric. If a Digital Equity record exists for the student that falls within the config year, report the name for the value selected for each indicatorName.	Μ	Student Information > Program Participation > State Programs > Digital Equity		string (max length 35)
indicatorGroup	The name for a group of indicators. If a Digital Equity record exists for the student that falls within the config year, report "DigitalEquity" for each indicatorGroup.	М			string (max length 200)

Identification Codes



Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
studentIdentificationSystemDescriptor	A coding scheme that is used for identification and record-keeping purposes by schools, social services, or other agencies to refer to a student. • If reporting Student State ID, report 'State'. • If reporting Local Student Number, report 'District'.			
assigningOrganizationIdentificationCode	 The organization code or name assigning the StudentIdentificationCode. If reporting Student State ID, report 'State'. If reporting Local Student Number, report State District Number. 			
identificationCode	A unique number or alphanumeric code assigned to a student by a school, school system, a state, or other agency or entity. • Report Student State ID • Report Local District Number.			

Student Address

Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
addressTypeDescriptor	Key for Address All addresses report as 'Home'.	Μ		



Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
stateAbbreviationDescriptor	The abbreviation for the state (within the United States) or outlying area in which an address is located. Reports the State for the address being reported.	Μ	Households> Address Info> State	address.state
apartmentRoomSuiteNumber	The apartment, room, or suite number of an address. Reports the value entered in Apt field if populated.	0	Households> Address Info> Apt	address.apt
buildingSiteNumber	The number of the building on the site, if more than one building shares the same address. This is optional, do not report.	0		
city	The name of the city in which an address is located. Reports the City for the address being reported.	Μ	Households> Address Info> City	address.city
countyFIPSCode	5 digit code consisting of the two digit state code followed by the three digit FIPS code for the county. This is optional, do not report.	0		
doNotPublishIndicator	An indication that the address should not be published. This is optional, do not report.			



Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
latitude	The geographic latitude of the physical address.	Ο		
	This is optional, do not report.			
longitude	The geographic longitude of the physical address. This is optional, do not	0		
	report.			
nameOfCounty	The name of the county, parish, borough, or comparable unit (within a state) in which an address is located. This is optional, do not	0		
	report.			
postalCode	The five or nine digit zip code portion of an address. Reports the Zip Code of the reported address.	Μ	Households> Address Info> Zip Code	address.zip
streetNumberName	The street number and street name or post office box number of an address. Reports Address PO Box + Number + Street + Tag + Prefix + Dir.	Μ	Households>Address Info	address.postOfficeBox address.number address.street address.tag address.prefix address.dir
periods	The time periods for which the address is valid. For physical addresses, the periods in which the person lived at that address. This is optional, do not report.	0		



Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
beginDate	The first date the address is valid. For physical addresses, the date the person moved to that address. This is optional, do not report.	Μ		
endDate	The last date the address is valid. For physical addresses, this would be the date the person moved from that address. This is optional, do not report.	0		

Electronic Mail

Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
electronicMailTypeDescriptor	 The type of email listed for an individual or organization. For example: Home/Personal, Work, etc.). 1. The Primary Email address will report as "Home/Personal" 2. Do not report Secondary Email for students. 	Μ		
doNotPublishIndicator	An indication that the electronic email address should not be published. This is optional, do not report.	0		
electronicMailAddress	The electronic mail (e-mail) address listed for an individual or organization. Reports the email address entered for that person.	Μ	Census> People> Demographics> Email	contact.email



Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
primaryEmailAddressIndicator	An indication that the electronic mail address should be used as the principal electronic mail address for an individual or organization.	0		
	This is optional, do not report.			

Student Language

Data Element Label	Business Requirement and Business Rules	M, C, or	Data Source GUI Path	Database Field
		0		



Data Element Label	Business Requirement and Business Rules	M, C, or O	Data Source GUI Path	Database Field
languageDescriptor	 A specification of which written or spoken communication is being used. 1. Report the Code from the Home Primary Language saved on the student's current identity record. If blank, do not report this field If the code does not match an Ed-Fi code, do not report a record Report default value if saved on the Attribute and the code matches an Ed-Fi code 2. Report the Code from the Native Language saved on the student's current identity record. If blank, do not report this field If blank, do not report arecord 1. Report the Code from the Native Language saved on the student's current identity record. If blank, do not report this field If the code does not match an Ed-Fi code, do not report a record Report default value if saved on the Attribute and the code matches an Ed-Fi code 3. If Home Primary Language and Native Language match, report a single language Descriptor associated with both uses (Home Language, Native Language). 	М	Census> People> Identities> Race/Ethnicity	
uses	A description of how the language is used (e.g. Home Language, Native Language, Spoken Language). See uses Array section.	0		

Uses

Data Element Label	Business Requirement and Business Rules	M, C, or O	Data Source GUI Path	Database Field
--------------------	--	---------------------	-------------------------	-------------------



Data Element Label	Business Requirement and Business Rules	M, C, or O	Data Source GUI Path	Database Field
languageUseDescriptor	 A specification of which written or spoken communication is being used. 1. If Home Primary Language = NOT NULL, report 'Home Language' 2. If Native Language = NOT NULL, report 'Spoken Language' 	М	Census> People> Identities> Race/Ethnicity	

Races

Data Element Label	Business Requirement and Business Rules	M, C or O	Data Source GUI Path	Database Field
raceDescriptor	 The racial category which most clearly reflects the individual's recognition of his or her community or with which the individual most identifies. 1. If American Indian - Alaska Native = selected, report "American Indian - Alaska Native". 2. If Asian = selected, report 'Asian'. 3. If Black or African American = selected, report 'Black - African American'. 4. If Native Hawaiian or Other Pacific Islander = selected, report 'Native Hawaiian - Pacific Islander'. 5. If White = selected, report 'White'. 	М	Census> People> Identities> Race/Ethnicity	IdentityRaceEthnicity and racethnicity.raceid
raceOrderChoiceDescriptor	The order choice of the racial category.	М		
	Always report 1 .			

Student Characteristics



Data Element Label	Business Requirement and Business Rules	M, C, or O	Data Source GUI Path	Database Field
Student Characteristic Descriptor	This descriptor captures important characteristics of the student's environment or situation. Generally used for non- program-based student characteristics. Report each characteristic based on the requirements below. Student must have a Student School Association in the configured year to report a characteristic.	Μ		
	US Entry Type • This is optional, do not report.	0		
	Career Tech Special Populations This is optional, do not report. 			
	Parent in MilitaryThis is optional, do not report.			
	Foster CareThis is optional, do not report.			f
	Economic Disadvantaged This is optional, do not report. 			
	Flags • This is optional, do not report.			
designatedBy	The person, organization, or department that designated the characteristic.	0		
periods	This is optional, do not report. The time periods for which characteristic	0		
	was effective. This is optional, do not report.			
beginDate	The date the characteristic was designated.	0		
	This is optional, do not report.			
endDate	The date the characteristic was removed. This is optional, do not report.	0		

Program Participations



Data Element Label	Business Requirement and Business Rules	· ·	Data Source GUI Path	Database Field
programTypeDescriptor	 Program Reporting 1. Student program must be active within the Scope Year. 2. Program must have: State Reported = selected Report the following program types if any of the following programs are found: If Code = 3060, report 'Student Retention/Dropout Prevention' If Code = 3500, report 'Community/Junior College Education Program' If Code = 6011, 6012, 6013, 6014, 6015, 6016, 6017, 6021, 6022, 6023, 6024, 6025, 6026, or 6027, report 'Title I Part A' If Code = 7760, report 'Remedial Education' If Code = 9110, report 'Regular Education' If Code = 9120, report 'Foreign Exchange' If Code = 9210, report 'Section 504 Placement' If Code = 9220, report 'Alternative Education' If Code = 9222, report 'Compensatory Services for Disadvantaged Students' If Code = 9230, report 'Prekindergarten - Full Day' 			
	 has an active Military Connections record within the Scope Year, report Other. 1. Status must be = Active Duty, Deployed or Active Duty, Not Deployed 2. Branch must be other than Air National Guard or Army National Guard. 	0		
beginDate	The date the Student was associated with the Program or service. This is optional, do not report.	0		
designatedBy	The person, organization, or department that designated the program association.	0		
	This is optional, do not report.			



Data Element Label	Business Requirement and Business Rules	С,	Data Source GUI Path	Database Field
endDate	The date the Program participation ended. This is optional, do not report.	0		
programCharacteristics	Reflects important characteristics of the Program, such as categories or particular indications. This is optional, do not report.	0		
enrollmentPercent	(MI EXT) The full-time equivalency (FTE) that the participant spends in the program reported. This is optional, do not report.	0		
statuses	An unordered collection of studentEducationOrganizationAssociation ProgramParticipationStatuses. (MI EXT) To indicate the status of the students participation in the program (i. g. eligible, started, completed, not eligible). See programParticipationStatusDescriptor	0		
programParticipation StatusDescriptor	 (MI EXT) To indicate the status of the students participation in the program (i. g. eligible, started, completed, not eligible). Program Reporting If Code = 6011, 6012, 6013, 6014, 6015, 6016, 6017, 6021, 6022, 6023, 6024, 6025, 6026, or 6027, report 6010. Else report Code from program reported. Military Connections Reporting Report 9140. 	М		

Addresses

Data Element	Business Requirement and	М,	Data Source	Database Field
Label	Business Rules	С,	GUI Path	
		or O		



Data Element Label	Business Requirement and Business Rules	M, C, or O	Data Source GUI Path	Database Field
countyCode	 (MI EXT) A unique number or alphanumeric code assigned to a county by the state of Michigan. Reports code associated with the County saved on the student's address. Format: 00 Add zero padding if number is less than 2 characters. 	0	Address > County	

Telephones

Data Element Label	Business Requirement and Business Rules		M, C, or O	Data Source GUI Path	Database Field	
telephoneNumberTypeDescriptor	ScriptorThe type of communication number listed for an individual or organization.Reports based on the Phone Number type entered in Campus based on the chart below.Campus PhoneEd-Fi CodeCell PhoneMobile PhoneCher PhoneHomeWork PhoneWork PhoneWork PhoneOtherPagerOther		Μ	Census> People> Demographics> Personal Contact Information> Other Phone, Work Phone, Cell Phone, Pager		
			PhoneCodeCellMobile			
doNotPublishIndicator	An indication that the telephone number should not be published.		0			
	This is optional, do not report.					



including the area code, and extension, if applicable.Demographics> Personal Contact Information> Other Phone, Work Phone, Cell Phone, Pagercontact.vorkPh contact.cellPho contact.pager1. Reports the Phone numbers entered in the Personal Contact Information for that person.Demographics> Personal Contact Information> Other Phone, Work Phone, Cell Phone, Pagercontact.vorkPh contact.pager2. Do not report Phone Number marked as "Private"Demographics> Personal Contact Information> Other Phone, Work Phone, Cell Phone, Pagercontact.pagertextMessageCapabilityIndicatorAn indication that the telephone number is technically capable of sending and receiving Short Message ServiceOImage: Contact workPhone contact.pager	Data Element Label	Business Requirement and Business Rules		M, C, or O	Data Source GUI Path	Database Field
PhoneCodeCell PhoneMobileOtherHomePhoneWorkPhoneWorkPagerOtherPagerOthertelephoneNumberThe telephone number including the area code, and extension, if applicable.MCensus> People> Demographics> Demographics> Cell Phone, Work Phone, Cell Phone, Pagercontact.otherPi contact.ellPhone contact.ellPhone contact.ellPhone, Cell Phone, Pager1. Reports the Phone numbers entered in the Personal Contact Information for that person.MCensus> People> Demographics> Demographics> Cell Phone, Work Phone, 	orderOfPriority	assigned to telephone numbers to define which number to attempt first, second, etc.		0	Demographics > Personal Contact Information > Other Phone, Work Phone,	
Other Phone Home Work Phone Work Phone Pager Other telephoneNumber The telephone number including the area code, and extension, if applicable. M Census> People> Demographics> Personal Contact. contact.otherPl contact.ellPho contact.ellPho contact.lellPho contact linformation for that person. M Census> People> Demographics> Personal Contact contact.otherPl contact.ellPho contact.pager textMessageCapabilityIndicator An indication that the telephone number is 						
Phone Work Work Work Work Phone Pager Other Pager Other M Census> People> Contact.otherPl contact telephoneNumber The telephone number including the area code, and extension, if applicable. M Census> People> Contact.workPl contact.ellPho contact.ellPho contact.lenPhone, Work Phone, Cell Phone, Pager Contact.otherPl contact.lenPhone, Work Phone, Cell Phone, Pager Contact.pager 1. Reports the Phone numbers entered in the Personal Contact Information for that person. N Census> People> Contact.otherPl contact.pager 2. Do not report Phone Number marked as "Private" S. If blank, do not report. O If blank, do not report. O textMessageCapabilityIndicator An indication that the telephone number is technically capable of sending and receiving Short Message Service O Image: Short Message Service Image: Short Message Service		Cell Phone	Mobile			
Phone Pager Other Census> People> Contact.otherPl telephoneNumber The telephone number including the area code, and extension, if applicable. M Census> People> Contact.otherPl 1. Reports the Phone numbers entered in the Personal Contact Information> Other Phone, Work Phone, Cell Phone, Pager Cell Phone, Pager Contact.pager 2. Do not report Phone Number marked as "Private" 3. If blank, do not report. O textMessageCapabilityIndicator An indication that the telephone number is technically capable of sending and receiving Short Message Service O O			Home			
telephoneNumberThe telephone number including the area code, and extension, if applicable.MCensus> People> Demographics> Personal Contact Information> Other Phone, Work Phone, Cell Phone, Pagercontact.otherPl contact.cellPho contact.pager1. Reports the Phone numbers entered in the Personal Contact Information for that person.MCensus> People> Demographics> Personal Contact Information> Other Phone, Work Phone, Cell Phone, Pagercontact.pager2. Do not report Phone Number marked as "Private"OIf blank, do not report.textMessageCapabilityIndicatorAn indication that the telephone number is technically capable of sending and receiving Short Message ServiceO		Phone				
including the area code, and extension, if applicable.Demographics> Personal Contact Information> Other Phone, Work Phone, Cell Phone, Pagercontact.vorkPh contact.cellPho contact.pager1. Reports the Phone numbers entered in the Personal Contact Information for that person.Demographics> Personal Contact Information> Other Phone, Work Phone, Cell Phone, Pagercontact.vorkPh contact.pager2. Do not report Phone Number marked as "Private"Demographics> Personal Contact Information> Other Phone, Work Phone, Cell Phone, Pagercontact.pagertextMessageCapabilityIndicatorAn indication that the telephone number is technically capable of sending and receiving Short Message ServiceOImage: Contact work Phone Short Message Service						
telephone number is technically capable of sending and receiving Short Message Service	telephoneNumber	 including the area code, and extension, if applicable. 1. Reports the Phone numbers entered in the Personal Contact Information for that person. 2. Do not report Phone Number marked as "Private" 3. If blank, do not 		Μ	Demographics> Personal Contact Information> Other Phone, Work Phone,	contact.otherPhone contact.workPhone contact.cellPhone contact.pager
This is optional, do not	textMessageCapabilityIndicator	telephone number is technically capable of sending and receiving Short Message Service (SMS) text messages.		0		

Previous Versions

Michigan Ed-Fi Data v3.1 - Student Education Organization Association [.2211 - .2307]

