

## **BIE Graduation Rate Data Mart**

Last Modified on 10/21/2024 8:20 am CDT

Tool Search: Graduation Rate Data Mart

BIE Graduation Rate Data Mart Logic | Data Mart Workflow | Generate a Snapshot | Snapshot Editor Field Descriptions | Notifications | Generate a Report | Report Example | BIE Graduation Rate Data Mart Reported Fields

Data Marts provide a way for states and districts to federally report on a variety of student data collections. The information stored in a data mart is collected with a <u>snapshot</u> and cannot be altered. Each data mart follows the same validation and authentication workflow process to allow for corrections to be made to student information fields before final sign-off and submission to federal reporting.

The **BIE Graduation Rate Data Mart** collects and stores student information relative to high school graduation and exit data for students of a specific cohort year. This tool should be used after the completion of a cohort year. Example: if the 2019-2020 year is complete, a snapshot is collected for the cohort class of 2020. Users should review the information collected and make all necessary changes in the user interface.

The BIE Graduation Rate Data Mart tool is available in both BIE District Edition and NASIS State Edition sites. However, the **Authentication Snapshot** is only available to State Edition users.

BIE Graduation Rate Data Mart な Reporting > BIE Reports > BIE Graduation Rate Data Mart	
BIE Graduation Rate Data Mart	
This tool is used to collect, validate and authenticate student graduation cohort data for f	ederal reporting.
Users must begin by selecting the 'Snapshot' button to start the data capture process. Da selecting the 'Report' button.	ita from the snapshot is then built into a table where it can be extracted into a readable report by
It is recommended this tool be used after the completion of the cohort year. Example: if the	he 19-20 year is complete, a snapshot is collected for the cohort class of '20.
Cranchat	Depart
ShapShot Captures a snapshot of student data for validation and authentication.	Print a report of the data gathered by the snapshot. This option is not available until after a snapshot is captured.
BIE Graduatior	n Rate Data Mart Tool

Read - View the BIE Graduation Rate Data Mart tool.Write - Generate snapshots and reports using the BIE Graduation Rate Data Mart tool.Add- N/A



#### Delete - N/A

Users must have tool rights to both the BIE Graduation Rate Data Mart tool and its validation / authentication sub-tools. Users with **Read** rights to the BIE Graduation Rate Data Mart tool will receive a notification in their Process Alerts when either a snapshot or report has finished processing. Only BIE State Edition users can generate an Authentication Snapshot. The Authentication Snapshot sub-right is ONLY available in NASIS State Edition sites.

For more information about Tool Rights and how they function, see the Tool Rights article.

# **BIE Graduation Rate Data Mart Logic**

State Edition and District Edition sites use the following logic when a snapshot is generated.

Click here to expand...

#### **School and Calendar:**

- Calendar Type must be I: Instructional to report.
- Calendar must NOT be marked excluded.
- Calendar end year must equal one of the 4 years tied to the cohort.
- Calendar Grade Levels must be mapped to BIE Grade Level Code of 9, 10, 11 or 12.
- Requires DIS be enabled for data to sync and reporting to complete in both District and State Edition.

#### Student:

- Enrollment must NOT be marked as BIE enrollment type of 3: Public Enrolled or the student will not report.
- Enrollment start date must NOT EQUAL enrollment end date
- Enrollment must NOT be marked as No Show
- Enrollment must NOT be marked BIE Exclude
- Student must have a NASIS ID to report.
- If a student has one or more primary enrollments within a calendar OR across multiple calendars in a school, the following logic applies:
  - 1 DISTINCT record is created of all combined enrollments and the student reports once for the school.
- If a student has one or more primary enrollments at more than one school within a District, the following logic applies:
  - 1 record reports from each school in which the student has a primary enrollment.

#### **Cohort:**

- If all of the above are true, the student will report within the selected cohort if the date first entered 9th grade falls on or within the reporting window identified as:
  - Window Start = 07/01 of the Cohort Year selected on the report editor **minus** 4 years
  - Window End = 06/30 of the Cohort Year on the report editor **minus** 3 years
- Cohort Start Date and End Date Status Logic: Using the Code Defining tool to map local Start and End Date Status' to the state codes



#### described below.

- TIN (Transfer In): Student is considered TIN If the enrollment start status is mapped to the code definition of TIN
- TOT (Transfer Out): Using the calendar tied to the enrollment, identify the last day marked instructional. The student is considered TOT if BOTH of the following conditions apply:
  - The student's BIE grade level code on enrollment is NOT 12 where the end date on enrollment equals the instructional day.
  - The enrollment end status maps to the code definition of TOT.
- DRP (Drop Out): Student is considered DRP If the enrollment end status is mapped to the code definition of DRP
- DED (Cohort Deduction): The student is considered DED If the enrollment end status is mapped to the code definition of DED
- GRD (Graduated): If enrollment end date is NULL, the calendar tied to the enrollment is used to identify the calendar end date. The student is considered GRD if ONE OR MORE of the following conditions apply:
  - The enrollment end status maps to the code definition of GRD.
  - The diploma date is BETWEEN the enrollment start date and the identified end date.
  - The diploma type is mapped to the code definition of NOT NULL.

#### **Snapshot:**

- The BIE Graduation Rate Data Mart tool assumes validation and authentication activities occur AFTER all four *school years* tied to a graduating cohort have ended.
- Only one validation snapshot will be retained for a school. The existing snapshot will be overwritten each time a new snapshot is generated.
- Only one authentication snapshot will be retained for a school. The existing snapshot will be overwritten each time a new snapshot is generated. This snapshot type is only available in State Edition sites.

#### **Code Defining:**

- Codes must be mapped and published every year for all four years of the cohort. This is required for:
  - Start/End Status
  - BIE Diploma Type

Additional information including how to use the Code Defining tool for mapping can be found here.

### **Data Mart Workflow**

Additional information regarding the process and workflow of a Data Mart can be viewed in the Data Mart Workflow article.

All Data Marts follow a two-step Validation and Authentication process. By following this process, student data can be reviewed and corrected before it is submitted on for federal reporting.



### **Generate a Snapshot**

Snapshots are the student data collection method data marts use to capture specific data points (first name/last name, gender, etc.) at a particular moment in time and build them into a data table. Student information captured by a snapshot is static and will not be reflective of real-time changes made in the user interface where the data fields live.

For each school included in the snapshot, one data table is built. A school must have at least one eligible calendar for a snapshot to generate. This process can be done for one to multiple schools at a time, but processing time may vary when more than one school is selected.

The **Authentication Snapshot** is only available to State Edition users.

BIE Graduation Rate Data Mart						
This tool is used to collect, validate and authenticate student gr	aduation coho	ort data for fede	al reporting.			
Users must begin by selecting the 'Snapshot' button to start the selecting the 'Report' button. It is recommended this tool be used after the completion of the	data capture cohort year. E	process. Data fi xample: if the 1	om the snapshot is then b 9-20 year is complete, a sr	uilt into a table where it can be extract	ed into a readable report by	
Snapshot Captures a snapshot of student data for validation and au	thentication.		Report	ta gathered by the snapshot. This opti	on is not available until	
	BIE Cradua	tion Data Data I	Ant	· ·		
N	Instructions	IIIOII Rale Dala I	vidit			+
	Snapshot Set up					
	Snapshot Type *	thentication				
	Cohort Year *					
	2020					
	School Selection	Filter (Ad Hoc)				
		•				
	School *					
	Select All	School †	-	Validation Snapshot	Authentication Snapshot	
		No shiwo st Day (	T			^
		A.C. Community	School (D33S02)			
		Blackfeet Dormit	ory (D51C03)			
		Horse Creek (D5	3F13)			
		Meadows Indian	School (D02P02)			~
	H 4 1 2	3 4 5 6 7 8 9 10	н н		1-5	5 of 83 items
	Generate R	eset Back				

- 1. Select **Snapshot** from the BIE Graduation Rate Data Mart tool.
- 2. Select a **Snapshot Type:** Validation or Authentication.
- 3. Select a **Cohort Year.** If calendar year is 19-20 the cohort year is 2020.
- 4. Select a pre-created Ad Hoc filter from the **School Selection Filter**. (Optional) This field is only available in State Edition.



- 5. Select one or multiple **schools**. One snapshot will generate per school.
- 6. Select **Generate**. Notification will be sent to Process Alerts when the snapshot is done processing.

#### Consider generating new snapshots when:

- Corrections made to student information fields are not reflected when the report is generated.
- A length of time has passed from when the last snapshot was generated and the final report is being submitted.

Snapshots can be generated as needed. However, a history of snapshots is not be stored and data from the previous snapshot will be overwritten when a new snapshot is generated.

### **Snapshot Editor Field Descriptions**

Field	Description			
<b>Snapshot Type</b> (State Edition only)	<ul> <li>This field determines the type of snapshot to generate.</li> <li>Validation captures the records from the user interface and builds a data table. A validation snapshot is required before an authentication snapshot can be generated. After generating the validation snapshot use the validation report to review the data.</li> <li>Authentication is a copy of the data collected from the most recent validation snapshot and is used for federal reporting submission. After generating the authentication report for final sign-off and submission.</li> </ul>			
	Consider generating a final validation snapshot before the authentication snapshot is generated. This will ensure any changes made during the validation process are captured and all correct information is submitted for final reporting.			
Cohort Year	Identified as the last year of the graduating cohort. Example: If it is the 19- 20 school year, select 2020 for the Cohort Year.			
School Selection Filter (Ad hoc) (State Edition only)	Allows for the selection of an ad hoc filter to filter down to a pre-defined list of schools.			



Field	Description				
School	Allows for the selection of one or multiple schools. Snapshot processing tin may vary if more than one school is selected. Use the search field located the top of the school list to search for a specific school. Only one snapshot will be generated and stored per school.				
Count of Selected Schools	Displays a numeric value for the amount of schools that have been selected to be included in the snapshot.				
Select All	Selects all schools across all pages to be included in the snapshot.				
View Selected	Displays a view-only side panel with a listing of all the schools selected for the snapshot.				
Generate	Select after all other required field selections have been made. A report is not automatically produced when a snapshot has finished generating. Refer to the Report section for further details.				
	Campus does not retain a history of snapshots. When a new snapshot is generated, data from the previous snapshot will be overwritten. Users may choose to generate a new snapshot as corrections are being made to various areas of student information.				
Reset	Returns screen to original defaults.				
Back	Returns user to the BIE Graduation Rate Data Mart editor screen.				

### Notifications

Users with **Read** access to the BIE Graduation Rate Data Mart tool receive notifications in their Process Alerts when:

- A snapshot has been submitted. Only the user who submitted the snapshot will receive this notification. A notification report displays by clicking on the message link.
- A snapshot (validation or authentication) has been submitted and has completed syncing. To view the data captured by the completed snapshot, a report must be generated.
- **A report is available**. If a user selected Submit to Batch Queue to generate the report (validation or authentication), a notification will display when it is ready to view. Click the message link to view the report. The report can also be retrieved from the data mart's Report tool.
- An error has prevented a record from syncing to the state . The DIS Sync error can be further reviewed in the Error Log under System Administration > Data Interchange.
  - Errors can not be corrected in the snapshot. If a correction is needed, it must be made in the location the data is entered. Generate a new snapshot to sync the corrected record.
  - If a record failed to sync, only that record is affected and will not prevent other records from syncing.



Notifications

### **Generate a Report**

ampus

Generate a report for a specific school and cohort year to review or authenticate the student information captured by the snapshot. Only one school and cohort year may be selected at a time.

A sign-off page appends to the end of the printed Authentication Report. This only appends to PDF report formats.

The BIE Graduation Rate Data Mart report includes personally identifying student information including NASIS IDs.

IE Graduation Rate Data Mart						
is tool is used to collect, validate and authentic	ate student graduation	cohort data for feder	al reporting.			
ers must begin by selecting the 'Snapshot' butt lecting the 'Report' button.	on to start the data cap	ture process. Data fr	om the snapshot is then built	into a table where it can be extracted into	a readable report by	
s recommended this tool be used after the com	npletion of the cohort ye	ar. Example: if the 19	9-20 year is complete, a snaps	hot is collected for the cohort class of '2	0.	
Snapshot	dation and authentioniti	-	Report	where hu the energiest. This entire is a	et available until	
Captures a snapshot of student data for van		л.	after a snapshot is captur	ed.		
	BIE Grad	luation Rate Data	Mart			
	Report Set u	, ,				
	Snapshot Ty	e *				
	Validation	Authentication				
	Cohort Year	•				
	School *					
		School †		Validation Snapshot	Authentication Snapshot	
			T			
		NorthWest Day	School (D53S02)			
		A.C. Communit	y School (D34N27)			
		Blackfeet Dorm	itory (D51C03)			
		Horse Creek (D	53F13)			
		Meadows India	n School (D02P02)			1 - 5 of 83 items
	Output Optio	ns				
	Report Proce Generat Submit	essing e Now to Batch Queue		Format Type PDF CSV		
	Batch Queue	List				
	Batch Queue Start Date mo./day/	End Date rr. 🛱 mo./day/yr	Ē			

- 1. Select Report.
- 2. Select a **Snapshot Type**.
- 3. Select a **Cohort Year**. If calendar year is 19-20 the cohort year is 2020.
- 4. Select a **school**. This does not allow for selection of more than one school.
- 5. Select *Generate Now* or *Submit to Batch Queue* under **Report Processing**.
  - If Submit to Batch Queue is selected, a Process Alerts notification will be sent to the user's Message Center when the report is ready to view.
- 6. Select Report Format (CSV or PDF).
- 7. Select Generate.

#### **Report Editor Field Descriptions**

Field

Description



Field	Description				
Snapshot Type	<ul> <li>Determines which table to generate the report from (Validation or Authentication).</li> <li>Only a Validation Report can be used with a Validation Snapshot.</li> <li>Only an Authentication Report can be used with an Authentication Snapshot.</li> </ul>				
Cohort Year	Identified as the last year of the graduating cohort. Example: If it is the 19-20 school year, select 2020 for the Cohort Year.				
School	Allows for the selection of a single school to view the data records captured by the snapshot.				
<b>Output Options</b>					
Report Processing	Determines if the report should be generated now or processed at a later time. If Batch Queue is selected, users will receive a notification in their Process Alerts inbox when the report is ready.				
Format Type	Options include CSV or PDF.				
	The Authentication Signature page only appends when the Authentication Report is generated in PDF format.				
	This report returns a high amount of data points therefore users may find it easier to review in CSV format first.				

# **Report Example**



				BIE G	raduation <b>R</b>	ate Data M	art Report				
					Cohort	Year: 2020					
	District: Ea	gle River Sch	ool			Scho	ol: Eagle Rive	er School			
	Authentica	tion Date: 02	/10/2021 11:	56:00 AM		Valid	ation Snapsh	not Date: 02	2/10/2021 11:11:	00 AM	
				Ger	nerated On: 2/	/10/2021 12:0	3:18 PM				
Nasis ID	Grade 9 Date	NCLB Cohort Year	Cohort Start	Transfer In	Transfer Out	Other Deduction	Cohort End	Gi	aduate	Dropout	Remain In School
			Start Date Grade	Start Date Start Status Grade	End Date End Status Grade	End Date End Status Grade	End Date Grade	End Date Grade	Diploma Date Diploma Type	End Date End Status Grade	Start Date Grade
	08/22/2016	2020	08/22/2016 09				03/11/2019 11			03/11/2019 26 11	
	12/07/2016	2020		12/07/2016 04 09	05/04/2017 04 09						
	08/22/2016	2020	08/22/2016 09		12/04/2018 23 11		05/30/2018 10				
	02/15/2017	2020	08/24/2017 10	02/15/2017 04 09			05/30/2018 10			05/30/2018 29 10	
	08/22/2016	2020	08/22/2016 09				04/24/2019 11			04/24/2019 26 11	



BIE Grad	uation Rate Data Mart Report			
	Cohort Year: 2020			
District: Eagle River School School: Eagle River School				
uthentication Date: 04/12/2021 03:55:00 PM	Validation Snapshot Date: 04/12/2021 03:21:00 PM			
Genera	ated On: 5/14/2021 1:35:21 PM			
I (we) have completed the steps necessary to at I (we) conclude that the data accurately reflects	uthenticate the data contained within the BIE Graduation Rate Data Mart. s graduation details for students associated to the specified cohort year.			
Signature	Date			
Name (please print)				
Title				
Signature	Date			
Name (please print)				
Title				
	Page 6 of 6			

٦.

# **BIE Graduation Rate Data Mart Reported Fields**

Field	Description	Location
Authentication Date	The date and time when the BIE Graduation Rate Data Mart snapshot was authenticated for the school.	N/A
Validation Date	The date and time of the last BIE Graduation Rate Data Mart validation snapshot for the school.	N/A
NASIS ID	The unique identifier for the student.	Census > People > Demographics > NASIS ID <b>Database:</b> person.otherID



Field	Description	Location
Last Name CSV Only	Reports the student's last name.	Census > People Identities > Current Identity > Last Name <b>Database:</b> identity.lastName
First Name CSV Only	Reports the student's first name.	Census > People Identities > Current Identity > First Name <b>Database:</b> identity.firstName
Middle Name CSV Only	Reports the student's middle name.	Census > People Identities > Current Identity > Middle Name <b>Database:</b> identity.middleName
Name Suffix CSV Only	Reports the suffix of the student's name.	Census > People Identities > Current Identity > Suffix <b>Database:</b> Identity.suffix
Birth Date CSV Only	Reports the student's date of birth.	Census > People > Identities > Current Identity > Birth Date <b>Database:</b> Identity.birthDate
Gender CSV Only	Reports the student's sex.	Census > People > Identities > Current Identity > Gender <b>Database:</b> student.gender
Grade 9 Date	Reflects the date the student first entered 9th grade.	Student Information > General > Graduation > Date First Entered the 9th Grade <b>Database:</b> graduation.grade9Date
NCLB Cohort Year	The NCLB Cohort End Year for the student .	Student Information > General > Graduation > NCLB Cohort End Year <b>Database:</b> graduation.cohortYearNCLB



Field	Description	Location					
Cohort Start (En	rollment Start Date, Grade)						
Start Date	Reports the enrollment start date the student entered into the cohort.	Student Information > General > Enrollment > Start Date					
		Database: enrollment.startDate					
Grade	Reports the BIE Grade Level Code mapped to the student's grade level	Student Information > General > Enrollment > Grade					
		System Administration > Calendar > Calendar > Grade Level > BIE Grade Level Code					
		Database: GradeLevel.regionalGrade					
Transfer In (Enro	Transfer In (Enrollment Start Date, Start Status, Grade)						
Start Date	Reports the enrollment start date when the student transferred in to the cohort.	Student Information > General > Enrollments > Start Date					
		Database: enrollment.startDate					
Start Status	Reports the code of the BIE Start Status when the student first transferred into the cohort.	Student Information > General > Enrollments > Start Status					
		Database: bie.startStatusBIE					
Grade	Reports the BIE Grade Level Code mapped to the student's grade level on their enrollment.	Student Information > General > Enrollments > Grade					
		System Administration > Calendar > Calendar > Grade Levels > BIE Grade Level Code					
		Database: GradeLevel.regionalGrade					

Transfer Out (Enrollment End Date, BIE End Status, Grade)



Field	Description	Location
End Date	The enrollment end date when the student transferred out of the cohort. If the enrollment End Date field is blank, the end date on the calendar tied to the enrollment reports.	Student Information > General > Enrollment > End Date System Administration > Calendar > Calendar > End Date <b>Database:</b> enrollment.endDate
BIE End Status	Reports the BIE End Status of the enrollment when the student transferred out of the cohort.	Student Information > General > Enrollment > BIE > End Status <b>Database:</b> bie.endStatusBIE
Grade	Reports the BIE Grade Level Code mapped to the student's grade level on their enrollment.	Student Information > General > Enrollment > Grade System Administration > Calendar > Calendar > Grade Level > BIE Grade Level Code <b>Database:</b> GradeLevel.regionalGrade
Other Deduction	(Enrollment End Date, End Status,	Grade)
End Date	Reports the enrollment End Date when the student was removed from the cohort for other non-deduction reasons. Reports the end date of the calendar tied to the enrollment if the end date on enrollment is blank.	Student Information > General > Enrollment > End Date System Administration > Calendar > Calendar > End Date Database:
		enrollment.endDate
BIE End Status	Reports the BIE End Status on the enrollment when the student was removed from the cohort for other non-deduction reasons.	Student Information > General > Enrollment > BIE > End Status <b>Database:</b> bie.endStatusBIE



Field	Description	Location	
Grade	Reports the BIE Grade Level Code mapped to the student's grade level on their enrollment.	System Administration > Calendar > Calendar > Grade Level > BIE Grade Level Code Student Information > General > Enrollment > Grade <b>Database:</b> GradeLevel.regionalGrade	
Cohort End (Enro	ollment End Date, Grade)		
<i>End Date</i>	Reports the enrollment end date that indicates the student is no longer in the cohort.	Student Information > General > Enrollment > End Date <b>Database:</b> enrollment.endDate	
Grade	Reports the BIE Grade Level Code mapped to the student's grade level on their enrollment.	Student Information > General > Enrollment > Grade System Administration > Calendar > Calendar > Grade Level > BIE Grade Level Code <b>Database:</b> GradeLevel.regionalGrade	
Graduate (Enrollment End Date, Grade, Diploma Date, BIE Diploma Type)			
<i>End Date</i>	Reports the End Date of the student's enrollment.	Student Information > General > Enrollment > End Date <b>Database:</b> enrollment.endDate	



Grade Re ma	eports the BIE Grade Level Code happed to the student's grade level n their enrollment.	Student Information > General > Enrollment > Grade
		System Administration > Calendar > Calendar > Grade Level > BIE Grade Level Code <b>Database:</b> GradeLevel.regionalGrade
<i>Diploma Date</i> Th dip lf	he date the student received their iploma. null, reports blank.	Student Information > General > Graduation > Diploma Date <b>Database:</b> graduation.diplomaDate
<i>BIE Diploma</i> Re <i>Type</i> Ty	eports the code of the BIE Diploma ype the student earned.	Student Information > General > Graduation > BIE Graduation Information > BIE Diploma Type <b>Database:</b> graduation.diplomaTypeBIE
Dropout (Enrollmen	nt End Date, BIE End Status, Grad	e)
End Date Re to a co	eports the enrollment end date tied o when the student was considered drop-out and removed from the ohort.	Student Information > General > Enrollment > End Date <b>Database:</b> enrollment.endDate
BIE End Status Restand	eports the BIE enrollment end tatus of the ended enrollment tied o when the student dropped-out nd removed from the cohort.	Student Information > General > Enrollment > BIE > End Status <b>Database:</b> bie.endStatusBIE
Grade Re ma	eports the BIE Grade Level Code happed to the student's grade level n their enrollment.	System Administration > Calendar > Calendar > Grade Level > BIE Grade Level Code <b>Database:</b> GradeLevel.regionalGrade



Field	Description	Location	
Start Date	Indication that the student did NOT leave the cohort for the following reasons: • DRP (Drop-Out) • DED (Cohort Deduction) • GRD (Graduated) • TOT (Transfer Out) End date is not a required field on enrollment. Because of this, the start date is used to refer back to.	Student Information > General > Enrollment > End Date System Administration > Calendar > Calendar End Date <b>Database:</b> enrollment.startDate	
Grade	Reports the BIE Grade Level Code mapped to the grade of the student's reporting enrollment.	System Administration > Calendar > Calendar > Grade Level > BIE Grade Level Code <b>Database:</b> GradeLevel.regionalGrade	
Activity After Graduation/Exit CSV Only	Reports the code of the value identifying the student's activities after graduating or exiting the school. If null, reports blank.	Student Information > General > Graduation > BIE Activity after Grad/Exit <b>Database:</b> Graduation.dropoutCodeBIE	
Post Graduation/Exit Plans CSV Only	Reports the code of the value identifying the student's post school graduation/exit plans.	Student Information > General > Graduation > BIE Post Grad/Exit Plans <b>Database:</b> Graduation.postGradPlansBIE	
Primary Disability CSV Only	Reports the student's primary disability from the last year of their enrollment within the cohort. The following LOCKED BIE plan types will report: • BIE IEP • BIE IEP with Transition	Student Information > Special Ed > General > Documents > Plans > Enrollment Status > Primary Disability <b>Database:</b> planstate.disability1	



Field	Description		Location
Special Ed Setting CSV Only	Reports the student's Special Ed Setting from the last year of their enrollment within the cohort. The following LOCKED BIE plan types will report: • BIE IEP • BIE IEP with Transition		Student Information > Special Ed > General > Documents > Plans > Enrollment Status > Special Ed Setting <b>Database:</b> planstate.specialEdSetting
English Learner CSV Only	Using the last coho for the student, a treporting window i • Window Start calendar start calendars of a • Window End i calendar end calendars of a <b>If</b> Student's Program Status equals EL <b>OR</b> Student's Program Status = Exited EL <b>AND</b> Program Exit Date is EQUAL TO OR GREATER THAN system date	ert year identified temporary is created WHERE: is the earliest t date across all a school <b>Reports as</b> EL	Student Information > General > Program Participation > English Learners (EL) > Program Status Student Information > General > Program Participation > General > Program Participation > English Learners (EL) > Fourth Year Monitoring Student Information > Program Participation > English learners (EL) <b>Database:</b> Calculated



Field	Dlescription	Reports as	Location
	Student Program Status = Exited EL AND First Year Monitoring Date is on or within the reporting window	1	
	Student Program Status = Exited EL AND Second Year Monitoring Date is ON OR WITHIN the Reporting Window	2	
	Student Program Status = Exited EL AND The Third Year Monitoring Date ON OR WITHIN the Reporting Window	3	



Field	Dlfscription	Reports as	Location
	Student Program Status = Exited EL AND	4	
	Monitoring Date ON OR WITHIN the Reporting Window		
	Student did NOT meet any of the above	NOT EL	
Economic Disadvantaged CSV Only	conditions Reports a status of Y.		N/A
Migrant CSV Only	Reports a status of N.		N/A
Homeless CSV Only	Reports the student's homeless status of the Homeless Nighttime Residence field from the last year of their enrollment within the cohort.		Student Information > General > Enrollment > BIE Reporting > Homeless Nighttime Residence Database:
			bie.homelessNighttimeResidenceBIE
Foster Care CSV Only	Reports the student's BIE Foster Care status from the last year of their enrollment within the cohort.		Student Information > Program Participation > BIE Foster Care > Start Date
			Student Information > Program Participation > BIE Foster Care > End Date
			Database: Calculated



Field	Description	Location
Race/Ethnicity CSV Only	Reports the student's Federal Designation race/ethnicity of their current identity.	Census > People > Identities > Race Ethnicity > Federal Designation <b>Database:</b>
		Identity.raceEthnicity
Military Connection Status CSV Only	Reports the status of the student's relationship to the military from the last year of their enrollment within the cohort.	Student Information > General > Enrollment > BIE Reporting > Military Connected
	Otherwise, reports N.	Database: enrollmentBIE.militaryConnected
Section 504 CSV Only	Reports the student's 504 plan status from the last year of their enrollment within the cohort.	Student Information > Program Participation > BIE Section 504 > Start Date
		Student Information > Program Participation > BIE Section 504 > End Date
<b>Tribe</b> CSV Only	Reports the tribal code the student belongs to.	Student Information > General > NASIS > Tribe
		Database: nasis.tribalCode
BIE Enrollment Type (ISEP Status) CSV Only	Reports the student's BIE Enrollment Type from the last year of their enrollment within the cohort.	Student Information > General > Enrollment > BIE Reporting > Enrollment Type
		Database: bie.stateAidBIE
BIE District Number CSV Only	Reports the BIE District Number of the District tied to the school that is reporting.	System Administration > Resources > District Information > BIE District Number
		Database: District.groupNumber
BIE Group Number (State School Number)	Reports the BIE Group Number of the school that is reporting.	System Administration > Resources > School > BIE Group Number Database:
CSV Only		School.groupNumber

