

# MN v3.3 - Parents

Last Modified on 03/10/2025 4:06 pm CDT

This entity represents a parent or guardian of a student, such as mother, father or caretaker.

## Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	<p>When the Guardian check box is checked AND 1 person is a student and 1 person is not a student.</p> <ul style="list-style-type: none"> <li>The guardian does NOT have to be a member of the same household as the student to report.</li> <li>Start date must be on or before today's date.</li> <li>End date must be on or after today's date.</li> <li>Person must have an Ed-Fi ID to send.</li> <li>A record will not send if the student they are associated with has an enrollment marked as a no show, state exclude or enrollment is in a calendar or school marked as Exclude.</li> <li>A record will not send unless the parent/guardian is also saved as a 'Caregiver' on the student's Early Education tool.</li> <li>A record will not send unless the Registration Date from the Early Education tool record is NULL or that it is prior to the end of the current year's end date.</li> <li>A record will not send unless the exit date is NULL or that it is after the current year's start date.</li> </ul>
Put	<p>A record will be updated when any of the following are changed and saved:</p> <ul style="list-style-type: none"> <li>When the person's identity record is changed.</li> <li>When one of the person's household locations is changed.</li> <li>When one of the person's household memberships is changed.</li> <li>When one of the person's relationships that is marked Guardian is changed.</li> <li>When the contact information has changed: Phone or email.</li> <li>When the Early Education record that the Parent is tied to is changed.</li> </ul>
Delete	<p>N/A - a Parent record is a shared resource among all districts in the state and cannot be deleted. When the Student Parent Association is removed, the district will no longer have authorization to see the parent record.</p>

## School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

Action	Trigger
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
Resync	If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table.
Resync	If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.
Resync	If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.

## Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

Action	Trigger
Delete/Post	Cascading Deletes: The logic for an Ed-FI ID change will update all resources impacted by this change.

## Scope Year Logic

This table describes scope year logic of this object.

Business Rules
<p>A parent record will report when they are a guardian to a student with an enrollment aligned to a scoped year.</p> <ul style="list-style-type: none"> <li>The related pair start date must be null or on/before the scope year end date to report.</li> <li>The related pair end date must be null or on/after the scope year end date to report.</li> <li>Data will only send for the years that have valid configuration.</li> <li>A resync must be completed on the Parents resource when a new scope year is connected in order for this data to send.</li> </ul>
<p>When using data in Campus that has an effective date, the following logic will be applied to determine the scope year(s) to report the data to.</p> <ul style="list-style-type: none"> <li>Current Year: Records will be compared to today's date to determine if the record is eligible to report.</li> <li>Previous Years: The record's date must be on or before the schools year's end date defined in the School Years editor. If blank, the default date of 6/30/xxxx is used.</li> <li>Future Years: The record's date must be on or after the schools year's start date defined in the School Years editor. If blank, the default date of 7/01/xxxx is used.</li> </ul>
<p>When using data in Campus that have start and end dates, the following logic will be applied to determine the scope year(s) to report the data to.</p> <ul style="list-style-type: none"> <li>Current Year: The records start date must be on or before today's date and the records end date must be on or after today's date.</li> <li>Previous Years: The record's start date must be on or before the school year's end date and the record's end date must be after the school year's end date defined in the School Years editor. If blank, the default date of 6/30/xxxx is used.</li> <li>Future Years: The record's start date must be on or before the schools year's start date and the record's end date must be on or after the school year's start date defined in the School Years editor. If blank, the default date of 7/01/xxxx is used.</li> </ul>

## Identity Mapping Object Key

This table describes the Identity Mapping Object Key of this object.

campusObjectType	Object Key Data Source
Person	personID

## Event Queue Detail

This table describes the Event Queue Detail of this object.

Campus Table	Ed-Fi Action	Fields
relatedPair	Post/Put/Delete	The primary table used for sending data for this resource.
household	Put	Addresses
contact	Put	Email, Telephone

Campus Table	Ed-Fi Action	Fields
identity	put	First name, Last Name, Middle Name Suffix, gender

## Object Data Elements

This table describes data elements sent within the Parents resource. Data Element Labels in **bold** are part of the Natural Key and are required data elements for information to send to Ed-Fi.

Data Element Label	Business Requirement	Business Rules	M, C or O	Location
id	The unique identifier of the resource.		M	
<b>parentUniqueId</b>	A unique alpha-numeric code assigned to a parent.	Report the following: 1. ('District.entityID'+ '-' + 'first 4 char of districtGUID'+ '-' + 'personID'), or if District.entityID is NULL, then... 2. ('District.type'+ 'District.number'+ '000'+ '-' + 'first 4 char of districtGUID'+ '-' + 'personID')	M	
addresses	Report the person's address(s).	This field is optional, does not report.	O	
electronicMails	The numbers, letters, and symbols used to identify an electronic mail (e-mail) user within the network to which the individual or organization belongs.	This field is optional, does not report.	O	
<b>firstName</b>	A name given to an individual at birth, baptism, or during anothernaming ceremony, or through legal change.	Report the first name from the person's current identity record.	M	Censu: People Identit First N  identit firstNa
generationCode Suffix	An appendage, if any, used to denote an individual's generation in his family (e.g., Jr., Sr., III).	Report the Suffix from the person's current identity record.	C	Censu: People Identit Suffix  identit suffix
international Addresses	An unordered collection of parent International Addresses. This entity represents a parent or guardian of a student, such as mother, father or caretaker.	This field is optional, does not report.	O	
languages	The language(s) the individual uses to communicate.	This field is optional, does not report.		

Data Element Label	Business Requirement	Business Rules	M, C or O	Locati
lastName	The name borne in common by members of a family.	Report the last name from the person's current identity record.	M	Censu: People Identit Last N  identit lastNa
loginId	The login ID for the user; used for security access control interface.	This field is optional, does not report.	O	
maidenName	The person's maiden name, if applicable.	This field is optional, does not report.	O	
middleName	A secondary name given to an individual at birth, baptism, or during another naming ceremony.	Report the middle name from the person's current identity record.	O	Censu: People Identit Middle  identit middle
otherNames	An unordered collection of parent Other Names. This entity represents a parent or guardian of a student, such as mother, father or caretaker.	This field is optional, does not report.	O	
personal identification Documents	An unordered collection of parentIdentificationDocuments. This entity represents a parent or guardian of a student, such as mother, father or caretaker.	This field is optional, does not report.	O	
personalTitlePrefix	A prefix used to denote the title, degree, position or seniority of the person.	This field is optional, does not report.	O	
sexDescriptor	A person's gender.	<ol style="list-style-type: none"> <li>Report the Gender from the Person's current identity record. <ul style="list-style-type: none"> <li>This is NOT legal gender.</li> </ul> </li> <li>Report the following based on the value selected in the drop list. <ul style="list-style-type: none"> <li>Female report 'Female'.</li> <li>Male report 'Male'.</li> <li>If blank or Non-binary, report 'Not Selected'.</li> </ul> </li> </ol>	O	Censu: People Identit Gende  identit Gende
telephones	An unordered collection of parent telephones. This entity represents a parent or guardian of a student, such as mother, father or caretaker.	This field is optional, does not report.	O	

Data Element Label	Business Requirement	Business Rules	M, C or O	Locati
classroom Volunteer Descriptor	Classification of classroom volunteer capacity of a parent. E.g., Full-time volunteer or part-time volunteer. General purpose but initially implemented for Early Education.	If a value exists, and it is mapped in the Resource Preferences area, report the mapped value.  Otherwise, do not report.	O	Studer Inform State f > Earl' Educal Partici Type  EarlyE MN. partici
highestCompleted LevelOf Education Descriptor	The extent of formal instruction a parent has received (e.g., the highest grade in school completed or its equivalent or the highest degree received). This endpoint is actually referencing the levelOfEducation Descriptor, with the specific namespace: 'education.mn.gov/ LevelOfEducationDescriptor'	If a value exists, and it is mapped in the Resource Preferences area, report the mapped value.  Otherwise, do not report.	O	Studer Inform State f > Earl' Educal Educal Backgr  EarlyE MN. educal Backgr
birthDate	The month, day, and year on which the parent was born.	Report the value if it exists.  Otherwise, do not report.	O	Censu: People Identit Birth C
householdIncome	Annual income of the household in monetary units.	Report the value if it exists.  Otherwise, do not report.	O	Studer Inform State f > Earl' Educal House Incom  EarlyE MN. housel Incom
householdSize	Number of people in the household.	Report the value if it exists.  Otherwise, do not report.	O	Studer Inform State f > Earl' Educal House Membr  EarlyE MN. housel Membr

Data Element Label	Business Requirement	Business Rules	M, C or O	Location
receiving Interpreter Assistance	Is parent is receiving interpreter assistance?	Report 'true' if checkbox is selected. Otherwise, report 'false'.	O	Student Information > Early Education > Requirements > Interpreter Assistance  Early Education > Requirements > Interpreter Assistance
_etag	A unique system-generated value that identifies the version of the resource.	This field is optional, does not report.	O	

## Resource Preferences

The Ed-Fi Configuration tool is used to establish Ed-Fi data resources.

The following describes how to set the resource preferences for the Parents resource.

If a mapping is changed, a resync must be performed on the resource in order for the new mappings to send correctly.

1. Select the appropriate **Ed-Fi Code** for the Classroom Volunteer Descriptors.

Any item not mapped will not report to Ed-Fi.

EarlyEducationCaregiverMN Participant Type	
UI Location	Student Information > State Programs > Early Education > Participant Type

Classroom Volunteer Descriptors	
EarlyEducationCaregiverMN Participant Type	Ed-Fi Code
01: Not Volunteering	<input type="text"/>
02: Classroom Volunteer	FullTimeVolunteer: FullTimeVolunteer - Full- <input type="text"/>
03: Parent Advisory Council Volunteer	<input type="text"/>
99: Others	<input type="text"/>

2. Select the appropriate **Ed-Fi Code** for the Level of Education Descriptors.

EarlyEducationCaregiverMN Educational Background	
UI Location	Student Information > State Programs > Early Education > Educational Background

Level Of Education Descriptors	
EarlyEducationCaregiverMN Educational Background	Ed-Fi Code
0788: Preschool/Prekindergarten	788: 00788 - Preschool ▼
0790: First Grade	790: 00790 - First grade ▼
0791: Second Grade	791: 00791 - Second grade ▼
0792: Third Grade	792: 00792 - Third grade ▼
0793: Fourth Grade	793: 00793 - Fourth grade ▼
0794: Fifth Grade	794: 00794 - Fifth grade ▼
0795: Sixth Grade	795: 00795 - Sixth grade ▼
0796: Seventh Grade	796: 00796 - Seventh grade ▼
0798: Eighth Grade	798: 00798 - Eighth grade ▼
0799: Ninth Grade	799: 00799 - Ninth grade ▼
0800: Tenth Grade	800: 00800 - Tenth grade ▼
0801: Eleventh Grade	801: 00801 - Eleventh Grade ▼
0805: Kindergarten	805: 00805 - Kindergarten ▼
0819: Vocational Certificate	819: 00819 - Career and Technical Educatio ▼
1043: No School Completed	1043: 01043 - No school completed ▼
1044: High School Diploma	1044: 01044 - High school diploma ▼
1049: Some College But No Degree	1049: 01049 - Some college but no degree ▼
1050: Associate's Degree (two or more years)	1050: 01050 - Associate's degree (two year ▼
1051: Bachelor's (Baccalaureate) Degree	1051: 01051 - Bachelor's (Baccalaureate) di ▼
1054: Master's Degree	1054: 01054 - Master's degree (e.g., M.A., Iv ▼
1057: Doctoral (Doctor's) Degree	1057: 01057 - Doctoral (Doctor's) degree ▼
1809: 12th Grade, No Diploma	1809: 01809 - 12th grade, no diploma ▼
2409: High School Equivalency (e.g., GED)	2409: 02409 - High school equivalency (e.g ▼
9999: Other	9999: 09999 - Other ▼

Show Inactive

3. Click **Save**.