

Viewing Aggregated Attendance Information Using Ad Hoc Reporting

Last Modified on 10/21/2024 8:22 am CDT

Viewing student chronic absenteeism records and aggregated attendance data in a State Edition site is only accessible through Ad Hoc Reporting. The following article provides information to assist state-level users in creating and viewing aggregate attendance data using an ad hoc student filter.

Before you start, consider the following:

- On a nightly basis, an attendance aggregation processing job runs at the district-level to update the aggregated attendance data (used in attendance reports and ad hoc) to include the prior days attendance. Because this job only looks at changes made to attendance fields the day prior, backdated attendance changes may not be included. To ensure all attendance data (including any backdated changes) are included in the attendance aggregation, recommend to your districts they periodically run the [Attendance Aggregation Refresh](#) tool.
- On a weekly basis, district-level data is automatically synced to the state. To capture attendance changes happening between syncs, an administrator might consider manually running the [Resync State Data](#) tool to reflect more up-to-date data in attendance reports and aggregated attendance fields in ad hoc.

If both tools are used for the purpose of reflecting the most up-to-date attendance at the state level, Attendance Aggregation Refresh should be run first followed by the Resync State Data tool.

Viewing aggregated attendance data in Ad hoc reports requires tool rights to *Chronic Absenteeism Information* and *Ad Hoc Reporting*. Users must have both sets of tool rights or they will not be able to view the data.

Chronic Absenteeism Information

Read - View student aggregated attendance data in Ad Hoc

Reporting.

Write- N/A

Add- N/A

Delete - N/A

Ad Hoc Reporting

Read - View the Filter Designer tool.

Write- Modify current filters in the Filter Designer tool (including shared filters).

Add- Add or create new filters in the Filter Designer tool (including shared filters).

Delete - Remove previously created ad hoc filters in the Filter Designer tool (including shared filters).

For more information about Tool Rights and how they function, see the [Tool Rights](#) article.

Ad Hoc Reporting

Tool Search: Filter Designer

Users must create a report using the Ad Hoc Reporting tool to view aggregated attendance data. This section provides additional details about the aggregated attendance fields available.

When the ad hoc is generated, aggregated attendance records are reported by the day for each student. Because of the high level of data this will produce, it is strongly encouraged to apply a filter to the ad hoc report. This will limit the amount of data returned and prevent delays in performance.

Recommended filters:

- Grade Level
- Student Name
- Other ID

Chronic Absenteeism Fields

The fields displayed below will provide chronic absenteeism records for a student based on Calendar ID. If a student is enrolled in more than one calendar within a school, the records will display independently by calendar.

Prior to viewing the records, consider adding a filter to one (or more) of the student ID or demographic fields outlined in red. This reduces the amount of records returned and prevent potential performance issues.

Select categories & fields

Filter By

All Fields

- Student
 - Attendance
 - Chronic Absenteeism**
 - personID
 - calendarID
 - scheduledDays
 - daysAbsent
 - absenteeismPercentage
 - chronicallyAbsent

Selected Fields

- student.lastName
- student.firstName
- student.otherID
- student.stateID
- student.grade
- attChronicAbsenteeism.personID
- attChronicAbsenteeism.calendarID
- attChronicAbsenteeism.scheduledDays
- attChronicAbsenteeism.daysAbsent
- attChronicAbsenteeism.absenteeismPercentage
- attChronicAbsenteeism.chronicallyAbsent

Filter the data

ID	Field	Operator	Value
X	1 student.lastName	▼	▼
X	2 student.firstName	▼	▼
X	3 student.otherID	▼	▼
X	4 student.stateID	▼	▼
X	5 student.grade	▼	▼
X	6 attChronicAbsenteeism.personID	▼	▼
X	7 attChronicAbsenteeism.calendarID	▼	▼
X	8 attChronicAbsenteeism.scheduledDays	▼	▼
X	9 attChronicAbsenteeism.daysAbsent	▼	▼
X	10 attChronicAbsenteeism.absenteeismPercentage	▼	▼
X	11 attChronicAbsenteeism.chronicallyAbsent	▼	▼

Chronic Absenteeism Fields in Ad Hoc Reporting

Aggregated Attendance Fields

Per federal reporting guidelines, student attendance must be aggregated across all calendars for a school. In Ad hoc, attendance is aggregated by Calendar ID. If a student has an enrollment in multiple calendars, but all are held within the same school, use the fields found under the *Attendance Day Aggregation* category to calculate attendance aggregation for the school.

Prior to viewing the records, consider adding a filter to one (or more) of the student ID or demographic fields outlined in red. This reduces the amount of records returned and prevent potential performance issues.

Select categories & fields

Filter By

All Fields

- Student
 - Attendance
 - Attendance Day Aggregation
 - calendarID
 - personID
 - date
 - lastModifiedDate
 - scheduledMinutes
 - absentMinutes
 - unexcusedAbsentMinutes
 - mostCommonExcuseID
 - tardies
 - absentPeriods
 - unexcusedOnlyAbsentMinutes
 - unexcusedAbsentPeriods
 - unexcusedOnlyAbsentPeriods

Selected Fields

```

student.lastName
student.firstName
student.otherID
student.stateID
student.grade
attAggregation.calendarID
attAggregation.personID
attAggregation.date
attAggregation.lastModifiedDate
attAggregation.scheduledMinutes
attAggregation.absentMinutes
attAggregation.unexcusedAbsentMinutes
attAggregation.mostCommonExcuseID
attAggregation.tardies
attAggregation.absentPeriods
attAggregation.unexcusedOnlyAbsentMinutes
attAggregation.unexcusedAbsentPeriods
attAggregation.unexcusedOnlyAbsentPeriods
          
```

Filter the data

ID	Field	Operator	Value
X 1	student.lastName	▼	▼
X 2	student.firstName	▼	▼
X 3	student.otherID	▼	▼
X 4	student.stateID	▼	▼
X 5	student.grade	▼	▼
X 6	attAggregation.calendarID	▼	▼
X 7	attAggregation.personID	▼	▼
X 8	attAggregation.date	▼	▼
X 9	attAggregation.lastModifiedDate	▼	▼
X 10	attAggregation.scheduledMinutes	▼	▼
X 11	attAggregation.absentMinutes	▼	▼
X 12	attAggregation.unexcusedAbsentMinutes	▼	▼

Aggregated Attendance Fields in Ad Hoc Reporting

Ad Hoc Field Descriptions

Field	Description
calendarID	The Calendar of the student's enrollment.
PersonID	The unique identifier used to identify the student in the database.
date	The day for which the following details apply. A date is reported for each day a student is scheduled in the calendar they are enrolled. <i>Note - a day will report even if the student had no absences or tardies.</i>
lastModifiedDate	The date of the last attendance aggregation quartz job that updated the record.
scheduledMinutes	The total number of instructional minutes the student is scheduled for the day.
absentMinutes	The total number of minutes the student was considered absent for the day. Exempt minutes are excluded.

Field	Description
unexcusedAbsentMinutes	The total number of minutes the student was absent unexcused and/or absent unknown for the day.
unexcusedOnlyAbsentMinutes	The total number of minutes student was marked as absent unexcused for the day. Only <i>unexcused</i> absent minutes are included.
unexcusedAbsentPeriods	The total number of periods the student was absent unexcused and/or absent unknown for the day.
unexcusedOnlyAbsentPeriods	The total number of periods student was absent unexcused for the day. Only periods the student has an unexcused absence in are included.
tardies	Total number of periods a student was considered tardy from in a day.
mostCommonExcuseID	The ID of the most commonly used excuse code recorded in the student's attendance record for an absences and tardies. Attendance records where the student is considered exempt are excluded.