

MN v3.3 - Sections Resource Preferences

Last Modified on 04/17/2025 2:16 pm CDT

The Ed-Fi Configuration tool is used to establish Ed-Fi data resources.

The following describes how to set the resource preferences for the Sections resource.

If a mapping is changed, a resync must be performed on the resource in order for the new mappings to send correctly.

 Select the appropriate Ed-Fi Code for the Instructional Delivery Mode Descriptors. The Show Inactive button can be used to show Instructional Delivery Mode Descriptors that are not active.


Any item not mapped will not report to Ed-Fi.

Course Online Learning

Attribute System Settings > Custom Data and Links > Core Attribute/Dictionary >

Dictionary Course > Online Learning

UI Location Scheduling & Courses > Courses > Course Information > Online Learning




2. Select a Instructional Language Override if necessary.

The Instructional Language Override mapping only needs to be populated if the code does not match a code that is in the Ed-Fi Code list.

Instructional Language Overrides

UI Location Scheduling & Courses > Courses > Course Information > Instruction Language






3. Select the appropriate **Ed-Fi Code** for the Medium of Instruction Descriptors. The **Show**Inactive button can be used to show Medium of Instruction Descriptors that are not active.

Course Instruction Method / EE Location	
Attribute Dictionary	System Settings > Custom Data and Links > Core Attribute/Dictionary > Course > Instruction Method
UI Location	Scheduling & Courses > Course Information > Instruction Method / EE Location





4. Click Save.