

MN v3.3 - Sections Resource Preferences

Last Modified on 12/14/2025 8:45 pm CST

The Ed-Fi Configuration tool is used to establish Ed-Fi data resources.


The following describes how to set the resource preferences for the Sections resource.

If a mapping is changed, a resync must be performed on the resource in order for the new mappings to send correctly.

1. Select the appropriate **Ed-Fi Code** for the Instructional Delivery Mode Descriptors. The **Show Inactive** button can be used to show Instructional Delivery Mode Descriptors that are not active.

Any item not mapped will not report to Ed-Fi.

Course Online Learning	
Attribute Dictionary	System Settings > Custom Data and Links > Core Attribute/Dictionary > Course > Online Learning
UI Location	Scheduling & Courses > Courses > Course Information > Online Learning



2. Select a Instructional Language Override if necessary.

The Instructional Language Override mapping only needs to be populated if the code does not match a code that is in the Ed-Fi Code list.

Instructional Language Overrides

UI Location Scheduling & Courses > Courses > Course Information > Instruction Language

Instructional Languages Override

Course Instruction Language	Ed-Fi Code
No records mapped.	

Add

- Select the appropriate **Ed-Fi Code** for the Course Medium of Instruction Descriptors. The **Show Inactive** button can be used to show Medium of Instruction Descriptors that are not active.

Course Instruction Method / EE Location	
Attribute Dictionary	System Settings > Custom Data and Links > Core Attribute/Dictionary > Course > Instruction Method/EE Location
UI Location	Scheduling & Courses > Courses > Course Information > Instruction Method / EE Location

Medium of Instruction Descriptors

Course Instruction Method / EE Location	Ed-Fi Code
CR: Classroom	CR: Classroom
CP: Computer Program	CP: Computer
ITVS: ITV Sending	ITVS: ITVSend
ITVR: ITV Receiving	ITVR: ITVRecv
BH: Blended/Hybrid	BH: Blended
G: Guided	G: Guided
CO: Completely Online	CO: Online
O: Other	O: Other
CS: Classroom Self-Contained	CS: Classroom_Self
CT: Classroom Team	CT: Classroom_Team
CC: Classroom Collaborative	CC: Classroom_Coll
CL: Classroom Looped	CL: Classroom_Loop
DL: Distance Learning (other than online)	DL: Distance Learning
EE: Early Education	EE: EarlyEduc
HOM: (EE) Child's home	
ISD: (EE) School District	
CCC: (EE) child care center	
FCC: (EE) Family child care home	
P: (EE) Preschool (Community based)	
MED: (EE) Hospital or Medical Facility	
OTHR: (EE) Not listed above.	O: Other

Show Inactive

4. Select the appropriate **Ed-Fi Code** for the Section Medium of Instruction Descriptors. The **Show Inactive** button can be used to show Medium of Instruction Descriptors that are not active.

Section Instruction Method Override	
Attribute Dictionary	System Settings > Custom Data and Links > Core Attribute/Dictionary > Course > Instruction Method Override
UI Location	Scheduling & Courses > Course > Section Information > Instruction Method Override

Section Medium of Instruction Descriptors

Section Instruction Method Override	Ed-Fi Code
CR: Classroom	CR: Classroom ▼
CP: Computer Program	CP: Computer ▼
ITVS: ITV Sending	ITVS: ITVSend ▼
ITVR: ITV Receiving	ITVR: ITVRecv ▼
BH: Blended/Hybrid	BH: Blended ▼
G: Guided	G: Guided ▼
CO: Completely Online	CO: Online ▼
O: Other	O: Other ▼
CS: Classroom Self-Contained	CS: Classroom_Self ▼
CT: Classroom Team	CT: Classroom_Team ▼
CC: Classroom Collaborative	CC: Classroom_Coll ▼
CL: Classroom Looped	CL: Classroom_Loop ▼
SL: Supplemental (ia 23-24)	SL: Supplemental ▼
DL: Distance Learning (other than online)	DL: Distance Learning ▼
EE: Early Education	EE: EarlyEduc ▼
DFSL: District Funded Supplemental	DFSL: District-Funded Supplemental ▼
SFSL: State Funded Supplemental	SFSL: State-Funded Supplemental ▼

Show Inactive

5. Click **Save**.