

OneRoster 1.2 Data Models

Last Modified on 01/16/2026 4:29 pm CST

OneRoster is a set of specifications established by the [1EdTech Learning Consortium](#). Campus created our OneRoster API based on these specifications. Campus currently supports the 1.1 and 1.2 versions of this specification. This article details the 1.2 version.

See the [OneRoster API](#) article for more information about OneRoster and the [Configuring OneRoster Connections](#) article for instructions on setting up a connection.

The tables below lay out the OneRoster 1.2 specification and identify, where applicable, the location in the Campus interface and database where this data populates, with any additional information.

See the [OneRoster API Documentation \(OAuth 2\)](#) article to verify the data that your district makes available in the OneRoster API.

What are 'SourcedIDs'?

The sourcedid of a record is a key piece of data used to identify that record. This value is usually the unique identifier for an element, such as the GUID. In the tables below, the sourcedid is the first element listed for each endpoint, with examples provided.

Users

There are 6 roles in the Campus implementation of OneRoster 1.2:

- Student: A person with an [Enrollment](#) in the active year.
 - Enrollments marked as No Show are not returned.
- Teacher: A person with a [District Assignment](#) in the active year with a role of Teacher marked (EmploymentAssignment.teacher)
- Aide: A non-teacher staff member. A person with a [District Assignment](#) in the active year with a role other than Teacher (EmploymentAssignment.specialEd, .program, .behavior, .health, .responseApprover, .rti, .advisor, .supervisor, .counselor, .foodService, .approver, or .framProcessor)
- Guardian: A person with access to [Campus Parent](#) and a Guardian [relationship](#) to a student in the current year.
- Relative: A person with access to [Campus Parent](#) and a non-Guardian [relationship](#) to a student in the current year. Grade Book sync must be enabled for the OneRoster connection to return relative information.
- DistrictAdministrator: A staff member with security clearance to create other staff members and perform system administrative duties. In Campus, this role is represented by a [Product Security Role](#).

A user's currently active role returns as 'Primary'.

Vendors may choose to access only specific types of users by using role-specific endpoints of /students and /teachers. All roles may be used via the /users endpoint.

Note: A record returns for each role, not for each individual. Multiple records may return for an individual, such as a teacher who is also a guardian or a district administrator/aide.

Data Element Name in OneRoster Spec	Campus Interface & Database Location	Description & Notes
sourcedid	Census > People > Demographics > Person GUID Person.personGUID	Returns the PersonGUID of the person this user pertains to. e.g. 5356590D-A812-4E74-AF6F-4C96C00264CC
status	Returns an indication of whether the user is active.	
	Student: Student Information > General > Enrollments > End Date Enrollment.endDate	Students are considered active if they have an active Enrollment according to the enrollment End Date.

	Teacher/Aide/District Administrator: Census > Staff > District Assignment > End Date EmploymentAssignment.endDate	Teachers, Aides, and District Administrators are considered active if they have an active District Assignment according to assignment End Date.
	Guardian/Relative: Census > People > Relationships > Start Date, End Date RelatedPair.startDate, RelatedPair.endDate	Guardians and Relatives are considered active if they have an active Relationship record.
dateLastModified	Returns the last Modified Date according to the user's role, or as 1970-01-01 if null.	
	Students: Enrollment.modifiedDate, Identity.modifiedDate, UserAccount.modifiedDate, Contact.modifiedDate	For students, reports the last modified date of their Enrollment, Identity, User Account, or Contact record.
	Non-Students: EmploymentAssignment.modifiedDate, Identity.modifiedDate, UserAccount.modifiedDate, Contact.modifiedDate	For non-students, reports the most recent last modified date of their District Assignment (when applicable), Identity, User Account, or Contact record.
metadata	ic.legacySourcedId Census > People > Identities > PersonID Person.personID	Returns the 'numeric' part of a OneRoster 1.1 sourcedId to help partners map users from 1.1 to 1.2. e.g. ic.legacySourcedId: 123
	ic_relationships Census > People > Relationships > "Portal" and "Guardian" checkbox	Returns a list of the people who have Portal access to this user. Each entry contains the following information: <ul style="list-style-type: none"> sourcedId – Sourced ID of the related user guardian – "true" or "false" based on whether this is a guardian relationship relationshipType – The type of relationship defined in Campus (e.g. "Guard: Father", "Sibling")
userMasterIdentifier	Students: Census > People > Demographics > Student State ID Person.stateID	Returns the student's State ID
	Teachers: Census > People > Demographics > Staff State ID Person.staffStateID	Returns the teacher's Staff State ID
	Note: In OneRoster 1.1, this information was instead reported in the userIds array.	
username	Census > People > Identities > Person ID Person.personID	PersonID is returned through the username property. UserAccount(s) can be found in the userIds array property.

userIds	<p>User Management > User Accounts > User Account Information</p> <p>UserAccount.userName, UserAccount.homepage, UserAccount.disable, UserAccount.expiresDate, UserAccount.userID</p>	<p>Returns a list of User Accounts for the user, with the following properties:</p> <ul style="list-style-type: none"> • identifier – The username for the user account • type – Derived based on the homepage of the user account: <ul style="list-style-type: none"> ◦ infiniteCampusStudent – Campus Student Portal ◦ infiniteCampusTeacher – Campus Instruction ◦ infiniteCampusRelative – Campus Parent Portal ◦ infiniteCampus – Other/Unknown Homepage (Generally for non-teacher staff) <p>Multiple userIds are listed only if multiple user accounts are active for the user. Inactive user accounts may be returned if there are no active user accounts.</p>
enabledUser	<p>User Management > User Accounts > User Account Information > Disabled/Expires Date</p> <p>UserAccount.disable, UserAccount.expiresDate</p>	<p>Returns true if the user has any active user accounts, otherwise returns false.</p> <p>A user account is considered active if it is not disabled and it's expiration date has not passed.</p>
givenName	<p>Census > People > Identities > First Name or Legal First Name</p> <p>Identity.firstName or Identity.legalFirstName</p>	<p>If a legal first name exists for the user AND the setting to Include Legal Names is marked, returns the legal first name for the user.</p> <p>Otherwise, returns the first name for the user.</p>
familyName	<p>Census > People > Identities > Last Name or Legal Last Name</p> <p>Identity.lastName or Identity.legalLastName</p>	<p>If a legal last name exists for the user AND the setting to Include Legal Names is marked, returns the legal last name for the user.</p> <p>Otherwise, returns the last name for the user.</p>
middleName	<p>Census > People > Identities > Middle Name or Legal Middle Name</p> <p>Identity.middleName or Identity.legalMiddleName</p>	<p>If a legal middle name exists for the user AND the setting to Include Legal Names is marked, returns the legal middle name for the user.</p> <p>Otherwise, returns the middle name for the user.</p>
preferredFirstName	<p>Census > People > Identities > First Name</p> <p>Identity.firstName</p>	<p>If a legal first name exists for the user AND the setting to Include Legal Names is marked, returns the first name for the user.</p> <p>Otherwise, returns as null.</p>
preferredMiddleName	<p>Census > People > Identities > Middle Name</p> <p>Identity.middleName</p>	<p>If a legal middle name exists for the user AND the setting to Include Legal Names is marked, returns the middle name for the user.</p> <p>Otherwise, returns as null.</p>
preferredLastName	<p>Census > People > Identities > Last Name</p> <p>Identity.lastName</p>	<p>If a legal last name exists for the user AND the setting to Include Legal Names is marked, returns the last name for the user.</p> <p>Otherwise, returns as null.</p>
pronouns	N/A	N/A
role	Campus supports user roles of teacher, student, administrator, aide, relative, and guardian.	

	<p>Students: Student Information > General > Enrollments Enrollment.startDate, Enrollment.endDate</p> <p>Teachers/Staff Census > Staff > District Assignments EmploymentAssignment.startDate, EmploymentAssignment.endDate</p> <p>Guardians/Relatives Student Information > General > Enrollments for the related student Enrollment.startDate, Enrollment.endDate</p>	<p>A list of user roles, one per role / organization.</p> <ul style="list-style-type: none"> • beginDate – Start Date of the role (based on Enrollment or District Assignment) • endDate – End Date of the role (based on Enrollment or District Assignment) • roleType – "primary" or "secondary" – one role in the list is chosen as the primary role based on the logic below • role – "student", "teacher", "guardian", "districtAdministrator", etc. • org – A reference to the organization (i.e. school) in which the user has this role <p>One role is marked as primary, based on the following criteria:</p> <ul style="list-style-type: none"> • Active roles (end date after current date) are picked before inactive roles (end date before current date) • If the "role" value differs (e.g. "guardian" vs "teacher") the one higher in the following list is picked first: <ul style="list-style-type: none"> ◦ District Administrator ◦ Teacher ◦ Aide ◦ Student ◦ Guardian ◦ Relative • If the "role" value is the same (e.g. "student" vs "student"), the one with the highest ID is picked – this is a GUID, so this is essentially random.
userProfiles	N/A	N/A
primaryOrg	N/A	N/A
identifier	<p>Students Census > People > Demographics > Local Student Number or Local Staff Number Person.studentNumber</p> <p>Teachers Census > People > Demographics > Local Staff Number Person.staffNumber</p>	<p>Identification number of the person</p> <p>Note: relatives and guardians do not have identifiers</p>
email	<p>Census > People > Demographics > Personal Contact Information > Email</p> <p>Contact.email OR Contact.secondaryEmail</p>	<p>Email Address</p> <p>Note: districts may elect to use the Secondary Email Address using the email setting in the Learning Interoperability/Digital Learning Applications Configuration tool.</p> <p>Some vendors require all users to have an email address.</p>
sms	<p>Census > People > Demographics > Personal Contact Information > Cell Phone</p> <p>Contact.cellPhone</p>	Cell Phone Number
phone	<p>Census > People > Demographics > Person Contact Information > Other Phone</p> <p>Contact.homePhone</p>	Phone Number

agents	Census > People > Relationships > Portal checkbox RelatedPair.portal	Returns as list of the Guardians and Relatives of the student who have access to the Campus Parent Portal.
grades	Student Information > General > Enrollments > Grade; System Administration > Resources > Grade Level Definitions Enrollment.grade, GradeLevel.stateGrade, GradeLevel.ncesGrade	Returns a list of CEDS Grade Level(s), mapped to the grade level(s) in which the students are enrolled. Only returns for students.
password	N/A	N/A
resources	N/A	N/A

Demographics

Returns demographic data based on the current active identity for the person. Only one Identity may be active at a time. Follows [External LMS Exclude](#) logic.

This endpoint can be turned off for connections using OAuth 2.

Data Element Name in OneRoster Spec	Campus Interface & Database Location	Description & Notes
sourcedId	Census > People > Identities > Person GUID Person.personGUID	Returns the PersonGUID of the person this record pertains to. e.g. 882ed49c-f895-4fa2-9003-ce2fb524b747
status	N/A	Returns as 'active'
dateLastModified	Census > People > Demographics/Identities > Modified Date; Census > People > Demographics > Personal Contact Information > Modified Date Identities.modifiedDate, Contact.modified Date	The more recent date between the Contact and Identity modified dates. If null, returns 1970-01-01.
metadata	options: v_Address data	Can optionally include address data based on OneRoster connection settings. Primary addresses are prioritized for selection. ic_address: <ul style="list-style-type: none"> • number • street • tag • prefix • direction • apartment • POBox • city • state • zipcode • county • districtResidenceName • districtResidenceNumber districtResidenceName and Number return based on the Legal District of Residence field on the student's Enrollment.
birthDate	Census > People > Identities > Birth Date Identity.birthDate	Birth Date

sex	Census > People > Identities > Gender Identity.gender	Male, Female, Other (when sex is not Male or Female) or Unspecified (when sex is null)
americanIndianOrAlaskaNative	Census > People > Identities > Race/Ethnicity > American Indian or Alaska Native Identity.raceEthnicityFed = 2	If Hispanic/Latino is true, always returns false. Otherwise, if Race/Ethnicity is American Indian or Alaska Native and no other race/ethnicity is marked, returns true.
asian	Census > People > Identities > Race/Ethnicity > Asian Identity.raceEthnicityFed = 3	If Hispanic/Latino is true, always returns false. Otherwise, if Race/Ethnicity is Asian and no other race/ethnicity is marked, returns true.
blackOrAfricanAmerican	Census > People > Identities > Race/Ethnicity > Black or African American Identity.raceEthnicityFed = 4	If Hispanic/Latino is true, always returns false. Otherwise, if Race/Ethnicity is Black or African American and no other race/ethnicity is marked, returns true.
nativeHawaiianOrOtherPacificIslander	Census > People > Identities > Race/Ethnicity > Native Hawaiian or Other Pacific Islander Identity.raceEthnicityFed = 5	If Hispanic/Latino is true, always returns false. Otherwise, if Race/Ethnicity is Native Hawaiian or Other Pacific Islander and no other race/ethnicity is marked, returns true.
white	Census > People > Identities > Race/Ethnicity > White Identity.raceEthnicityFed = 6	If Hispanic/Latino is true, always returns false. Otherwise, if Race/Ethnicity is White and no other race/ethnicity is marked, returns true.
demographicRaceTwoOrMoreRaces	Census > People > Identities > Race/Ethnicity Identity.raceEthnicityFed = 7	If Hispanic/Latino is true, always returns false. Otherwise, returns as true of two or more of the races/ethnicities above are marked.
hispanicOrLatinoEthnicity	Census > People > Identities > Race/Ethnicity > <i>Is the individual Hispanic/Latino?</i> Identity.hispanicEthnicity	Returns as true if Y is selected for the Hispanic/Latino question, otherwise returns false.
countryOfBirthCode	Census > People > Identities > Birth Country Identity.countryOfBirthCode	Code indicating the Country of Birth. eg. US
stateOfBirthAbbreviation	Census > People > Identities > Birth State Identity.stateOfBirthAbbreviation	Abbreviation of the State of Birth. eg MN
cityOfBirth	Census > People > Identities > Birth City Identity.cityOfBirth	City of Birth, if specified
publicSchoolResidenceStatus	N/A	N/A

Enrollments

Only returns for students and teachers. OneRoster and Campus define 'enrollment' differently. In OneRoster, an 'enrollment' indicates membership in a class. In Campus, this data is stored in the Schedule for students and the Staff History tab for Teachers.

Follows [External LMS Exclude](#) logic.

Data Element Name in OneRoster Spec	Campus Interface & Database Location	Description & Notes
-------------------------------------	--------------------------------------	---------------------

sourcedId	Does not display in Campus UI. 's' + Roster.rosterID	For students, returns the letter 's' prepended to the RosterID. e.g. s123453678
	Does not display in Campus UI. 't' + SectionStaffHistory.historyID	For teachers, returns the letter 't' prepended to the Staff History ID.e.g. t123456
status	Students: All Enrollments for a Section: Scheduling & Courses > Courses > Section Roster All Enrollments for a Student: Student Information > General > Schedule > Walk-in Scheduler > Section > End Date Roster.endDate	For students, if the Roster End Date is null or after the current date, returns 'active'. Otherwise returns 'tobedeleted'.
	Teachers: Scheduling & Courses > Courses > Section Staff History > End Date SectionStaffHistory.endDate	For teachers, if the Staff History End Date is null or after the current date, returns 'active'. Otherwise returns 'tobedeleted'.
dateLastModified	Student: Student Information > General > Schedule > Walk-In Scheduler > select a roster Roster.modifiedDate or Roster.createdDate	Returns the Modified Date, or the Created Date if null. Note: Created Date does not display in the Campus UI.
	Teacher: Scheduling & Courses > Courses > Section Staff History > select a record SectionStaffHistory.modifiedDate or SectionStaffHistory.createdDate	
metadata	N/A	N/A
user	Census > People > Demographics > Person GUID Person.personGUID	A reference to the User that this enrollment pertains to. Returns the personGUID of the user.
class	Scheduling & Courses > Courses > Section Information > SectionID Section.sectionID	A reference to the Class (Campus Section) that the user for this enrollment is enrolled in. Returns the sectionID of the section.
school	Does not display in the Campus UI. School.schoolGUID, District.districtGUID	A reference to the School that contains the Class the user is enrolled in. Returns the schoolGUID of the school.
role	N/A	Identifies the type of enrollment record being returned. Returns as 'student' or 'teacher'.
primary	Students: N/A	A value does not return for students.
	Teachers: Scheduling & Courses > Courses > Section Staff History > Primary Teacher vs Teacher SectionStaffHistory.staffType	For teachers, returns as TRUE if the teacher is designated as the Primary teacher of the section. Otherwise returns as FALSE.

beginDate	Students: All Enrollments for a Section: Scheduling & Courses > Section Roster > Start Date All Enrollments for a Student: Student Information > General > Schedule > Walk-in Scheduler > Start Date Roster.startDate	For students, returns the Roster Start Date. If a date is not listed, returns as null.
	Teachers: Scheduling & Courses > Courses > Section Staff History > Access Start Date, Start Date SectionStaffHistory.accessStartDate SectionStaffHistory.startDate	For teachers, returns the Access Date from the Staff History record, if entered, or the Start Date of the Staff History record. If a date is not entered, returns as null.
endDate	Students: All Enrollments for a Section: Scheduling & Courses > Section Roster > End Date All Enrollments for a Student: Student Information > General > Schedule > Walk-in Scheduler > End Date Roster.endDate	For students, returns the Roster End Date.
	Teachers: Scheduling & Courses > Courses > Section Staff History > Access End Date, End Date SectionStaffHistory.accessEndDate SectionStaffHistory.endDate	For teachers, returns the Access End Date from the Staff History record, if entered, or the End Date of the Staff History record.
	If an End Date is entered in Campus, a value of endDate + one day returns. One day is added because dates are inclusive in Campus (access ends at the <i>end</i> of the endDate) whereas in OneRoster, dates are exclusive (access ends at the <i>beginning</i> of the endDate).	

Classes

Returns the classes (sections) for active courses in the current school year. Follows [External LMS Exclude](#) logic. Excluded classes exclude the enrollments for the class.

Note: The Classes endpoint is cached hourly. See the [Caching OneRoster Data](#) section for more information.

Data Element Name in OneRoster Spec	Campus Interface & Database Location	Description & Notes
sourcedId	Scheduling & Courses > Courses > Section Information > Section ID Section.sectionID	Returns the SectionID of the class.
status	N/A	Returns as 'active'
dateLastModified	Scheduling & Courses > Courses > Section Information > Modified Date Section.modifiedDate	Date the section record was last modified.
metadata	N/A	N/A
title	Scheduling & Courses > Courses > Course Information > Name, Number; Section Information > Number Course.name., Course.number, Section.number	Returns in a format of "<course.number> <section.number> <course.name>" e.g. 101 2 Math

classCode	Scheduling & Courses > Courses > Section Information > Teacher Display Name Section.teacherDisplayName	Returns the Teacher Display Name.
classType	Scheduling & Courses > Courses > Section Information > Homeroom checkbox	Returns as 'homeroom' if the class is marked as Homeroom. Otherwise returns as 'scheduled'.
location	Scheduling & Courses > Courses > Section Information > Room Room.name	Room where the class takes place.
grades	N/A	Not supported. In Campus, grade level data is not stored for sections (classes).
subjects	Scheduling & Courses > Courses > Course > Subject Type, Core Academic Class If Subject Type is CORE: Course.coreSubject Otherwise Course.subjectType	If the Course's Subject Type is CORE, returns the value of the Core Academic Class dropdown list. If Subject Type has any other value selected, returns the Subject Type. If Subject Type is blank, this property is omitted. Note: Only one value returns for this attribute.
course	Scheduling & Courses > Courses > Course Information > CourseID Course.courseID	The Course ID of the section's (class's) parent course. Returns the courseID of the course.
school	Does not display in the Campus UI. School.schoolGUID	The GUID of the School for the Calendar that the Course is in.
terms	Scheduling & Courses > Courses > Section Information > Section Schedule Placement SectionPlacement.termID	Returns a list of references to the Term(s) that this section is scheduled into, according to the Section Schedule Placement. Returns the TermID of the term(s).
subjectCodes	Scheduling & Courses > Courses > Course Information > NCES Data > NCES Code (derived from SCED Subject Area + SCED Course Identifier Course.scedSubjectArea Course.scedCourseID	If either SCED Subject Area or SCED Course Identifier are null, returns null. Otherwise, returns the concatenation of SCED Subject Area and SCED Course Identifier. e.g. SCED Subject Area = "02: Mathematics" and SCED Course Identifier = "051: Pre-Algebra" → returns as "02051" Note: Only one value is returned in this list.
periods	Scheduling & Courses > Courses > Section Information > Section Schedule Placement Term.name, PeriodSchedule.name, Period.name	Returns a list of periods this section is scheduled in, likely containing a period for each term, in the following format: "<Term Name>-<Period Schedule Name>-<Period Name>" e.g. "Q1-Daily-1"
resources	N/A	N/A

Courses

Returns Active Courses for the current school year. Follows [External LMS Exclude](#) logic. Records related to an excluded course (classes, enrollments, etc) are not returned.

Note that if a school used [Course Masters](#) to manage course information, course details may change as a result of data being pushed from the Master. Data is returned via the API from [Course Information](#) so changes made at the Course Master level that have not been pushed to the Course are not reflected in the API. Likewise, if the Course Information tool is locked from editing at the [Course Catalog](#) level, edits must be made to the Course Master and

then pushed to the course.

Data Element Name in OneRoster Spec	Campus Interface & Database Location	Description & Notes
sourcedId	Scheduling & Courses > Courses > Course Information > Course ID Course.courseID	Returns the courseID of the course. e.g. 12345
status	N/A	Returns as 'active'
dateLastModified	Scheduling & Courses > Courses > Course Information > Modified Date Course.modifiedDate	Date the course record was last modified.
metadata	N/A	N/A
title	Scheduling & Courses > Courses > Course Information > Name Course.name	Course Name
schoolYear	N/A	N/A
courseCode	Scheduling & Courses > Courses > Course Information > Number Course.number	Course Number
grades	N/A	N/A
subjects	Scheduling & Courses > Courses > Course Information > Subject Type, Core Academic Class If Subject Type is CORE: Course.coreSubject Otherwise Course.subjectType	If the Course's Subject Type is CORE, returns the value of the Core Academic Class dropdown list. If Subject Type has any other value selected, returns the Subject Type. If Subject Type is blank, this property is omitted. Note: Only one value returns for this attribute.
org	Does not display in the Campus UI. School.schoolGUID	A reference to the School that contains this course. Returns the sourcedId of the calendar's school.
subjectCodes	Scheduling & Courses > Courses > Course Information > NCES Data > NCES Code (derived from SCED Subject Area + Sced Courses Identifier) Course.scedSubjectArea Course.scedCourseID	If either SCED Subject Area or SCED Course Identifier are null, returns null. Otherwise, returns the concatenation of SCED Subject Area and SCED Course Identifier. e.g. SCED Subject Area = "02: Mathematics" and SCED Course Identifier = "051: Pre-Algebra" → returns as "02051" Note: Only one value is returned in this list.
resources	N/A	N/A

Orgs (Districts & Schools)

The Campus implementation of the OneRoster specification returns districts and schools as orgs because the specification does not have a place for returning district-level information. Schools marked as [External LMS Exclude](#) are not returned. Records related to excluded schools (courses, classes, students, etc) are not returned. Schools without a calendar for the current school year can be included in the results.

District and school records are differentiated using the **type** element. Orgs returns as two endpoints:

- /schools: Returns a record for each school
- /orgs: Returns a record for the district as well as a record for each school.

If desired, vendors have the option of only returning the /schools endpoint to exclude district information.

Data Element Name in OneRoster Spec	Campus Interface & Database Location	Description & Notes
sourcedId	Does not display in the Campus UI. School.schoolGUID District.districtGUID	Returns schoolGUID for schools, returns districtGUID for the district. e.g. 882ed49c-f895-4fa2-9003-ce2fb524b747
status	N/A	Returns as 'active'
dateLastModified	Schools School & District Settings > Schools > School Information > Modified Date School.modifiedDate	Date the school record was last modified.
	District School & District Settings > District > District Information > Modified Date District.modifiedDate	Date the district record was last modified.
metadata	Schools School & District Settings > Schools > School Information > Address fields School.address, city, state, zip	Can optionally include address data for the School/District based on OneRoster connection settings. "ic_address" contains: <ul style="list-style-type: none"> • Address • City • State • Zip
	District School & District Settings > District > District Information > Address fields District.address, city, state, zip	
name	Schools School & District Settings > Schools > School Information > Name School.name	School Name
	District School & District Settings > District > District Information > Name District.name	District Name
type	N/A	Returns as 'school' for schools and 'district' for districts.
identifier	Schools School & District Settings > Schools > School Information > State School Number School.number	State School Number
	District School & District Settings > District > District Information > State District Number District.number	State District Number
parent	Does not display in the Campus UI. District.districtGUID	For schools, returns a reference to the district. Returns the districtGUID of the district. For districts, parent is not returned.
children	Does not display in the Campus UI. School.schoolGUID	For schools, children are not returned. For districts, returns a list of the schoolGUID for all schools in the district.

Terms

Terms for the current school year. Follows [External LMS Exclude](#) logic.

Data Element Name in OneRoster Spec	Campus Interface & Database Location	Description & Notes
sourcedId	Does not display in the Campus UI. Term.termID	e.g. 1234
status	N/A	Returns as 'active'. Campus does not support inactive terms.
dateLastModified	N/A	Returns as the current date/time. Campus does not store Last Modified dates for Terms.
title	Scheduling & Courses > Calendar Setup > Term Setup > Term Name Term.name	Term Name
startDate	Scheduling & Courses > Calendar Setup > Term Setup > Term Start Date Term.startDate	Start Date
endDate	Scheduling & Courses > Calendar Setup > Term Setup > Term End Date Term.endDate	End Date
type	N/A	Returns as 'term'
parent	N/A	N/A - Term records do not have parents in Campus.
children	Does not display in the Campus UI. Term.termGUID	This field returns the sourcedId for the associated Grading Period, which is the TermGUID.
schoolYear	Scheduling & Courses > Calendar Setup > School Year Setup > select active year > End Year, Active SchoolYear.endYear, SchoolYear.active	Returns the End Year of the term's school year.

Grading Periods

In Campus, Grading Periods is the same thing as Terms. Therefore, this endpoint returns the same records as the Terms endpoint. This endpoint also returns a record for each Calendar + Schedule Structure combination that has an in-use One-Time Grading Tasks.

Follows [External LMS Exclude](#) logic.

Data Element Name in OneRoster Spec	Campus Interface & Database Location	Description & Notes
sourceId	Does not display in the Campus UI. Term: Term.termGUID One-Time Grading Task: ScheduleStructure.structureGUID	e.g. 882ed49c-f895-4fa2-9003-ce2fb524b747
status	N/A	Returns as 'active'. Campus does not support inactive terms
dateLastModified	N/A	Returns as 'now'. Campus does not stores Last Modified dates for Terms.
metadata	N/A	N/A

title	Terms Scheduling & Courses > Calendar Setup > Term Setup > Term Name Term.name	For Term-related Grading Periods, returns Term Name.
	One-Time Grading Tasks Scheduling & Courses > Calendar Setup > Calendar Information > Name, Schedule Structure Setup > Name Calendar.name, ScheduleStructure.name	For One-Time Grading Task Grading Periods, returns the following: "OneTime: <calendar.name> <scheduleStructure.name> e.g. 'OneTime: 21-22 Harrison High Main'
startDate	Terms & One-Time Grading Tasks Scheduling & Courses > Calendar Setup > Term Setup > Term Start Date Term.startDate	For Term-related Grading Periods, returns the Start Date. For One-Time Grading Task Grading Periods, returns the earliest Start Date for any Term in the term schedule.
endDate	Terms & One-Time Grading Tasks Scheduling & Courses > Calendar Setup > Term Setup > Term End Date Term.endDate	For Term-related Grading Periods, returns the End Date. For One-Time Grading Task Grading Periods, returns the latest End Date for any Term in the term schedule.
type	N/A	Returns as 'gradingperiod'.
parent	Terms: Does not display in the Campus UI. Term.termID	For Terms, returns the sourceID of the Term record associated with the Grading Period, which is the term's TermID. Does not return for One-Time Grading Tasks.
children	N/A	N/A
schoolYear	Scheduling & Courses > Calendar Setup > School Year Setup > select active year > End Year, Active SchoolYear.endYear, SchoolYear.active	Returns the End Year of the term's school year.

Academic Sessions

Academic Sessions are a combination of all possible terms and grading periods for the section. Follows [External LMS Exclude](#) logic.

The Academic Sessions endpoint returns the same data as the Terms and Grading Periods endpoints documented above.

Grade Book Data

Grade Book data is only available via connections to Verified Vendors. Districts must have an active Campus Learning license to return Grade Book data via OneRoster.

LineItems (Assignments)

Note: Assignments returned via OneRoster can only be scored using points. No data received from the vendor program can be edited on an assignment, but other data can be.

Support Information:
Assignments received via the OneRoster API have a version shown in the bottom-right corner of the assignment. Click to view additional information about the assignment.

Data Element Name in OneRoster Spec	Campus Interface & Database Location	Description & Notes
-------------------------------------	--------------------------------------	---------------------

sourcedId	Instruction > Grades > Grade Book > select assignment > click version at bottom-right > sourcedID IMLearningObjectSection.externalLMSSourcedId	If the assignment was created in the external LMS, the 'Support Information' tool tip includes the identifier assignment by the external LMS.
status	N/A	Returns as 'active'.
dateLastModified	Instruction > Grades > Grade Book > select assignment > click version at bottom-right > Modified Date IMLearningObject.modifiedDate, IMLearningObjectSection.modifiedDate, LessonPlanGroupActivity.modifiedDate	Returns the most recent date among the three Modified Dates stored. Most data for imported assignments cannot be updated in Campus.
metadata	N/A	N/A
title	Instruction > Grades > Grade Book > select assignment > Name	Note: Campus limits assignment name to 255 characters. Name should not contain HTML text.
description	Instruction > Grades > Grade Book > select assignment > Summary IMLearningObjectBlob.content	Returns the assignment description provided by the LMS, if any. Description can contain HTML text.
assignDate	Instruction > Grades > Grade Book > select assignment > Start Date IMLearningObjectSection.startDate	Note: Vendors must send an assignDate that is at least one minute before the dueDate to correctly create an assignment. Otherwise, an error occurs.
dueDate	Instruction > Grades > Grade Book > select assignment > End Date IMLearningObjectSection.endDate	Note: This date must fall within the term(s) in which the section is taught. Must be at least one minute after the assignDate or an error occurs.
class	Does not display in the Campus UI. IMLearningObjectSection.sectionID	Returns the SectionID for a the section an assignment is in, according to information provided by the vendor. An assignment can only be aligned to one section.
school	Does not display in the Campus UI. School.schoolGUID	Returns the schoolGUID of the school that contains the assignment.
category	Does not display in the Campus UI. LessonPlanGroupActivity.groupID	Returns the groupID of the Category that contains the assignment.
gradingPeriod	Does not display in the Campus UI. Term.termGUID OneRosterClass.structureID (ScheduleStructure.structureID)	If the assignment is aligned to a Category within a Term, returns the TermGUID. Otherwise, returns the StructureGUID of the Schedule Structure. Refers to the Grading Period that the assignment falls into.
academic Session	Does not display in the Campus UI. Term.termID	Returns the termID of the Academic Session (Term) that the assignment falls in.
scoreScale	GradingTaskCredit.scoreGroupID, Section.sectionID, LessonPlanGroupActivity.taskID	Returns the Score Scale (Grading Task ready for use in a Section) used by the assignment expressed as a Sourced ID. The Sourced ID returns as the concatenation of <scoreGroupID> _ <sectionID> _ <taskID> delimited by underscores. e.g. "12345_98765_1234"

resultValueMin	N/A	Returns as '0'. Campus assignments do not currently support a minimum value other than 0. Any value provided by the external LMS is ignored.
resultValueMax	Instruction > Grades > Grade Book > select assignment > Grading > Points LessonPlanGroupActivity.totalPoints	Points possible on the assignment.
learningObjectiveSet	N/A	Not currently supported.

Results

Data Element Name in OneRoster Spec	Campus Interface & Database Location	Description & Notes
sourcedId	Does not display in the Campus UI LessonPlanScore.externalLMSSourcedID	Format determined by vendor. Campus generated scores use a GUID format.
status	N/A	Returns as 'active'.
dateLastModified	Does not display in the Campus UI. LessonPlanScore.modifiedDate	Returns the Modified Date of the record. If null, returns '1/1/1970'.
metadata	N/A	N/A
lineltem	Instruction > Grades > Grade Book > assignment > click version at bottom-right > Sourced ID (see Lineltems for more information) IMLearningObjectSection.externalLMSSourcedId	Returns the sourcedId of the lineltem (assignment) that is being created or updated.
student	Does not display in the Campus UI. Person.personGUID	Returns the personGUID of the associated student.
class	Does not display in the Campus UI. IMLearningObjectSection.sectionID	Returns the sectionID of the Class (Section) that the score's assignment is in.
scoreScale	N/A	N/A
scoreStatus	Instruction > Grade Book > score and flag(s) for an assignment LessonPlanScore.exempt, LessonPlanScore.missing, LessonPlanScore.score	For incoming scoreStatus data sent to Campus: This element returns based on whether the incoming Result conforms to the candidate version of the 1.2 specification that was released initially, or the finalized version. <i>Finalized version of specification:</i> if scoreStatus is 'exempt', flagged as Exempt in Campus. Also flagged based on the incomplete, late, and missing elements described at the end of this table. <i>Candidate version of specification:</i> see section following for logic.

		<p>For outgoing scoreStatus data from Campus:</p> <ul style="list-style-type: none"> • Returns 'exempt' if flagged as Exempt. • Returns 'submitted' if not flagged as Exempt and a score exists. • Otherwise returns as 'not submitted'.
score	<p>Instruction > Grades Grade Book > an assignment score</p> <p>LessonPlanScore.score</p>	If the score is a numeric value, returns the float value of the score. Otherwise returns as null.
textScore	<p>Instruction > Grades Grade Book > an assignment score</p> <p>LessonPlanScore.score</p>	Returns the text value of the score, regardless of whether it is numeric or not.
scoreDate	<p>Does not display in the Campus UI.</p> <p>LessonPlanScore.modifiedDate</p>	Returns the Modified Date of the score, or as the current date/time if null. This field does not return the LessonPlanScore.scoreDate.
comment	<p>Instruction > Grades > Grade Book > assignment score comment</p> <p>LessonPlanScore.comments</p>	Note: Campus limits comments to 250 characters.
learningObjectiveSet	N/A	N/A
inProgress	N/A	N/A
incomplete	<p>Instruction → Grades → Grade Book → score and flag(s) for an assignment</p> <p>LessonPlanScore.incomplete</p>	Returns as 'true' when the score is flagged as incomplete.
late	<p>Instruction → Grades → Grade Book → score and flag(s) for an assignment</p> <p>LessonPlanScore.late</p>	Returns as 'true' when the score is flagged as late.
missing	<p>Instruction → Grades → Grade Book → score and flag(s) for an assignment</p> <p>LessonPlanScore.missing</p>	Returns as 'true' when the score is flagged as missing.

Incoming Score Status based on Candidate Version of 1.2 Specification

If the scoreStatus on an incoming Result record conforms to the candidate version of the 1.2 specification, scores in Campus are flagged as follows:

scoreStatus	Flagged in Campus
Fully Graded, Partial Graded, Submitted	Removes Exempt, Missing, Late, and Dropped flags.
Exempt	Marks Exempt and removes Dropped and Missing flags.
Not Submitted	Removes Exempt, Missing, Late, and Dropped flags.
Late	Marks Late flag and removes Exempt, Missing, and Dropped flags.
Incomplete	Marks Incomplete flag and removes Exempt, Missing, Late, and Dropped flags.
Withdrawal	Marks Dropped flag and removes Exempt, Missing, Late, and Dropped flags.
In Progress	Removes Exempt, Missing, Late, Incomplete and Dropped flags.
Missing	Marks Missing flag and removes Exempt, Late, Incomplete, and Dropped flags.

Categories

Note: Campus does not currently allow external LMS's to create, update, or delete categories via OneRoster.

Data Element Name in OneRoster Spec	Campus Interface & Database Location	Description & Notes
sourcedId	LessonPlanGroup.groupID	eg. 12345
status	N/A	Returns as 'active'.
dateLastModified	LessonPlanGroup.modifiedDate	Returns the last modified date if available, otherwise 1970-01-01.
metadata	classId: string	Returns the classId, which the the class sourcedId of the category (sectionID) eg. 12345
title	LessonPlanGroup.name	Returns the name of the category
weight	LessonPlanGroup.weight	Returns the weight of the category in relation to grading.

Score Scales

Data Element Name in OneRoster Spec	Campus Interface & Database Location	Description & Notes
sourcedId	Does not display in the Campus UI. GradingTaskCredit.scoreGroupID, Section.sectionID LessonPlanGroupActivity.taskID	The Sourced ID returns as the concatenation of <scoreGroupID> _ <sectionID> delimited by underscores. Indicates the Grading Task of the assignment. e.g. "12345_98765_1234"
status	N/A	Returns as 'active'.
dateLastModified	Does not display in the Campus UI. GradingTaskCredit.modifiedDate	Returns the last modified date if available, otherwise 1970-01-01.
metadata	N/A	N/A
title	Grading & Standards > Grading Setup > Grading Task Setup > Name; Scheduling & Courses > Course > Course Information > Name, Number; Section Information > Number; Grading & Standards > Score Group & Rubric Setup > Score Group GradingTask.title OneRosterClass.title (<course.number> <section.number> <course.name>) ScoreGroup.name	Returns the concatenation of Grading Task Name, class Title, and Score Group Title is Course Number, Section Number, and Course Name. e.g. "Quarter 4610 AP U.S. Government ABC+- (Weighted)"
type	Grading & Standards > Grading Setup > Score Group & Rubric Setup > Type ScoreGroup.type	If Type is 'R', returns as 'Rubric'. Otherwise returns as 'Traditional'.
course	Scheduling & Courses > Course > Course Information > CourseID OneRosterClass.courseID	Returns the courseID of the Course that the score scale is in.

Data Element Name in OneRoster Spec	Campus Interface & Database Location	Description & Notes
class	Scheduling & Courses > Course > Section Information > SectionID OneRosterClass.sectionID	Returns the sectionID of the Section that the score scale is in.
scoreScaleValue	Grading & Standards > Grading Setup > Score Group & Rubric Setup itemValueRHS: ScoreListItem.score itemValueLHS: ScoreListItem.minPercent	Returns a list of mappings of point values to the scores in the score scale. eg: <pre>scoreScaleValue[{itemValueRHS: "A", itemValueLHS: "90.0" }, {itemValueRHS: "B", itemValueLHS: "80.0" }, {itemValueRHS: "C", itemValueLHS: "70.0" }]</pre>

Class Groups

Class groups is a OneRoster extension. In Campus, teachers are allowed to create cross-section [Section Groups](#). These are represented in OneRoster as Class Groups.

Data Element Name in OneRoster Spec	Campus Interface & Database Location	Description & Notes
sourcedId	Does not display in the Campus UI. SectionGroup.sectionGroupID	eg. 12345
status	N/A	Returns as 'active'.
dateLastModified	N/A	Returns the current date/time.
metadata	N/A	N/A
title	Instruction > Grades > Grade Book > Settings > Section Groups > Name SectionGroup.name	Returns the name of the section group.
groupType	Does not display in the Campus UI. SectionGroup.autogenerated	If the group is auto-generated, returns 'cross-listed'. Otherwise returns 'Cohort'.
classes	OneRosterClass.sectionID	Returns a list of sectionIDs for sections included in the Class Group.