

Core SIF - TermInfo

Last Modified on 12/14/2025 8:45 pm CST

Tool Search: SIF

The current version of SIF is v2.7.

This object provides information about a term; i.e., a reportable period of time.

SIF_Events are reported for this object.

Object Triggering

Event Type	Requirement
Add	A term is added.
Change	A term is changed.
Delete	A term is deleted.

Object Population and Business Rules

Requirement
The SIF Agent and Zone must have access rights assigned to TermInfo
The district must belong to the same calendar and year assigned to the SIF Zone in order to populate.

Object Data Elements

Data Element Label	Description	Business Rules	Data Source GUI Path	Database Field
@RefId	The Id (GUID) that uniquely identifies this TermInfo entity.			Term.termID, District.districtGUID
@SchoolInfoRefId	The Id (GUID) that identifies the school where the term is used.			
@SchoolYear	School year for which the information is applicable, expressed as the four-digit year in which the school year ends (e.g., 2007 for the 2006-07 school year).			

StartDate	Starting date of the term.		System Administration > Calendar > Calendar > Term	Term.StartDate
EndDate	Ending date of the term (CCYYMMDD).		System Administration > Calendar > Calendar > Term	Term.endDate
Description	Text-based description of the term.		System Administration > Calendar > Calendar > Term	Term.name
RelativeDuration	Portion of the school year represented by this term, expressed in decimal form precise to 4 decimal places (e.g., 0.1333).	Optional do not report.		
TermCode	Locally-defined code.			
Track	The name, description, or code of the track that contains this term. This is used when there are multiple tracks within a school. For instance, kindergarten commonly has a different set of terms than other grades within the school.			
TermSpan				
TermSpan/Code	Code for session type	<p>Calculated value based upon COUNT(terms)</p> <p>Hard Coded:</p> <p>When c.summerSchool = 1 THEN 0833,</p> <p>When Temp.countTerms = 1 THEN 0827</p> <p>When Temp.countTerms = 2 THEN 0828</p> <p>When Temp.countTerms = 3 THEN 0829</p> <p>When Temp.countTerms = 4 THEN 0830</p> <p>When Temp.countTerms = 5 THEN 0831</p> <p>When Temp.countTerms = 6 THEN 0832</p> <p>When Temp.countTerms = 12 THEN 0837</p> <p>ELSE 9999</p> <p>Note: termInfo.TermSpan.Code field will not update when a term is deleted, or when the calendar is changed to summer. The record must be re-sent for the field to update.</p>		Calculated value based upon COUNT(terms)

TermSpan/ OtherCodeList				
TermSpan/ OtherCodeList/ OtherCode	A state/province code, local code, other code or a text string that crosswalks to or serves as a translation of an associated Code element.		System Administration > Calendar > Calendar > Term	TermSchedule.name
TermSpan/ OtherCodeList/ OtherCode/ @Codeset	Describes the OtherCode element content as either a state/province code, a local code, other code, or text string.	Where Codeset = Text.		
MarkingTerm	Does this TermInfo represent a marking period?	Optional do not report.		
SchedulingTerm	Does this TermInfo represent a scheduling term?	Optional do not report.		
AttendanceTerm	Does this TermInfo represent an attendance term?	Optional do not report.		