

Core SIF - StudentContactRelationship

Tool Search: SIF

The current version of SIF is v2.7.

This object defines a relationship between a contact person and a student.


SIF_Events are reported for this object.

Object Triggering

Event Type	Requirement
Add	When a Relationship is created for the student.
Add	When the relationship previously did not overlap today's date, and it is changed so that it overlaps today's date.
Add	When a student was previously Excluded and when it's changed to Not Excluded.
Add	When two people have relationship and one of them get enrolled.
Add	When two people with enrollments in the zone year have a relationship and one of the enrollments gets deleted.
Change	When the relationship type is changed.
Change	When the household, &/or household membership are changed.
Delete	When the contact is deleted.
Delete	When a relationship is ended before today's date, the record will be deleted for that year.
Delete	When all of the students non Enrollments are deleted.
Delete	When the Student is changed to Excluded.
Delete	When the relationship previously overlapped today's date, and it is changed so that it does not overlap today's date.
Delete	When two people have a relationship and both of them get enrolled in the zone year.

Object Population and Business Rules

Requirement
StudentContact exists when a relationship is created.
The relationship must overlap today's date.
At least one of the child elements of Contact Flags must have a Yes value. Do not publish the Student Contact instance if one of the child elements does not have a Yes value.
The Student must have a StudentPersonal Record.



Object Data Elements

Data Element Label	Description	Business Rules	Data Source GUI Path	Database Field
@Refld	The GUID of this contact			
@StudentPersonalRefId	The GUID of the student whose contact this is.			Person.personID
@StudentContact PersonalRefld	GUID that identifies the contact person for the relationship.			
Relationship	Defines the relationship of the contact to the student.			
Relationship/Code	Code representing the relationship.			Report from Relationship Code section from below



Relationship/Other	List of other		
CodeList	codes or		
	strings that		
	crosswalk to or		
	serve as		
	translations of		
	the Code		
	element paired		
	with this		
	common		
	element. If		
	Code changes		
	and		
	OtherCodes		
	are supported,		
	both Code and		
	all associated		
	OtherCode		
	elements must		
	be present.		
Relationship/OtherCodeList/OtherCode	А		
	state/province		
	code, local		
	code, other		
	code or a text		
	string that		
	crosswalks to		
	or serves as a		
	translation of		
	an associated		
	Code element.		
Relationship/OtherCodeList/@Codeset	Describes the		
p;	OtherCode		
	element		
	content as		
	either a		
	state/province		
	code, a local		
	code, other		
	code, or text		
	string.		
ContactFlags	Contains		
2	Yes/No		
	characteristics		
	of the contact		
	person's role.		
	Provide a Yes		
	value for all		
	that apply. At least one of the		
	child elements		
	of ContactFlags		
	must have a		
	Yes value. Do		
	not publish the		
	StudentContact		
	instance if one		
	of the child		
	elements does		
	not have a Yes		
	value.		



ContactFlags/Parent LegalGuardian	Does the individual have parental or legal guardianship responsibility for the student?	 Report Yes if the guardian checkbox on the relationship is checked. Else, report No. 	Census> People> Relationships> Guardian	Related Pair.guardia
ContactFlags/PickupRights	This element tells whether or not the contact has pickup rights.	 Report Yes if the guardian checkbox on the relationship is checked. Else, report No. 	Census> People> Relationships> Guardian	
ContactFlags/LivesWith	Does the student live with this contact?	 Report Yes if student is in the same household of the contact person being reported Both Student and Contact Person household memberships overlap today's date Else, report No 	Census> People> Households	HouseholdMember
ContactFlags/Access ToRecords	Does this contact have access to the student's records?	 Report Yes if the guardian checkbox on the relationship is checked. Else, report No. 		
ContactFlags/Emergency Contact	Should this contact be notified in case of emergency?	 Report Yes if Emergency Priority is populated. Else, report No. 		RelatedPair.seq
ContactFlags/HasCustody	Does this contact have or share custody of the student?	 Report Yes if the guardian checkbox on the relationship is checked and student is in the same household of the contact person being reported. Both Student and Contact Person household memberships overlap today's date. 		



ContactFlags/Disciplinary Contact	Is this person to be contacted in case of disciplinary action?	 Report Yes if the guardian checkbox on the relationship is checked. Else, report No. 		
ContactFlags/Primary CareProvider	Does this person provide daily living or personal assistance to the student?	 Report Yes if the guardian checkbox on the relationship is checked and student is in the same household of the contact person being reported. Both Student and Contact Person household memberships overlap today's date. 		
ContactFlags/Other	This person has a relationship to student(s) that the school needs to document but no other contact flag value is 'Yes'. An example is a parent who enrolled the student but is deceased and is no longer a valid contact.			
ContactSequence	Number indicating the order in which the person should be contacted.	Reports sequence field from RelatedPair.	Census> People> Relationships> Emergency Priority	RelatedPair.seq
SIF_Metadata				